UNITED STATES ENVIRONMENTAL PROTECTION AGENCY **REGION 8**



1595 Wynkoop Street DENVER, CO 80202-1129 Phone 800-227-8917 http://www.epa.gov/region08


Ref: 8P-AR

2015 APR 2

Mr. Terry L. O'Clair, P.E. Director, Division of Air Quality Environmental Health Section Gold Seal Center 918 East Divide Avenue Bismarck, North Dakota 58501-1947

an email notification from Chuck Hyatt of your staff.

Dear Mr. O'Clair:



Region 8 has reviewed the submitted AMNP and found that the requirements specified in 40 CFR Part 58.10, as well as the 105 grant commitment to conduct a review annually, have been met with the submission of this document; however, we note that the language in the plan indicated that data collected from industry monitors required by the state are not used for National Ambient Air Quality Standard (NAAQS) comparison. As detailed in the March 20, 2015, letter to David Glatt from Janet McCabe, EPA identified an area in North Dakota that may have violated the 2010 SO₂ NAAQS based on preliminary air quality monitoring data collected between 2012 and 2014 at the Amerada Hess #3 industry monitor located in Williams County. We look forward to continued discussions with you and your staff as we work together to implement the 2010 SO₂ standard and achieve its intended public health protection.

If you have any questions on this issue, please contact me at (303) 312-6416 or Albion Carlson, of my staff, at (303) 312-6207.

Sincerely,

Carl Daly, Director

Air Program

Chuck Hyatt, DAQ cc:

Annual Report

North Dakota Ambient Monitoring Network Plan 2013



Annual Report

North Dakota Ambient Monitoring Network Plan 2013

Jack Dalrymple Governor

Terry L. Dwelle, M.D. State Health Officer

L. David Glatt Environmental Health Section Chief



North Dakota Department of Health Division of Air Quality
Air Quality Monitoring Branch
918 E. Divide Ave.
Bismarck, N.D. 58501-1947

TABLE OF CONTENTS

]	Page Page	
			_	
		ABLES		
LIST	Γ OF FI	IGURES		. V
1.0		INTRODUCTION		
	1.1	Network Plan Process		
	1.2	General Monitoring Needs		
	1.3	Monitoring Objectives		
2.0		Ambient Air Monitoring Network Coverage		
	2.1	Sulfur Dioxide		
	2.1.1			
	2.1.2			
	2.1.3			
	2.1.4	•		
	2.2	Oxides of Nitrogen		
	2.2.1			
	2.2.3			
	2.2.2	<u>e</u>		
	2.2.2	Ozone		
	2.3.1			
	2.3.2			
	2.3.3			
	2.3.4			
	2.3	Inhalable Particulates		
	2.4.1			
	2.4.2			
	2.4.3			
	2.4.4	10		
	2.4.5	2.0		
	2.5	Carbon Monoxide		
	2.5.1			
	2.5.2			
	2.6	Lead		
	2.7	Hydrogen Sulfide		
	2.7.1	• •		
	2.7.2			
	2.8	Air Toxics		
	2.8.1			
	2.8.2			
3.0	S	SUMMARY AND CONCLUSIONS		
	3.1	Sulfur Dioxide (SO ₂)		
	3.2	Nitrogen Dioxide (NO ₂)		
	3.3	Ozone (O_3)		. 33
	3.4	Inhalable Particulates		
	3.5	Carbon Monoxide (CO)		. 34
	3.6	Lead		
	3.7	Hydrogen Sulfide		
	3.8	Air Toxics		
App	endix A			
	endix B	•		
	endix C			
	endix D		• • • • • • • • •	• 109

LIST OF TABLES

<u>Table</u>		<u>Page</u>
Table 1	AAQM Network Description	5
Table 2	Major SO ₂ Sources	7
Table 3	Sulfur Dioxide	10
Table 3A	Trace Level Sulfur Dioxide	10
Table 4	SO ₂ 5-Minute Average	11
Table 4A	Trace Level SO2 5-Minute Average	
Table 5	Major NOx Sources	16
Table 6	Nitrogen Dioxide	
Table 7	Major VOC Sources	21
Table 8	Ozone	22
Table 9	Major PM ₁₀ Sources	25
Table 10	FRM & FEM PM _{2.5} Particulates	26
Table 11	Continuous PM ₁₀	27
Table 12	Major CO Sources	29
Table 13	Carbon Monoxide	
Table 14	Major Air Toxics Sources	32

LIST OF FIGURES

	5
Figure 1 North Dakota Ambient Air Quality Monitoring Sites	J
Figure 2 Major Sulfur Dioxide Sources	
Figure 2A Annual Sulfur Dioxide Emissions	
Figure 3 SO ₂ Maximum 1-Hour Concentrations	13
Figure 4 SO ₂ Maximum 3-Hour Concentrations	13
Figure 5 SO ₂ Maximum 24-Hour Concentrations	14
Figure 6 Major Oxides of Nitrogen Sources	17
Figure 6A Annual Oxides of Nitrogen Emissions	
Figure 7 NO ₂ Annual Average Concentrations	19
Figure 8 Major VOC Sources	21
Figure 9 Annual 4 th Highest Ozone Concentrations	23
Figure 10 Major PM ₁₀ Sources	
Figure 10A Annual PM Emissions	26
Figure 11 Major CO Sources	29
Figure 12 Major Air Toxics Sources	

1.0 INTRODUCTION

The North Dakota Department of Health (Department), Division of Air Quality, has the primary responsibility of protecting the health and welfare of North Dakotans from the detrimental effects of air pollution. Toward that end, the Division of Air Quality ensures the ambient air quality in North Dakota is maintained in accordance with the levels established by the state and federal Ambient Air Quality Standards (NAAQS) and the Prevention of Significant Deterioration of Air Quality (PSD) Rules. To carry out this responsibility, the Division of Air Quality operates and maintains a network of ambient air quality monitors and requires three major industrial pollution sources to conduct source-specific ambient air quality monitoring. There are 16 ambient air quality monitoring sites currently operating in the State. However, this review addresses only the seven Departmentoperated sites. The Theodore Roosevelt National Park – South Unit site at Painted Canyon is a National Park Service (NPS) site. The Department operates and maintains the sulfur dioxide, ozone and continuous fine particulate analyzers at the NPS's request. The remaining eight sites are Department-required industry-supported sites. The monitors operated by industry are classified as source specific and required by permit. The Department assists industry operators in site selection, set-up, performance audits, and submittal of data to the U.S. Environmental Protection Agency (EPA) Air Quality System (AOS). However, industry are responsible for their own data quality assurance and data from these monitors are not used in NAAQS comparison (for more information, see the most recent North Dakota Air Quality Monitoring Data Summary Report, available online at: http://www.ndhealth.gov/AQ/AmbientMonitoring.htm).

To evaluate the effectiveness of the state's air quality monitoring effort, the EPA requires the Division of Air Quality to conduct an annual review of the Department's ambient air quality monitoring (AAQM) network. EPA's requirements, as set forth in 40 CFR 58.10, are to (1) determine if the system meets the monitoring objectives defined in 40 CFR 58, Appendix D, and (2) identify network modifications such as termination or relocation of unnecessary sites or establishment of new sites that are necessary.

The 2005 Draft National Ambient Air Monitoring Strategy (NAAMS, www.epa.gov/ttn/amtic/monstratdoc.html) established a new monitoring site classification system for the national AAQM network structure. There are two primary categories: National Core (NCore) and State, Local, and Tribal (SLT). Each state is required to have at least one NCore site. Fargo NW has been selected as North Dakota's required NCore site. Fargo NW is also a part of EPA's 54-site Speciation Trends National Network. The NAAMS explains the purpose of these national networks and rationale for each gaseous and particulate measurement.

For the States and tribes, the State and Local Monitoring Systems (SLAMS), SPM, Prevention of Significant Deterioration (PSD) and Tribal Networks site designations still apply. The remaining six

Department-operated sites are designated as SLAMS sites.

1.1 Network Plan Process

The locations of sites in a monitoring program are established to meet certain objectives. The Oc. 17, 2006, Federal Register (40 CFR 58, Appendix D), defined six basic monitoring objectives. These objectives are as follows:

- 1. To determine the highest <u>pollutant concentrations</u> expected to occur in an area covered by the network.
- 2. To determine representative concentrations in areas of high population density.
- 3. To determine the impact on ambient pollution levels by a <u>significant source</u> or class categories.
- 4. To determine the <u>general/background</u> concentration levels.
- 5. *To determine the impact on air quality by <u>regional transport.</u>*
- 6. To determine <u>welfare-related</u> impacts (such as visibility impacts and vegetation effects).

The link between basic monitoring objectives and the physical location of a particular monitoring site involves the concept of spatial scale of representativeness. This spatial scale is determined by the physical dimensions of the air parcel nearest a monitoring site throughout which actual pollutant concentrations are reasonably similar. The goal in locating sites is to match the spatial scale represented by the sample of monitored air with a spatial scale most appropriate for the monitoring objective. Spatial scales of representativeness, as specified by EPA, are described as follows:

Microscale – dimensions ranging from several meters up to about 100 meters.

Middle Scale – areas up to several city blocks in size with dimensions ranging from about 100 meters to 0.5 km.

Neighborhood Scale – city areas of relatively uniform land use with dimensions of 0.5 to 4.0 km.

Urban Scale – overall, city-wide dimensions on the order of 4 to 50 km. (Usually requires more than one site for definition.)

Regional Scale – rural areas of reasonably homogeneous geography covering from 50 km to hundreds of km.

The relationships between monitoring objectives and spatial scales of representativeness, as specified by EPA, are as follows:

Monitoring Objective Appropriate Siting Scales

Highest Concentration Micro, middle, neighborhood, (sometimes urban or regional

for secondarily formed pollutants)

Population Oriented Neighborhood, urban

Source Impact Micro, middle, neighborhood

General/Background Urban, regional Regional Transport Urban, regional Welfare-related Impacts Urban, regional

Recommended scales of representativeness appropriate to the criteria pollutants monitored in North Dakota are shown below:

<u>Criteria Pollutant</u> <u>Spatial Scales</u>

Inhalable Particulate micro, middle, neighborhood, urban, regional

Sulfur Dioxide middle, neighborhood, urban, regional Ozone middle, neighborhood, urban, regional

Nitrogen Dioxide middle, neighborhood, urban

Using this physical basis to locate sites allows for an objective approach, ensures compatibility among sites, and provides a common basis for data interpretation and application. The annual review process involves reviewing each site and associated monitors to evaluate their monitoring objectives and spatial scales to ensure each site and monitor still meets the intended purpose. Sites and monitors that no longer satisfy the intended purpose are either terminated or modified accordingly. Further details on network design can be found in 40 CFR 58, Appendix D.

1.2 General Monitoring Needs

As can be gathered from the prior discussion, each air pollutant has certain characteristics that must be considered when establishing a monitoring site. These characteristics may result from (1) variations in the number and types of sources and emissions in question; (2) reactivity of a particular pollutant with other constituents in the air; (3) local site influences such as terrain and land use; and (4) climatology. The Department's AAQM network is designed to monitor air quality data for five basic conditions: (1) background monitoring; (2) population exposure; (3) significant source or class category; (4) long range transport; and (5) regional haze.

There are a total of 7 Department-run ambient air quality monitoring sites operating in the state. Additionally an eighth site, Painted Canyon in Theodore Roosevelt National Park, is a part of the NPS's network. The Department, at the NPS's request, provides sulfur dioxide and ozone analyzers and a manual fine particulate $(PM_{2.5})$ sampler. The NPS also provides a continuous $PM_{2.5}$ analyzer, which the Department operates and maintains. The seven state sites fall into

two categories: 40 CFR 58 required sites (3) and supplemental sites (4). The primary function of the Department's three required sites (see Table 1) are to satisfy five monitoring objectives. Beulah is a significant source and population- oriented site because of the three major sources in the vicinity of Beulah. Also, the site is between the city and downwind of two major sources. Fargo NW is population orientated because Fargo is a major population center with five major sources in the Fargo, ND-Moorhead, MN, area. The data from this site is used as input to dispersion models to evaluate permits-to-construct and permits-to-operate for projects located in or near population centers in the eastern part of the state. And, TRNP-NU is the background/long-range transport/welfare-related site. The remaining four sites are used to support modeling activities (model calibration and/or validation) and supplement data collected at the required sites. For the national PM_{2.5} program, the Department is required to operate three "non-Core required" sites (Fargo, Bismarck and Beulah).

Background, welfare-related and long-range transport sites are chosen to determine concentrations of air contaminants in areas remote from urban sources and generally are sited using the regional spatial scale. This is true for NO₂ despite the fact that the regional spatial scale is not normally used for NO₂ monitoring. Once a specific location is selected for a site, the site is established in accordance with the specific sitting criteria specified in 40 CFR 58, Appendices A, C, D and E.

1.3 Monitoring Objectives

The Department's monitoring objective is to track those pollutants that are judged to have the potential for violating either state or federal Ambient Air Quality Standards. To accomplish this objective, the Department operates SLAMS sites at selected locations around the state. Table 1 lists basic site information: Appendix A contains a full description for each site, site photographs, and a site map taken from Google Earth mapping service. Figure 1 shows the approximate site locations.

With the visibility regulations in 40 CFR 51.300, 40 CFR 51.308 (regional haze rules) and 40 CFR 51, Appendix Y (Best Available Retrofit Technology, BART) coming into effect, the Department is beginning to evaluate monitoring requirements and changes needed to support the visibility regulations.

Table 1

AAQM Network Description

Site Name AQS Site #	Parameter Monitored ¹	Monitoring Objective ²
1 Beulah North 380570004	SO ₂ , NO ₂ , O ₃ , NH ₃ , MET cont. PM _{2.5} , cont. PM ₁₀ Manual PM _{2.5}	Population Exposure & Significant Source
2 Bismarck Residential 380150003	SO ₂ , NO ₂ , O ₃ , MET cont. PM _{2.5} , cont. PM ₁₀ Manual PM _{2.5}	Population Exposure
3 Dunn Center 380250003	SO ₂ ⁴ , NO ₂ , O ₃ , MET cont. PM _{2.5} , cont. PM ₁₀	General Background
4 Fargo NW 380171004	SO ₂ , NO ₂ , O ₃ , CO, NO _y , MET cont. PM _{2.5} , cont. PM ₁₀ Manual PM _{2.5} PM _{fine} Speciation	Population Exposure Population Exposure Population Exposure Population Exposure
5 Hannover 380650002	SO ₂ , NO ₂ , O ₃ , MET cont. PM _{2.5} , cont. PM ₁₀	Source Impact
6 Lostwood NWR 380130004	SO ₂ ⁴ , NO ₂ , O ₃ , NH ₃ , MET, cont. PM _{2.5} , cont. PM ₁₀ PM _{fine} Speciation (IMPROVE)	General Background & Significant Source
7 TRNP - NU 380530002	SO ₂ ⁴ , NO ₂ , O ₃ , MET cont. PM _{2.5} , cont. PM ₁₀	General Background, Long range Transport, & Welfare-related
Not applicable to MET.	ndicates wind speed and wind direction monitoring equipment. of population exposure and general background.	




Figure 1 North Dakota Ambient Air Quality Monitoring Sites

2.0 Ambient Air Monitoring Network Coverage

The State of North Dakota is in attainment for all ambient standards for criteria pollutants, including PM_{2.5} and 8-hour ozone. The seven Department-operated ambient monitoring sites are positioned to satisfy five monitoring objectives and collect data to compare to the State and federal ambient air quality standards and support dispersion modeling activities relating to, first, visibility/regional haze, and, second, source permit evaluation.

2.1 Sulfur Dioxide

Energy development in the west and west-central portions of North Dakota has produced a number of sources of sulfur dioxide (SO_2). These sources include coal-fired steam-powered electrical generating facilities, a coal gasification plant, natural gas processing plants, an oil refinery, and flaring at oil/gas well sites. As a result, SO_2 is one of the Department's primary interests in regard to visibility: first, to aid in establishing the visibility baseline, then to track visibility improvement over time.

2.1.1 Point Sources

The major SO₂ point sources (>100 Tons Per Year or TPY) based on 2012 emissions are listed in Table 2. Figure 2 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). Figure 2A shows the total annual SO₂ emissions from point sources and three sub-categories for 1984 through 2012.

2.1.2 Other Sources

The western part of the state has a number of potential SO₂ sources associated with the development of oil and gas. These sources include individual oil/gas wells, oil storage facilities, and compressor stations. Emissions from these sources may lead to two problems. First, these sources may directly emit significant amounts of hydrogen sulfide (H₂S) to the ambient air (see Section 2.7). Second, flaring the H₂S from these sources may create significant concentrations of SO₂ in the ambient air. Figure 2A shows the contribution of an "Other Point Sources" category that consists of Dakota Gasification Company (DGC), oil refineries, natural gas processing plants, and agricultural processing plants.

Table 2
Major SO_2 Sources (>100 TPY)

#	Company Name	SOURCE	Facility ID
1	Basin Electric Power Cooperative	Leland Olds Station	3805700001
2	Great River Energy	Coal Creek Station	3805500017
3	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
4	Otter Tail Power Company	Coyote Station	3805700012
5	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
6	Montana Dakota Utilities Company	RM Heskett Station	3805900001
7	Great River Energy	Stanton Station	3805700004
8	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500001
9	Hess Corporation	Tioga Gas Plant	3810500004
10	University of North Dakota	UND Heating Plant	3803500003
11	American Crystal Sugar Company	Hillsboro Plant	3809700019
12	American Crystal Sugar Company	Drayton Plant	3806700003
13	Petro-Hunt, LLC	Little Knife Gas Plant	3800700002
14	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
15	North Dakota State University	NDSU Heating Plant	3801700005
16	Cargill Corn Milling	Wahpeton Facility	3807700110
17	Minn-Dak Farmers' Cooperative	Wahpeton Plant	3807700026




Figure 2 Major Sulfur Dioxide Sources




Figure 2A Annual Sulfur Dioxide Emissions

2.1.3 Monitoring Network

The SO_2 monitoring sites are shown on Figure 2. There were no significant changes made to the SO_2 monitoring network in 2012. There are no significant changes planned for 2013.

As can be seen in Figure 2, the monitoring sites are concentrated in the vicinity of the oil and gas development in the west and the coal-fired steam electrical generating plants in the west-central part of the state. Tables 3 and 3A show the 2012 annual SO₂ data summaries; Tables 4 and 4A show the 5-minute data summaries.

2.1.4 Network Analysis

Ten major SO₂ sources are within 45 miles of both the Beulah and Hannover sites. This makes these two sites very important in tracking the impact of these sources on the ambient air. Also, Lostwood NWR is within 45 miles of four major sources: two natural gas processing plants and two power plants. The two natural gas processing plants are the Lignite Gas Plant and Tioga Gas Plant. The two power plants, Shand Power Station and

Boundary Dam Power Station, are located near Estevan, Saskatchewan, approximately 40 miles to the northwest.

One would expect that as the large sources in Oliver and Mercer counties came on line beginning in 1980, a noticeable change would be seen on the ambient air quality. This has not been the case. There have been possible short-term influences, but no significant long-term impact by these sources combined has been demonstrated in the data. Figures 3, 4 and 5 present the following for the Department-operated sites: (1) 1-hour maximums; (2) 3-hour maximums; and (3) 24-hour maximums.

To calculate valid statistics, at least 75 percent of the data for each averaging period must be valid. The result of the 75 percent requirement is that each 1-hour average must have at least 45 valid minutes of data. The 3-hour average must have three valid values. The 24-hour average must have at least 18 valid hourly averages. And, the annual average must have 6,570 hours of data.

TABLE 3

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : SULFUR DIOXIDE (ppb)

LOCATION	YEAR	NUM OBS	1 ·	- HOUR 2ND	M A 99 TH % 1HR	X I 3 - I 1ST	M A HOUR 2ND	24 1ST	- HOUR 2ND	ARITH MEAN	3yr Avg	1HR #>273	24HR #>99
Beulah - North	2012	8279	62	35	28	31.3	29.0	7.3	5.3	0.99	34		
Bismarck Residential	2012	8706	29	28	23	15.0	14.6	7.5	7.3	0.84	29		
Hannover	2012	8362	61	61	40	40.0	33.0	7.1	5.6	0.56	50		

- The air quality standards are:
 STATE Standards
 1) 75 ppb Three year average of the annual 99th percentile (4th highest) of the daily maximum 1-hour average concentration in a year.
 2) 500 ppb highest 3-hour average concentration not to be exceeded more than once per year.

- FEDERAL Standards —

 1) 75 ppb Three year average of the annual 99th percentile (4th highest) of the daily maximum 1-hour average concentration in a year.

 2) 500 ppb highest 3-hour average concentration not to be exceeded more than once per year.

 3) 140 ppb highest 24-hour concentration not to be exceeded more than once per year.

 4) 30 ppb annual arithmetic mean.

TABLE 3A

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : TRACE LEVEL SULFUR DIOXIDE (ppb)

LOCATION	YEAR	NUM OBS	1 1ST	- HOUR 2ND	99 TH % 1HR	A X 3 - 1ST		A 24 1ST	- HOUR 2ND	ARITH MEAN	3yr Avg	1HR #>273	24HR #>99
Dunn Center	2012	8712	21.2	12.6	10.0	14.1	8.3	4.8	2.4	0.41	13		
Fargo NW	2012	8695	5.3	5.2	3.5	3.9	2.7	1.3	1.1	0.24	5		
Lostwood NWR	2012	8689	35.8	33.7	23.9	19.3	18.9	8.2	7.7	0.80	33		
TRNP - NU	2012	8675	19.0	11.8	10.1	13.0	7.6	3.7	2.9	0.52	10		

- The air quality standards are:
 STATE Standards
 1) 75 ppb Three year average of the annual 99th percentile (4th highest) of the daily maximum 1—hour average concentration in a year.
 2) 500 ppb highest 3—hour average concentration not to be exceeded more than once per year.

- FEDERAL Standards —
 1) 75 ppb Three year average of the annual 99th percentile (4th highest) of the daily maximum 1-hour average concentration in a year.
 2) 500 ppb highest 3-hour average concentration not to be exceeded more than once per year.
 3) 140 ppb highest 24-hour concentration not to be exceeded more than once per year.
 4) 30 ppb annual arithmetic mean.

^{***} Less than 80% of the possible samples (data) were collected.

TABLE 4

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : SO2 5-Minute Averages (ppb)

				5 -	- MINUTE	MAXIMA	
LOCATION	YEAR	NUM OBS	1ST		2ND	. 3RD	# HOURS >600
Beulah - North	2012	8279	94		84	75	
Bismarck Residential	2012	8676	67		57	38	
Hannover	2012	8294	117		115	110	

^{*} No Standard is currently in effect

TABLE 4A

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT: Trace Level SO2 5-Minute Averages (ppb)

1022011111 / 11400 2	crea bea e manage meaages (pp.			5 - M I N U T E	MAXIMA	
LOCATION	YEAR	NUM OBS	1ST	2ND	3RD	# HOURS >600
Dunn Center	2012	8689	32.6	24.9	23.2	
Fargo NW	2012	8695	9.1	9.0	8.1	
Lostwood NWR	2012	8617	106.0	71.0	66.8	
TRNP - NU	2012	8488	35.2	34.4	24.9	

^{*} No Standard is currently in effect:

Beginning in 1980, major events are traceable. In 1980, the oil industry was expanding. In 1981, Otter Tail Power's Coyote Power Station began operation. In 1982 the oil industry in western North Dakota hit its peak activity. Dunn Center and TRNP – NU show the influence from the oil field activity as the oil fields expanded and flared the gas. As pipelines were built and wells were tied into the pipelines, the amount of hydrogen sulfide gas flared decreased, reducing the amount of sulfur dioxide emitted. Once the wells were tied into pipelines, the predominant influence at these two sites has been long-range transport from major point sources.

Dunn Center and TRNP – NU were indicators of the "oil patch" activity and tracked the activity very well. Since TRNP – NU is more centrally located in the "oil patch," it is the stronger indicator. Dunn Center, which is on the eastern edge of the oil development area, demonstrates influences from both the "oil patch" and the coal conversion facilities to the east.

^{***} Less than 80% of the possible samples (data) were collected.

1983, 1984 and 1985 were startup years for Basin Electric's Antelope Valley Unit #1, the synthetic natural gas plant (aka, Dakota Gasification Company, DGC), and Antelope Valley Unit #2, respectively. At Hannover, 1985 and 1986 reflected these startups (1984 had only three months of data and shut down Dec. 31, 1986). Hannover was started up again Jan. 1, 1988; and the Beulah - North site began operation in 1999 and has tracked the Hannover data.




Figure 3 SO₂ Maximum 1-Hour Concentrations




Figure 4 SO₂ Maximum 3-Hour Concentrations




Figure 5 SO₂ Maximum 24-Hour Concentrations

2.2 Oxides of Nitrogen

"Oxides of Nitrogen" (NO_x) is the term used to represent nitric oxide (NO) plus nitrogen dioxide (NO_2) . NO_2 is formed when NO is oxidized in the ambient air. There is no ambient air quality standard for NO.

2.2.1 Point Sources

The major NO_x stationary point sources (>100 TPY) are listed in Table 5, along with their emissions as calculated from the most recent emission inventories reported to the Department. Figure 6 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). The larger NO_x point sources in North Dakota are associated with coal-fired steam-powered electrical generating plants in the west-central portion of the state and large internal combustion compressor engines in the natural gas fields in the western part of the state. Figure 6A shows the contribution of point sources to the total NO_X emissions. The "Point Sources" category consists of utility boilers (power plant boilers) and oil and gas wells.

2.2.2 Area Sources

Another source of NO_X is automobile emissions. North Dakota has no significant urbanized areas with regard to oxides of nitrogen; the entire population of the state is less than 1,000,000 people. However, currently operating NO analyzers cannot be terminated without EPA Region 8 administrator permission. Figure 6A shows the contribution of "Other Point Sources" and "Utility Boilers." The "Other Point Sources" category consists of DGC, oil refineries, natural gas processing plants and agricultural processing plants.

2.2.3 Monitoring Network

The Department currently operates seven $NO/NO_2/NO_x$ analyzers. Table 6 shows the 2012 NO_2 data summaries. The measured NO_2 values are quite low. From Figure 6 it can be seen that $NO/NO_2/NO_x$ analyzers, except for Dunn Center and TRNP - NU, are well placed with respect to the major NO_x sources: TRNP - NU is defined as a background and long-range transport/welfare-related site.

TABLE 5 Major NO_x Sources (> 100 TPY)

#	COMPANY	SOURCE	Facility ID
1	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
2	Ottertail Power Company	Coyote Station	3805700012
3	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500001
4	Great River Energy	Coal Creek Station	3805500017
5	Basin Electric Power Cooperative	Leland Olds Station	3805700001
6	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
7	Great River Energy	Stanton Station	3805700004
8	Montana Dakota Utilities Company	RM Heskett Station	3805900001
9	Hess Corporation	Tioga Gas Plant	3810500004
10	American Crystal Sugar Company	Hillsboro Plant	3809700019
11	American Crystal Sugar Company	Drayton Plant	3806700003
12	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
13	Minn-Dak Farmers Cooperative	Wahpeton Plant	3807700026
14	Northern Border Pipeline Company	Compressor Station #4	3805300014
15	ONEOK Rockies Midstream, L.L.C	Fort Buford Compressor Station	3805300028
16	University of North Dakota	UND Heating Plant	3803500003
17	Red Trail Energy, L.L.C.	Richardton Ethanol Plant	3808900058
18	Guardian Hankinson, LLC	Hankinson Renewable Energy, LLC	3807700113
19	Alliance Pipeline, L.P.	Towner Compressor Station	3804900006
20	North Dakota State University	NDSU Heating Plant	3801700005
21	Alliance Pipeline, L.P.	Fairmount Compressor Station	3807700112
22	Alliance Pipeline, L.P.	Wimbledon Compressor Station	3800300013
23	Northern Border Pipeline Company	Compressor Station #8	3805100001
24	Northern Border Pipeline Company	Compressor Station #7	3805900014
25	Northern Border Pipeline Company	Compressor Station #6	3805900007




Figure 6 Major Oxides of Nitrogen Sources




TABLE 6

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : NITROGEN DIOXIDE (ppb)

LOCATION	YEAR	NUM OBS	1 - 1ST	I A X HOUR 2ND	I M A 98TH PCTL	ARITH MEAN	3yr Avg
Beulah - North	2012	8610	34	33	23	2.70	24
Bismarck Residential	2012	8170	42	38	38	5.36	36
Dunn Center	2012	8698	18	18	13	1.92	11
Fargo NW	2012	8602	50	41	34	4.57	39
Hannover	2012	8696	28	28	17	2.11	16
Lostwood NWR	2012	8676	29	19	15	2.02	17
TRNP - NU	2012	8655	13	12	9	1.20	10

^{*}The air quality standards are:

2.2.4 Network Analysis

Nine of the 10 largest NO_X sources in the state are within 45 miles of the Beulah and Hannover monitoring sites. Figure 7 shows the annual average concentrations for the Department-operated sites for 1980 - 2012.

There were no significant changes made to the NO_x network in 2012. There are no changes planned for 2013 or 2014.

STATE Standards —

1) 100 ppb Three year average of the annual 98^{th} percentile (8^{th} highest) of the daily maximum 1-hour average concentration in a year.

2) 53 ppb annual arithmetic mean.

FEDERAL Standards — 1) 100 ppb Three year average of the annual 98^{th} percentile (8^{th} Highest) of the daily maximum 1-hour average concentration in a year. 2) 53 ppb annual arithmetic mean.

^{***} Less than 80% of the possible samples (data) were collected.




Figure 7 NO₂ Annual Average Concentrations

2.3 Ozone

Unlike most other pollutants, ozone (O_3) is not emitted directly into the atmosphere but results from a complex photochemical reaction between volatile organic compounds (VOC), oxides of nitrogen (NO_x) , and solar radiation. Both VOC and NO_x are emitted directly into the atmosphere. Since solar radiation is a major factor in O_3 production, O_3 concentrations are known to peak in summer months. 40 CFR 58 defines the O_3 monitoring season for North Dakota as May 1 through September 30.

2.3.1 Point Sources

The major stationary point sources (> 100 TPY) of VOC as calculated from the most recent emission inventories reported to the Department are listed in Table 7. Figure 8 shows the approximate locations of these facilities.

2.3.2 Area Sources

Point sources contribute only part of the total VOC and NO_x emissions. The remaining emissions can be attributed to oilfield-related activities and mobile sources in urban areas. The EPA has specified design criteria for selecting locations for O₃ as any urbanized area having a population of 50,000 to less than 350,000. North Dakota has three urbanized areas (Bismarck; Fargo, ND-Moorhead, MN; and Grand Forks) populated enough to qualify for population-oriented monitoring. However, to require monitoring, the 4th highest 8-hour average concentration must be at least 68 parts per billion.

2.3.3 Monitoring Network

The Department currently has eight continuous ozone analyzers in operation; see Figure 8 for locations. Table 8 presents the 2012 8-hour data summaries. The Department has installed a Chemiluminescence ozone analyzer at the Lostwood site to determine the cause(s) of elevated readings occurring in the UV photometric analyzer located there. The elevated readings have since been deemed to be caused by interference in the UV photometric analyzer that does not register in the Chemiluminescence based machine. The Department is researching the feasibility of transitioning to all Chemiluminescence based analyzers.

TABLE 7

Major VOC Sources (> 100 TPY)

#	Company	Source	Facility ID
1	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
2	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
3	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500001
4	ADM Processing	Velva Facility	3804900005
5	Tharaldson Ethanol Plant I, LLC	Tharaldson Ethanol Plant I, LLC	3801700134
6	Great River Energy	Coal Creek Station	3805500017
7	American Crystal Sugar Company	Hillsboro Plant	3809700019
8	ONEOK Rockies Midstream, L.L.C.	Grasslands Gas Plant	3805300023
9	Basin Electric Power Cooperative	Leland Olds Station	3805700001
10	Cargill Corn Milling	Wahpeton Facility	3807700110
11	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
12	Northern Sun (Division of ADM)	Enderlin Facility	3807300001




Figure 8 Major VOC Sources

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

TABLE 8

POLLUTANT : Ozone (ppb)

LOCATION	YEAR	VAL DAYS	1 - 1ST	M HOUR 2ND	A X 1ST	I M A 8 - 2ND	- HOUR 3RD	4TH	3yr Avg	1HR #>120	8HR #>75
Beulah North	2012	153	76	71	66	64	62	61	60		
Bismarck Residential	2012	152	65	64	61	58	57	57	58		
Dunn Center	2012	153	67	64	61	60	58	57	56		
Fargo NW	2012	151	71	71	67	67	63	63	61		
Hannover	2012	132	79	65	61	59	59	57	58		
Lostwood NWR	2012	151	68	65	61	60	58	56	59		
TRNP - NU	2012	151	73	65	63	60	59	57	59		

^{*} The air quality standards for ozone are:

STATE - 75ppb Three year average of the annual 4^{th} highest daily maximum 8-hour concentrations.

FEDERAL Standards - 75 ppb Three year average of the annual 4^{th} highest daily maximum 8-hour concentrations.

2.3.4 Network Analysis

Only three of the eight monitoring sites are in an area not significantly influenced by VOC sources (see Figure 8). Beulah and Hannover are within 45 miles of five of the 12 major VOC sources in the state. Lostwood NWR and TRNP - NU are located in Class I areas surrounded by oil fields. Bismarck Residential and Fargo NW are located in population centers and influenced by city traffic. Dunn Center is located in a rural area surrounded by crop land. With this diversity of site locations and influences, one would expect to see a diversity of ozone concentrations. On the contrary, Figure 9 shows a significant similarity among the 4th maximum 8-hour annual concentrations. Since 1980, only four 8-hour averages have been higher than 70 ppb. Another, even stronger, indication of a uniform ozone distribution is the 8-hour concentrations: for all sites, the difference among the 4th highest average is 7 ppb (see Table 8).




Figure 9 Annual 4th Highest 8-HR Ozone Concentrations

2.4 Inhalable Particulates

The inhalable particulate standards are designed to protect against those particulates that can be inhaled deep into the lungs and cause respiratory problems. The major designation for particulates is PM. Within this designation there are two subgroups: PM_{10} and $PM_{2.5}$. The PM_{10} particulates have an aerodynamic diameter less than or equal to a nominal 10 microns and are designated as PM_{10} . The $PM_{2.5}$ particulates have an aerodynamic diameter less than or equal to a nominal 2.5 microns. The EPA has defined a new PM subgroup of particles called "coarse fraction," or PM_{coarse} . This subgroup is made up of $PM_{10} - PM_{2.5}$. Specific health effects have been identified for both the PM_{coarse} and $PM_{2.5}$ groups.

2.4.1 Sources

The major PM₁₀ point sources (>100 TPY) are listed in Table 9. Figure 10 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). Most of these sources are large coal-fired facilities, and the PM₁₀ particles are part of the boiler stack emissions; however, some of the emissions are the result of processing operations. Not included in this table are sources of fugitive dust such as coal mines, gravel pits, agricultural fields and unpaved roads. Figure 10A shows the contribution of point sources to the total PM₁₀ emissions. The "Utility Boilers" category consists of power plant boilers. The "Other Point Sources" category consists of DGC, oil refineries, natural gas processing plants and agricultural processing plants.

2.4.2 Monitoring Network

The Department operated seven continuous PM_{10} analyzers, three manual $PM_{2.5}$ samplers, seven FEM continuous $PM_{2.5}$ analyzers, and one speciation sampler. Table 10 shows the manual FRM and continuous FEM $PM_{2.5}$ data summaries. Table 11 shows the continuous PM_{10} particulate data summary.

TABLE 9

$\begin{array}{c} \text{Major PM}_{10} \, \text{Sources} \\ (> 100 \, \text{TPY}) \end{array}$

#	COMPANY	SOURCE	Facility ID
1	Great River Energy	Coal Creek Station	3805500017
2	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
3	Basin Electric Power Cooperative	Leland Olds Station	3805700001
4	American Crystal Sugar Company	Hillsboro Plant	3809700019
5	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
6	Montana Dakota Utilities Company	RM Heskett Station	3805900001
7	Great River Energy	Stanton Station	3805700004
8	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500001
9	American Crystal Sugar Company	Drayton Plant	3806700003
10	Otter Tail Power Company	Coyote Station	3805700012
11	Red Trail Energy, L.L.C.	Richardton Ethanol Plant	3808900058
12	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
			G Wallson






Figure 10 Major PM₁₀ Sources

NORTH DAKOTA **POINT SOURCE** FILTERABLE PM EMISSIONS




Figure 10A **Annual PM Emissions**

TABLE 10

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Inhalable $PM_{2.5}$ Particulates ($\mu g/m^3$)

LOCATION	YEAR	VAL DAYS MIN		X I 4 - HOUI 2ND	M A R 3RD	24-HR 98th%	24-HR 3yr Avg	WTD MEAN	Annual 3yr Avg #>35 AM>15
Beulah - North	2012	61	20.1	16.9	12.9	16.9	(NA)	6.00	(NA)
Beulah - North (BAMM)	2012	360	21.6	21.1	20.7	15.1	15.0	4.98	6.2
Bismarck Residential	2012	120	20.1	16.5	16.3	16.3	(NA)	6.37	(NA)
Bismarck Residential (BAMM)	2012	361	20.4	17.8	17.8	15.2	16.0	6.11	6.8
Dunn Center (BAMM)	2012	346	22.2	20.2	19.2	16.6	15.0	5.78	6.1
Fargo NW	2012	113	28.2	24.1	23.2	23.2	(NA)	7.51	(NA)
Fargo NW (BAMM)	2012	362	31.3	23.8	21.2	19.1	21.0	6.90	8.0
Hannover (BAMM)	2012	325	22.4	22.1	18.1	14.3	16.0	5.92	4.9
Lostwood NWR (BAMM)	2012	346	29.8	27.1	21.6	15.7	15.0	7.21	7.5
TRNP - NU (BAMM)	2012	364	28.6	27.9	19.6	17.4	18.0	6.99	8.1

^{*} The ambient air quality standards are: FEDERAL Standards - 1) 24-hour: 3-year average of 98th percentiles not to exceed 35 $\mu g/m^3$. 2) Annual: 3-year average not to exceed 15 $\mu g/m^3$.

Table 11 COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : Inhalable Continuous PM_{10} ($\mu g/m^3$)

		NUM	M A	M A X I M A 24 — HOUR			24HR			
LOCATION	YEAR	OBS	1ST	2ND	3RD	4TH	MEAN #>150 AM>50			
Beulah - North	2012	8705	38.0	33.0	32.0	31.0	12.1			
Bismarck Residential	2012	8638	65.0	56.0	54.0	52.0	16.2			
Dunn Center	2012	8682	103.0	73.0	66.0	59.0	19.8			
Fargo NW	2012	8627	114.0	92.0	91.0	88.0	21.2			
Hannover	2012	8637	53.0	53.0	51.0	49.0	14.0			
Lostwood NWR	2012	8596	53.0	48.0	46.0	44.0	12.6			
TRNP - NU	2012	8654	35.0	34.0	32.0	28.0	9.4			

2.4.3 PM₁₀ Network Analysis

PM₁₀ and smaller particles are of concern mainly because of their health effects. The primary purpose for the continuous PM₁₀ analyzers is to be used with the continuous PM_{2.5} analyzers to determine the PM_{coarse} fraction. The data also is compared to both the data and federal ambient air quality standards.

2.4.4 PM2.5 Network

The manual PM_{2.5} network currently has three sites. Bismarck, Fargo and Beulah are non-CORE required sites. Bismarck and Fargo operate on a 1-in-3 day schedule, while Beulah operates on a 1-in-6 day schedule. FEM Continuous PM_{2.5} analyzers have been installed at all sites in the network.

2.4.5 Speciation Network

One speciation sampler is installed as a National Trends Network sampler in Fargo. The data collected by this sampler is added to the AQS database by RTI.

^{*} The STATE and FEDERAL air quality standards are: 1) 150 μ g/m³ maximum averaged over a 24-hour period with no more than one expected exceedance per year.

2.5 Carbon Monoxide

Many large urban areas in the United States have problems attaining the NAAQS for carbon monoxide (CO) where the primary source of CO is automobiles. North Dakota does not have sufficient population with the corresponding traffic congestion and geographical/meteorological conditions to create significant CO emission problems. However, there are several stationary sources in the state that emit more than 100 TPY of CO.

2.5.1 Sources

The major stationary CO sources (>100 TPY) are listed in Table 12. Figure 11 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). Most of these sources are the same sources that are the major emitters of SO_2 and NO_x . However, the corresponding CO levels from these sources are considerably lower.

2.5.2 Monitoring Network

Carbon monoxide monitoring in North Dakota was terminated March 31, 1994, after operating five years. The conclusion drawn from the data was that North Dakota did not have a CO problem. A summary report of the data collected at the West Acres Shopping Mall was drafted for the Fargo-Moorhead Council of Governments for use in its traffic planning program. The Department operates a Trace Level CO analyzer at the Fargo NW site in order to comply with the NCore requirements.

TABLE 12 Major CO Sources (> 100 TPY)

#	COMPANY	SOURCE	Facility ID
1	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
2	Great River Energy	Coal Creek Station	3805500017
3	American Crystal Sugar Company	Hillsboro Plant	3809700019
4	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
5	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
6	Montana Dakota Utilities Company	RM Heskett Station	3805900001
7	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500020
8	Basin Electric Power Cooperative	Leland Olds Station	3805700001
9	Otter Tail Power Company	Coyote Station	3805700012
10	American Crystal Sugar Company	Drayton Plant	3806700003
11	Minn-Dak Farmers Cooperative	Wahpeton Plant	3807700026
12	ONEOK Rockies Midstream, L.L.C.	Fort Buford Compressor Station	3805300028
13	Cargill, Inc.	Cargill Oilseeds Processing	3801700066
14	Hess Corporation	Tioga Gas Plant	3810500004
15	Great River Energy	Stanton Station	3805700004
16	Cargill Corn Milling	Wahpeton Facility	3807700110
17	University of North Dakota	UND Heating Plant	3803500003




Figure 11 Major CO Sources

TABLE 13

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS *

POLLUTANT : CARBON MONOXIDE (PPB)

				M A X	I M	A		
		NUM	1	 HOUR 	8 -	HOUR	1HR	8HR
LOCATION	YEAR	OBS	1ST	2ND	. 1ST	2ND	.#>35000	#>9000
Fargo NW	2012	8694	2166.0	691.0	500.0	400.0		

^{*} The STATE and FEDERAL air quality standards are:

1) The maximum allowable 1-hour concentration is 35000 ppb not to be exceeded more than once per year.

2) The maximum allowable 8-hour concentration is 9000 ppb not to be exceeded more than once per year.

2.6 Lead

Through prior sampling efforts, the Department has determined that the state has low lead concentrations and no significant lead sources. This determination, coupled with the federal requirement for a NAMS network only in urbanized areas, resulted in terminating the lead monitoring program effective Dec. 31, 1983. Along with the low monitored concentrations, lead has been completely removed from gasoline since lead monitoring began in 1979.

2.7 Hydrogen Sulfide

Although no Federal Ambient Air Quality Standard exists for hydrogen sulfide (H₂S), the state of North Dakota has developed H₂S standards.

2.7.1 Sources

 H_2S emissions of concern stems almost totally from the oil and gas operations in the western part of the state. Flares and treater stacks associated with oil/gas wells, oil storage tanks, compressor stations, pipeline risers, and natural gas processing plants are potential H_2S emission sources.

2.7.2 Monitoring Network

Currently there are no state H₂S monitoring sites.

2.8 Air Toxics

Currently there are no state or federal air toxics monitoring sites.

2.8.1 Sources

The major air toxics sources are listed in Table 15 and Figure 12 shows the approximate locations of these facilities (the numbers correspond to the source table).

2.8.2 Monitoring Network

Currently there are no state air toxics monitoring sites. The historic raw data and associated summaries are available in EPA's Air Quality System.

Table 15
Major Air Toxics Sources
(>100 TPY)

#	COMPANY	SOURCE	Facility ID
1	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
2	ADM Processing	Velva Facility	3804900005
3	LM Wind Power Blades	Grand Forks Facility	3803500067




Figure 12 Major Air Toxics Sources

3.0 SUMMARY AND CONCLUSIONS

The North Dakota Ambient Air Quality Monitoring Network is designed to monitor those air pollutants that demonstrate the greatest potential for deteriorating the air quality of North Dakota. Due to a greater number of pollution-producing sources in the western part of the state (primarily associated with the energy producing industries) the greatest percentage of the network is located in the western part of the State.

3.1 Sulfur Dioxide (SO₂)

Neither the state nor federal standards were exceeded at any state operated monitoring site. The maximum concentrations were as follows: 3-year average 1-hour 99th percentile – 140ppb; 3-hour – 50 ppb; 24-hour – 8.2 ppb; annual 0.99 ppb.

There is no SO_2 5-minute standard currently in effect. The maximum 5-minute average was 117 ppb.

3.2 Nitrogen Dioxide (NO₂)

Neither the state nor federal standards were exceeded at any of the monitoring sites. The maximum concentrations were as follows: Three year average of the 98^{th} percentile 1-hour average concentrations – 38 ppb; annual – 5.36 ppb.

$Ozone (O_3)$

Neither the state nor federal standard was exceeded during the year. The maximum fourth-highest 8-hour concentration was 63 ppb.

3.4 Inhalable Particulates

Neither the state nor federal PM_{10} standards were exceeded during the year. The maximum concentration was: 24-hour $-114.0 \mu g/m^3$.

The federal PM_{2.5} standards were not exceeded during the year. The maximum concentrations are as follows: 24-hour $-31.3 \mu g/m^3$; annual $-8.1 \mu g/m^3$.

3.5 Carbon Monoxide (CO)

Neither the state nor federal standards were exceeded at the monitoring site. The maximum concentrations are as follows: 1-hour -2166 ppb; 8-hour -500 ppb.

3.6 Lead

No monitoring was conducted.

3.7 Hydrogen Sulfide

No monitoring was conducted.

3.8 Air Toxics

No monitoring was conducted.

Appendix A

AAQM Site Descriptions

This appendix is a condensation of Appendices B and C, combined with a site description and any information relating to specific analyzer or sampler. Please note that all sites meet the siting criteria specified in 40 CFR 58, Appendices A, C, D, and E. When selecting a site, five factors are considered: modeling results, landowner permission, power availability, year-round access to the site, and prevailing wind direction.

The sites addressed in this report are only the current active sites. A complete list of sites and all monitoring that has been conducted at each site that has ever reported data to EPA, you may go to www.epa.gov/air/data/aqsdb.html. The site is very easy to use and with a little experimenting, site and monitor selections can be made very specific. Also available at this site are air quality summary data and emissions data.

Another useful tool is Google EarthTM. (http://free.download.earth.googlepages.com/) With this tool, one can enter latitude and longitude to get either an expanded view or close-up view of each monitoring site.

For both of these tools, a high-speed Internet connection is highly recommended. They can be used with a dial-up connection, but it is not recommended.

Site: Beulah – North Station Type: SLAMS (required)

AQS#: 38-057-0004 **MSA:** 0000

Address: 6024 Highway 200, Beulah

Latitude: +47.298611 **Longitude:** -101.766944

Site Description: This is one of three key sites in the Department's ambient monitoring network to meet the six required monitoring objectives. When this site was established, it was decided to enhance the site to include ammonia, solar radiation and delta temperature to support air quality dispersion modeling. This site is one of the required $PM_{2.5}$ monitoring sites for North Dakota

Gas/Particulate parameters:

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Population Exposure	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Ozone	Instrumental Ultra Violet	Continuous	Population Exposure	Urban
Ammonia	Instrumental Chemiluminescence	Continuous	General Background	Regional
$PM_{2.5}$	24-hour Gravimetric	1/6	Population Exposure	Urban
$PM_{2.5}$	FEM PM _{2.5} BAMM	Continuous	Population Exposure	Urban
PM_{10}	PM ₁₀ TEOM Gravimetric 50°	Continuous	Population Exposure	Urban
	Celsius			

Meteorological parameters:


Weter ordered but universe					
	Sampling &	Operating		Spatial	
Parameter	Analysis Method	Schedule	Tower Height	Scale	
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban	
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban	
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban	
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban	
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban	
Solar Radiation	Pyranometer	Continuous	2 meters	Urban	

Site Pictures: Beulah North



Looking Northeast

Looking Northwest



Site: Bismarck Residential Station Type: SLAMS

AQS#: 38-015-0003 **MSA:** 1010

Address: 1810 N 16th Street, Bismarck

Latitude: +46.825425 **Longitude:** -100.768210

Site Description: This site is located in the second largest metropolitan area in the state. When two special purpose sites in Mandan were closed, this site was expanded from a particulates-only site to be a full site for gases, continuous particulates (inc. ambient pressure) and the basic meteorological parameters (wind speed, wind direction and temperature). Another key role this site plays is to field test new types of equipment and procedures isolated from the equipment used to report data to AQS.

Gas/Particulate parameters:

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Population Exposure	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Ozone	Instrumental Ultra Violet	Continuous	Population Exposure	Urban
PM _{2.5}	24-hour Gravimetric	1/6	Population Exposure	Urban
PM _{2.5}	FEM PM _{2.5} BAMM	Continuous	Population Exposure	Urban
PM_{10}	PM ₁₀ TEOM Gravimetric 50°	Continuous	Population Exposure	Urban
	Celsius			

Meteorological parameters:

3 1	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	Tower Height	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban



Looking Southeast South



Site: Dunn Center Station Type: SLAMS

AQS#: 38-025-0003 **MSA:** 0000

Address: 9610 Seventh Street SW, Dunn Center

Latitude: +47.313200 **Longitude:** -102.527300

Site Description: This site is located about midway between the oil development all along the North Dakota – Montana border and the seven coal conversion facilities to the east. The importance lies in the ability to monitor the transport of sulfur dioxide, nitrogen dioxide, and $PM_{2.5}$ between these two areas. Also, this is a key site used in dispersion model calibration and validation.

Gas/Particulate parameters

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	General/Background	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	General/Background	Urban
Ozone	Instrumental Ultra Violet	Continuous	General/Background	Urban
$PM_{2.5}$	PM _{2.5} SCC W/ No Correction	Continuous	General/Background	Urban
	TEOM Gravimetric 40 deg. Celsius			
PM_{10}	PM ₁₀ TEOM Gravimetric 50° Celsius	Continuous	General/Background	Urban

Meteorological parameters:

Wieter Fording and Market 196				
	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	Tower Height	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Solar Radiation	Pyranometer	Continuous	2 meters	Urban

Site Pictures: **Dunn Center**



Looking Northwest

Looking Northeast



Site Name: Fargo NW Station Type: SLAMS (required)

AQS#: 38-017-1004 **MSA:** 2520

Address: 4266 40th Avenue North, Fargo

Latitude: +46.933754 **Longitude:** -96.855350

Site Description: This site is one of EPA's 54 Speciation Trends Network sites, the state's required NCORE site, located in the largest metropolitan area in North Dakota. The data collected at this site is used in dispersion modeling for input, calibration and validation. An NCORE site is required to have trace level analyzers for sulfur dioxide, carbon monoxide, and NO_Y (total reactive nitrogen) operational by January 1, 2011. The trace level analyzers are installed.


Gas/Particulate parameters:

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Population Exposure	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Carbon Monoxide	Gas Filter Correlation	Continuous	Population Exposure	Urban
NO_{y}	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Ozone	Instrumental Ultra Violet	Continuous	Population Exposure	Urban
PM _{2.5}	24-hour Gravimetric	1/3	Population Exposure	Urban
PM _{2.5}	FEM PM _{2.5} BAMM	Continuous	Population Exposure	Urban
PM_{10}	PM ₁₀ TEOM Gravimetric 50° Celsius	Continuous	Population Exposure	Urban
PM _{fine} Speciation	METOne SASS 24-hour Gravimetric	1/3	Population Exposure	Urban

Meteorological parameters:

victeorological parameters.					
_	Sampling &	Operating		Spatial	
Parameter	Analysis Method	Schedule	Tower Height	Scale	
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban	
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban	
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban	
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban	
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban	
Relative Humidity	Hygroscopic Plastic Film	Continuous	10 meters	Urban	
Solar Radiation	Pyranometer	Continuous	2 meters	Urban	

Site Pictures: Fargo NW



Looking Northeast

Looking West



Site Name: Hannover Station Type: SLAMS

AQS#: 38-065-0002 **MSA:** 0000

Address: 1575 Highway 31, Stanton

Latitude: +47.185833 **Longitude:** -101.428056

Site Description: This site is centrally located to the power plants in the Oliver-Mercer-McLean county area. The data collected here is used to supplement ambient data collected

at Beulah - North and TRNP - NU.


Gas/Particulate parameters:

ous, i ui viouiuvo pui uimovois.					
	Sampling &	Operating	Monitoring	Spatial	
Parameter	Analysis Method	Schedule	Objective	Scale	
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Source Oriented	Urban	
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Source Oriented	Urban	
Ozone	Instrumental Ultra Violet	Continuous	Source Oriented	Urban	
PM _{2.5}	PM _{2.5} SCC W/ No Correction	Continuous	Source Oriented	Urban	
	TEOM Gravimetric 40 deg. Celsius				

Meteorological parameters:

	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	Tower Height	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban

Site Pictures: Hannover



Looking Southwest

Looking Northeast



Site Name: Lostwood NWR Station Type: SLAMS

AQS#: 38-013-0004 **MSA:** 0000

Address: 8315 Highway 8, Kenmare

Latitude: +48.641930 **Longitude:** -102.401800

Site Description: This site is located in a PSD Class I area. Because this site is downwind of the two power plants near Estevan, SK, and located in the Souris River Airshed, this data is also usable by SaskEnvironment in a study they are conducting in the western region of the Souris Basin Airshed.

The site has an IMPROVE sampler operated by the US Fish and Wildlife Service. This data will be used with the other ambient data collected here to evaluate long-range transport of aerosols affecting regional haze/visibility.

Gas/Particulate parameters:

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Regional Transport	Regional
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Regional Transport	Regional
Ozone	Instrumental Ultra Violet	Continuous	Regional Transport	Regional
PM _{2.5}	FEM PM _{2.5} BAMM	Continuous	Regional Transport	Regional
PM_{10}	PM ₁₀ TEOM Gravimetric 50° Celsius	Continuous	Regional Transport	Regional

Meteorological parameters:


	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	Tower Height	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Solar Radiation	Pyranometer	Continuous	2 meters	Urban
Relative Humidity	Hygroscopic Plastic Film	Continuous	10 meters	Urban

Site Pictures: Lostwood NWR



Looking Northwest

Looking North



Site Name: TRNP-NU Station Type: SLAMS(required)

AQS#: 38-053-0002 **MSA:** 0000

Address: 229 Service Road, Watford City

Latitude: +47.581200 **Longitude:** -103.299500

Site Description: This site is located in Theodore Roosevelt National Park – North Unit and is one of three key sites in the Department's ambient monitoring network to meet the six required monitoring objectives. The data collected is used for model calibration/validation.

Gas/Particulate parameters:

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	General/Background	Regional
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	General/Background	Regional
Ozone	Instrumental Ultra Violet	Continuous	General/Background	Regional
PM _{2.5}	FEM PM _{2.5} BAMM	Continuous	General/Background	Regional
			Regional Transport	
PM_{10}	PM ₁₀ TEOM Gravimetric 50° Celsius	Continuous	General/Background	Regional
			Regional Transport	

Meteorological parameters:


Parameter	Sampling &	Operating	Tower Height	Spatial
	Analysis Method	Schedule		Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Relative Humidity	Hygroscopic Plastic Film	Continuous	10 meters	Urban

Site Pictures: TRNP-NU



Looking Northwest

Looking Northeast



Appendix B

Detailed Site Descriptions

This appendix is a listing printed from the EPA's Air Quality System (AQS) database. Please note that if the latitude and longitude are used in Google EarthTM, the display generated may not exactly match the display in Appendix A. This is a problem with Google EarthTM, not the coordinates in AQS.

SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-013-0004 Site Name: LOSTWOOD NWR

City: Not in a city

Local ID:

Street Address: 8315 HIGHWAY 8, KENMARE

State: North Dakota Zip Code: 58721 County: Burke

Location Description: MONITORING POINT

Location Setting: RURAL

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

Land Use: AGRICULTURAL

Date Established: 19990101

Last Updated: 20060814

Regional Eval. Date:

NORTH DAKOTA AOCR : Direct Met Site:

MSA: Not in a MSA

CMSA: Not in a CMSA

Date Terminated:

HQ Eval. Date:

Dir. to CBD:

Datum: WGS84

Met. Site ID:

Point/Line/Area: POINT

Type Met Site: ON-SITE MET EQUIP

Dist to Met. Site(m):

Local Region:

Urban Area: NOT IN AN URBAN AREA

EPA Region: DENVER

City Population: 1

Dist. to City(km):

Census Block:

Block Group:

Census Tract:

Congressional District:

Class 1 Area: Lostwood National Wildlife Refuge

Site Latitude: +48.641930

Site Longitude: -102.401800

Time Zone: CENTRAL

UTM Zone: 13

UTM Northing: 5390691.44 UTM Easting: 691395.29

Accuracy: .01

OTHER

IMPROVE

Scale: 24000

Vertical Measure (m): 696.0

Vert Accuracy: .01

Vert Datum

NAVD88

12 59 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONITOR TYPES			AGENCY	ROLES		
	# of	Role	Agency Desc		Begin Date	End Date
Monitor Type	Monitors	SUPPORTING	North Dakota State Department Of Health		20031027	
SLAMS	5					

			TANGENT	ROADS		
Road Number	Road Name	Traffic Count	Traffic Year	Traffic Volume Source	Road Type	Compass Sector
1	90TH STREET NW	10	2002	DOT	LOCAL ST OR HY	N
2	ND HIGHWAY 8	100	2002	DOT	THRU ST OR HY	E
3	NDHIGHWAY 8	100	2002	DOT	THRU ST OR HY	S
4	COUNTY ROAD 11	10	2002	DOT	LOCAL ST OR HY	M

SITE DESCRIPTION REPORT

May. 18, 2007

Local ID:

Site ID: 38-015-0003 Site Name: BISMARCK RESIDENTIAL

Street Address: 1810 N 16TH STREET City: Bismarck

State: North Dakota Zip Code: 58501 County: Burleigh

Location Description: MONITORING POINT Location Setting: SUBURBAN

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL Land Use: RESIDENTIAL

Date Established: 19950501 Date Terminated: Last Updated: 20060814

Regional Eval. Date: HQ Eval. Date: AQCR: NORTH DAKOTA

MSA: Bismarck,ND CMSA: Direct Met Site: S Met. Site ID:

Type Met Site: NWS Dist to Met. Site(m): 3200 Local Region:

Urban Area: BISMARCK, ND EPA Region: DENVER

City Population: 55532 Dir. to CBD: N Dist. to City(km): 2

Census Block: Block Group: Census Tract:

Congressional District: Class 1 Area:

Site Latitude: +46.825425 Site Longitude: -100.768210 Time Zone: CENTRAL

UTM Zone: 14 UTM Northing: 5187064 UTM Easting: 365130.7

UTM Zone: 14 UTM Northing: 5187064 UTM Easting: 365130.78

Accuracy: .03 Datum: WGS84 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 580.0 Vert Accuracy: .03

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONITOR	TYPES		A	GENCY ROLES		
	# of	Role	Agency Desc		Begin Date	End Date
Monitor Type	Monitors	SUPPORTING	North Dakota State Department Of Health		19950501	

SUPPLMNTL 134
SDECTATT 18
SLAMS 16

			TANGENT	ROADS		
Road Number	Road Name	Traffic Count	Traffic Year	Traffic Volume Source	Road Type	Compass Sector
1	16TH AVE.	10650	1991		LOCAL ST OR HY	S
2	15TH ST	150	1994		LOCAL ST OR HY	W
3	17TH ST	100	1994		LOCAL ST OR HY	E
4	SPALDING AVE.	20	1994		LOCAL ST OR HY	N

SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-017-1004 Site Name: FARGO NW Local ID:

Street Address: 4266 40TH AVE NORTH City: Fargo

State: North Dakota Zip Code: 58102 County: Cass

Location Description: MONITORING POINT Location Setting: SUBURBAN

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL Land Use: AGRICULTURAL

Date Established: 19980513 Date Terminated: Last Updated: 20060814

Regional Eval. Date: HQ Eval. Date: AQCR: METROPOLITAN FARGO-MOORHEAD

MSA: Fargo-Moorhead, ND-MN CMSA: Direct Met Site: Met. Site ID:

Type Met Site: ON-SITE MET EQUIP Dist to Met. Site(m): Local Region:

Urban Area: FARGO-MOORHEAD, ND-MN EPA Region: DENVER

City Population: 90599 Dir. to CBD: N Dist. to City(km): 4

Census Block: Block Group: Census Tract:

Congressional District: 1 Class 1 Area:

Accuracy: .03 Datum: WGS84 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 275.0 Vert Accuracy: .03

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONITOR TYPES

of
Monitor Type Monitors

of SUPPORTING North Dakota State Department Of Health 19980513

TRENDS SPECIATION 67

OTHER 23 Air Toxics

SLAMS 6

			TANGENT	' ROADS		
Road		Traffic	Traffic			Compass
Number	Road Name	Count	Year	Traffic Volume Source	Road Type	Sector
1	19TH AVE N.	550	1989		THRU ST OR HY	S
2	INTERSTATE 94	8790	1989		ARTERIAL	E
3	COUNTY 20	975	1989		THRU ST OR HY	N

SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-025-0003 Site Name: **DUNN CENTER** Local ID:

Street Address: 9610 SEVENTH STREET SW City: Not in a city

State: North Dakota Zip Code: 58626 County: Dunn

Location Description: MONITORING POINT Location Setting: RURAL

Coll. Method: GPS CARRIER PHASE STATIC RELATIVE POSITION Land Use: AGRICULTURAL Date Established: 19750701 Date Terminated: Last Updated: 20060814

Regional Eval. Date: HQ Eval. Date: AQCR: NORTH DAKOTA

Type Met Site: ON-SITE MET EQUIP Dist to Met. Site(m): Local Region:

Urban Area: NOT IN AN URBAN AREA EPA Region: DENVER

City Population: 1 Dir. to CBD: Dist. to City(km):

Census Block: Block Group: Census Tract:

Congressional District: 1 Class 1 Area:

Site Latitude: +47.313200 Site Longitude: -102.527300 Time Zone: MOUNTAIN

UTM Zone: 13 UTM Northing: 5242716.42 UTM Easting: 686888.26

Accuracy: .03 Datum: WGS84 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 683.0 Vert Accuracy: .03

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

SITE COMMENTS

* *

ACTIVE MONIT	OR TYPES		AGENCY ROLES		
Manakhana Mana	# of	Role	Agency Desc	Begin Date	End Date
Monitor Type	Monitors	SUPPORTING	North Dakota State Department Of Health	19750701	
INDEX SITE	1				

OTHER 10 SLAMS 7

			TANGENT	' ROADS		
Road Number		Traffic	Traffic			Compass
Number	Road Name	Count	Year	Traffic Volume Source	Road Type	Sector
1	SEVENTH STREET SW	10	2004	DOT	LOCAL ST OR HY	N

SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-053-0002 Site Name: TRNP-NU Local ID:

Street Address: 229 SERVICE RD., WATFORD CITY City: Not in a city

State: North Dakota Zip Code: 58854 County: McKenzie

Location Description: MONITORING POINT Location Setting: RURAL

Coll. Method: GPS CARRIER PHASE STATIC RELATIVE POSITION Land Use: AGRICULTURAL

Date Established: 19781201 Date Terminated: Last Updated: 20060814

Regional Eval. Date: HQ Eval. Date: AQCR: NORTH DAKOTA

Type Met Site: ON-SITE MET EQUIP Dist to Met. Site(m): Local Region:

Urban Area: NOT IN AN URBAN AREA

EPA Region: DENVER

City Population: 1 Dir. to CBD: Dist. to City(km):

Census Block: Block Group: Census Tract:

Congressional District: Class 1 Area: T. Roosevelt Park (North)

Site Latitude: +47.581200 Site Longitude: -103.299500 Time Zone: MOUNTAIN

UTM Zone: 13 UTM Northing: 5270936.38 UTM Easting: 627875.21

Accuracy: .03 Datum: NAD83 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 624.0 Vert Accuracy: 0

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

SITE COMMENTS

LOCATED IN THE THOEDORE ROOSEVELT NATIONAL PARK APPROXIMATELY 10 KM INSIDE THE PARK ENTRANCE.

ACTIVE MONIT	OR TYPES		AGENCY ROLES		
Man I have Ware	# of	Role	Agency Desc	Begin Date	End Date
Monitor Type	Monitors	SUPPORTING	North Dakota State Department Of Health	19781201	

SLAMS 6
SUPPLMNTL SPECIAT 67
OTHER 9

SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-057-0004 Site Name: **BEULAH NORTH** Local ID:

Street Address: 6024 HIGHWAY 200 City: Beulah

State: North Dakota Zip Code: 58571 County: Mercer

Location Description: MONITORING POINT Location Setting: RURAL

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL Land Use: AGRICULTURAL

Date Established: 19981213 Date Terminated: Last Updated: 20031212
Regional Eval. Date: HQ Eval. Date: AQCR: NORTH DAKOTA

MSA: Not in a MSA CMSA: Not in a CMSA Direct Met Site: Met. Site ID:

Type Met Site: ON-SITE MET EQUIP Dist to Met. Site(m): Local Region:

Urban Area: NOT IN AN URBAN AREA EPA Region: DENVER

City Population: 3152 Dir. to CBD: Dist. to City(km):

Census Block: Block Group: Census Tract:

Congressional District: Class 1 Area:

Site Latitude: +47.298611 Site Longitude: -101.766944 Time Zone: MOUNTAIN
UTM Zone: 14 UTM Northing: 5241843 UTM Easting: 290816

UTM Zone: 14 UTM Northing: 5241843 UTM Easting: 290816

Accuracy: .03 Datum: WGS84 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 630.0 Vert Accuracy: .03

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONITOR TYPES

of
Monitor Type Monitors

Of SUPPORTING North Dakota State Department Of Health 19981213

SLAMS 10

OTHER 78 Air Toxics

			TANGENT	ROADS		
Road		Traffic	Traffic			Compass
Number	Road Name	Count	Year	Traffic Volume Source	Road Type	Sector
1	HIGHWAY 200	1000	1998		THRU ST OR HY	N
2	COUNTY ROAD	100	1998		LOCAL ST OR HY	W
3	CITY STREET	250	1998		THRU ST OR HY	S

SITE DESCRIPTION REPORT

May. 18, 2007

City: Not in a city

Site ID: 38-065-0002 Site Name: HANNOVER Local ID:

Street Address: 1575 HIGHWAY 31

State: North Dakota Zip Code: County: Oliver

Location Description: MONITORING POINT Location Setting: RURAL

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL Land Use: AGRICULTURAL

Date Established: 19841004 Date Terminated: Last Updated: 20050304
Regional Eval. Date: HQ Eval. Date: AQCR: NORTH DAKOTA

MSA: Not in a MSA CMSA: Not in a CMSA Direct Met Site: Met. Site ID:

Type Met Site: ON-SITE MET EQUIP Dist to Met. Site(m): Local Region:

Urban Area: NOT IN AN URBAN AREA EPA Region: DENVER

City Population: 1 Dir. to CBD: S Dist. to City(km): 7

Census Block: Block Group: Census Tract:

Congressional District: 1 Class 1 Area:

Site Latitude: +47.185833 Site Longitude: -101.428056 Time Zone: MOUNTAIN

UTM Zone: 14 UTM Northing: 5228457 UTM Easting: 316045

Accuracy: .01 Datum: WGS84 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 697.0 Vert Accuracy: .01

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

SITE COMMENTS

ACTIVE MONITOR TYPES

of
Monitor Type

Monitor Type

AGENCY ROLES

Begin Date End Date

SUPPORTING North Dakota State Department Of Health

19841004

OTHER 6
SLAMS 5

	TANGENT ROADS						
Road Number	Road Name	Traffic Count	Traffic Year	Traffic Volume Source	Road Type	Compass Sector	
1	STATE HIGHWAY 31	350	2000	DOT	LOCAL ST OR HY	E	

Appendix C

Detailed Monitor Descriptions

This appendix is a listing printed from the AQS database for only the gaseous parameters for each six	te

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Beulah

Street Address: 6024 HIGHWAY 200

POPULATION EXPOSURE NOT IN AN URBAN AREA

Site Name: BEULAH NORTH MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA
Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA
Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

*

DATES OF OPERATION			AGENCY ROLI	ES		
Begin Date End Date	Agency Role	Agency Name			Beg	in Date End Date
19990114	ANALYZING	North Dakota State D	Department Of He	alth	1999	90114
	REPORTING	North Dakota State D	Department Of He	alth	1999	90114
	COLLECTING	North Dakota State D	Department Of He	alth	1999	90114
		MONITOR TYPE I	NFORMATION			
Monitor Type	Begin Date	End Date	Action Type	9	Act	cion Reason
SLAMS	19990114					
		REGULATION IN	IFORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite:	ria Met				Y	19990101
Reference Method Used					Y	19990101
Siting Criteria Met					Y	19990101
		TANGENT ROAD I	NFORMATION	Traff	Traff	
Street Name		Type F	Road	Count	Yr	Dist. to Road (m)
HIGHWAY 200		THRU S	ST OR HY	1000	1998	32
COUNTY ROAD		LOCAL	ST OR HY	100	1998	1000
CITY STREET		THRU S	ST OR HY	250	1998	3200
		MONITORING	OBJECTIVES			
Monitor Objective Type	UAR Name	M	ISA Name		CMSA	Name

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-42604-1 Parameter Measured: Ammonia Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH

County: Mercer Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Sample Residence Time:

Surrogate?:

City: Beulah

MSA: Not in a MSA

Vertical Distance (m): Unrestricted Air FLow?: Y

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Sample Residence Time:			Unrestricted	Air FLow?:	Y		
DATES OF OPERATION			AGENCY RO	LES			
Begin Date End Date	Agency Role Ag	ency Name			Beg	in Date E	nd Date
20001103	ANALYZING No	rth Dakota State 1	Department Of H	lealth	200	01103	
	COLLECTING No	rth Dakota State 1	Department Of H	lealth	200	01103	
	REPORTING No	rth Dakota State 1	Department Of H	lealth	200	01103	
		MONITOR TYPE	INFORMATION				
Monitor Type	Begin Date	End Date	Action Typ	pe	Act	tion Reason	n
OTHER	20001114						
SLAMS	20001103	20001113					
		REGULATION IN	NFORMATION				
Regulation					Met?	Date Met	
Quality Assurance Crite	ria Met				Y	20001103	
Reference Method Used					Y	20001101	
Siting Criteria Met					Y	20001101	
		TANGENT ROAD	INFORMATION	Traff	Traff		
Street Name		Type 1	Road	Count	Yr	Dist.	to Road (m
HIGHWAY 200		THRU	ST OR HY	1000	1998	32	
COUNTY ROAD		LOCAL	ST OR HY	100	1998	1000	
CITY STREET		THRU	ST OR HY	250	1998	3200	
		MONITORING	OBJECTIVES				
Monitor Objective Type	UAR Name	A .	MSA Name		CMSA	Name	
GENERAL/BACKGROUND	NOT IN AN URBAI	N AREA					

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-88101-1 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070507

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: GROUND LEVEL SUPPORT Horizontal Distance (m):

Probe Height (m): 3.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION	AGENCY ROLES				
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date		
19990101	ANALYZING	Inter-Mountain Laboratory Sheridan, WY	19990101		
	COLLECTING	North Dakota State Department Of Health	19990101		
	REPORTING	North Dakota State Department Of Health	19990101		

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 19990101

REGULATION INFORMATION

Regulation Met? Date Met

Quality Assurance Criteria Met

Reference Method Used

Siting Criteria Met

Met? Date Met

Y 19990101

Y 19990101

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20060125

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-88101-1 Parameter Measured: PM-Fine Last Updated: 20070226 Date of Latest Collection: 20061231

Surrogate?:

Owner: North Dakota

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU

County: McKenzie

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: GROUND LEVEL SUPPORT

Sample Residence Time:

Probe Height (m): 2.0

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air Flow? V

Sample Resic	dence Time:		L	Inrestricted Air FLow?	: Y		
DATES OF	OPERATION			AGENCY ROLES			
Begin Date	End Date	Agency Role	Agency Name		Ве	gin Date	End Date
20020101	20061231	ANALYZING	Inter-Mountain Labora	tory Sheridan, WY	20	020101	
		COLLECTING	North Dakota State Dep	partment Of Health	20	020101	20061231
		REPORTING	North Dakota State Dep	partment Of Health	20	020101	
			MONITOR TYPE IN	FORMATION			
Monitor Typ	e	Begin Date	End Date	Action Type	А	ction Rea	son
SLAMS		20020101	20061231				
			REGULATION INFO	DRMATION			
Regulation					Met?	Date Me	et
Quality Ass	urance Crite	ria Met			Y	2002010)1
Reference M	Method Used				Y	2002010)1

Siting Criteria Met Y 20020101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name

NOT IN AN URBAN AREA REGIONAL TRANSPORT

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-88501-3 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: POINT

Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20021001	COLLECTING	North Dakota State	Department Of Health	20021001
	REPORTING	North Dakota State	Department Of Health	20021001
		MONITOR TYPE	NFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	20021001			

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA REGIONAL TRANSPORT NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-88101-1 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070507

Owner: North Dakota City: Beulah

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA
Project Type: SOURCE-ORIENTED AMBIENT SURVEILLANCE Dominant Source: AREA
Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: GROUND LEVEL SUPPORT Horizontal Distance (m):

Probe Height (m): 3.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

*

DATES OF OPERATION		AGENCY ROLES				
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date			
19990101	ANALYZING	Inter-Mountain Laboratory Sheridan, WY	19990101			
	COLLECTING	North Dakota State Department Of Health	19990101			
	REPORTING	North Dakota State Department Of Health	19990101			
		MONITOR TYPE INFORMATION				

MONITOR TIFE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 19990101

REGULATION INFORMATION

Regulation Met? Date Met

Quality Assurance Criteria Met Y 19990101

Reference Method Used Y 19990101

Siting Criteria Met Y 19990101

TANGENT ROAD INFORMATION Traff Traff Count Yr Street Name Type Road Dist. to Road (m) HIGHWAY 200 THRU ST OR HY 1000 1998 COUNTY ROAD LOCAL ST OR HY 100 1998 1000 CITY STREET THRU ST OR HY 250 1998 3200

COLLOCATION INFORMATION

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-013-0004-44201-1 Parameter Measured: Ozone Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke Project Type: BACKGROUND SURVEILLANCE Meas. Scale: REGIONAL SCALE

Probe Height (m): 4.0

Sample Residence Time:

Dominant Source: POINT Location Setting: RURAL Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0 Surrogate?:

Vertical Distance (m): Unrestricted Air FLow?: Y

UAR: NOT IN AN URBAN AREA

City: Not in a city

MSA: Not in a MSA

DATES OF OPERATION			AGENCY ROI	LES			
Begin Date End Date	Agency Role Age	ency Name			Beg	in Date E	nd Date
20031028	COLLECTING No.	rth Dakota State I	Department Of H	ealth	200	31028	
	REPORTING No.	rth Dakota State I	Department Of H	ealth	200	31028	
		MONITOR TYPE I	NFORMATION				
Monitor Type	Begin Date	End Date	Action Typ	pe	Ac-	tion Reaso	n
SLAMS	20031028						
		REGULATION IN	IFORMATION				
Regulation					Met?	Date Met	
Quality Assurance Crite	eria Met				Y	20031028	
Reference Method Used					Y	20031028	
Siting Criteria Met					Y	20031028	
		TANGENT ROAD I	NFORMATION	Traff	Traff		
Street Name		Type I	Road	Count	Yr	Dist.	to Road (m
90TH STREET NW		LOCAL	ST OR HY	10	2002	8290	
ND HIGHWAY 8		THRU S	ST OR HY	100	2002	1120	
NDHIGHWAY 8		THRU S	ST OR HY	100	2002	840	
COUNTY ROAD 11		LOCAL	ST OR HY	10	2002	13800	

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 9610 SEVENTH STREET SW

Site Name: DUNN CENTER

County: Dunn

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):
Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):
Sample Residence Time: Unrestricted Air FLow?:

MONITOR COMMENT

*

DATES OF OPERATION	AGENCY ROLES	
Begin Date End Date	Agency Role Agency Name	Begin Date End Date
19791001 19890331	ANALYZING North Dakota State Department Of Health	19791001
19981214	COLLECTING North Dakota State Department Of Health	19791001
	REPORTING North Dakota State Department Of Health	19791001
	MONITOR TYPE INFORMATION	
Monitor Type	Begin Date End Date Action Type	Action Reason
OTHER	19791001 19791231	
SLAMS	19800101	

REGULATION INFORMATION

Regulation Met? Date Met

Quality Assurance Criteria Met Y 19800101

Reference Method Used Y 19800101

Siting Criteria Met Y 19800101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW

County: Cass

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0
Sample Residence Time:

1 OI DOIDDING

Surrogate?:

City: Fargo

MSA: Fargo-Moorhead, ND-MN UAR: FARGO-MOORHEAD, ND-MN

Dominant Source: AREA

Location Setting: SUBURBAN

location betting. bobotto

 $\label{eq:horizontal} \mbox{ Horizontal Distance (m):}$

Vertical Distance (m):

Unrestricted Air FLow?: Y

975

1989

CMSA Name

30

sample Residence Time:			Unrestricted A	Alr FLOW:	Y	
DATES OF OPERATION			AGENCY ROI	LES		
Begin Date End Date	Agency Role	Agency Name			Begi	in Date End Date
19980527	ANALYZING I	North Dakota State	Department Of H	ealth	1998	30527
	REPORTING 1	North Dakota State	Department Of H	ealth	1998	30527
	COLLECTING I	North Dakota State	Department Of H	ealth	1998	30527
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Typ	pe	Act	cion Reason
SLAMS	19980527					
		REGULATION I	INFORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite	ria Met				Y	19980501
Reference Method Used					Y	19980501
Siting Criteria Met					Y	19980501
		TANGENT ROAD	INFORMATION	Traff	Traff	
Street Name		Type	Road	Count	Yr	Dist. to Road (m)
19TH AVE N.		THRU	ST OR HY	550	1989	1600
INTERSTATE 94		ARTE	RIAL	8790	1989	350

MONITORING OBJECTIVES

THRU ST OR HY

Fargo-Moorhead, ND-MN

Monitor Objective Type UAR Name MSA Name

MAX PRECURSOR EMISSIONS

IMPACT

COUNTY 20

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION		AGENCY ROLES				
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date			
20051003	COLLECTING	North Dakota State Department Of Health	20051003			
	REPORTING	North Dakota State Department Of Health	20051003			
		MONITOR TYPE INFORMATION				

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 20051003

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20051003
Reference Method Used Y 20051003
Siting Criteria Met Y 20051003

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Beulah

NOT IN AN URBAN AREA

Street Address: 6024 HIGHWAY 200

POPULATION EXPOSURE

Site Name: BEULAH NORTH MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA
Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA
Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

*

DATES OF OPERATION			AGENCY ROI	ES		
Begin Date End Date	Agency Role	Agency Name			Beg	in Date End Date
19990114	ANALYZING	North Dakota State D	epartment Of H	ealth	1999	90114
	COLLECTING	North Dakota State D	epartment Of H	ealth	1999	90114
	REPORTING	North Dakota State D	epartment Of H	ealth	1999	90114
		MONITOR TYPE I	NFORMATION			
Monitor Type	Begin Date	End Date	Action Typ	e	Act	cion Reason
SLAMS	19990114					
		REGULATION IN	FORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite	ria Met				Y	19990101
Reference Method Used					Y	19990101
Siting Criteria Met					Y	19990101
		TANGENT ROAD I	NFORMATION	Traff	Traff	
Street Name		Type R	oad	Count	Yr	Dist. to Road (m)
HIGHWAY 200		THRU S	T OR HY	1000	1998	32
COUNTY ROAD		LOCAL	ST OR HY	100	1998	1000
CITY STREET		THRU S	T OR HY	250	1998	3200
		MONITORING	OBJECTIVES			
Monitor Objective Type	UAR Name	M	SA Name		CMSA	Name

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Beulah

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH MSA: Not in a MSA

County: Mercer

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

*

DATES OF OPERATION			AGENCY ROL	ES			
Begin Date End Date	Agency Role	Agency Name			Beg	in Date E	and Date
19990114	ANALYZING	North Dakota State	Department Of He	alth	1999	90114	
	COLLECTING	North Dakota State	Department Of He	ealth	1999	90114	
	REPORTING	North Dakota State	Department Of He	ealth	1999	90114	
		MONITOR TYPE	INFORMATION				
Monitor Type	Begin Date	End Date	Action Type	е	Act	cion Reaso	n
SLAMS	19990114						
		REGULATION 1	INFORMATION				
Regulation					Met?	Date Met	
Quality Assurance Crite	ria Met				Y	19990101	
Reference Method Used					Y	19990101	
Siting Criteria Met					Y	19990101	
		TANGENT ROAD	INFORMATION	Traff	Traff		
Street Name		Туре	Road	Count	Yr	Dist.	to Road

HIGHWAY 200 THRU ST OR HY 1000 1998 32 COUNTY ROAD LOCAL ST OR HY 100 1998 1000 CITY STREET THRU ST OR HY 250 1998 3200 MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-065-0002-42602-1 Parameter Measured: Nitrogen Dioxide

Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 3.0 Sample Residence Time:

Surrogate?:

Vertical Distance (m):

City: Not in a city

MSA: Not in a MSA

Unrestricted Air FLow?: Y

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
19880323	ANALYZING	North Dakota State D	epartment Of Health	19880323
	COLLECTING	North Dakota State D	epartment Of Health	19880323
	REPORTING	North Dakota State D	epartment Of Health	19880323
		MONITOR TYPE I	NFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	19880323			

REGULATION INFORMATION

Met? Regulation Date Met Quality Assurance Criteria Met Y 19880301 Y Reference Method Used 19880301 19880301 Siting Criteria Met Υ

MONITORING OBJECTIVES

Monitor Objective Type UAR Name CMSA Name MSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-88501-3 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 9610 SEVENTH STREET SW

Site Name: **DUNN CENTER** MSA: Not in a MSA

County: Dunn UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA
Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

*

DATES OF OPERATION		AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date		
20040908	ANALYZING	North Dakota State Department Of Health	20040908		
	COLLECTING	North Dakota State Department Of Health	20040908		
	REPORTING	North Dakota State Department Of Health	20040908		
		MONITOR TYPE INFORMATION			
Monitor Type	Begin Date	End Date Action Type	Action Reason		
INDEX SITE	20040908				
OTHER	20040908				
SLAMS	20040908				
MONITORING OBJECTIVES					
Monitor Objective Type	UAR Name	MSA Name	CMSA Name		

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA
Meas. Scale: REGIONAL SCALE Location Setting: RURAL
Probe Location: TOP OF BUILDING Horizontal Distance (m):
Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

SITE RESTARTED ON AUG 8, 2001

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
19821105 19980630	ANALYZING	North Dakota State Department Of Health	19821105
20010801	REPORTING	North Dakota State Department Of Health	19821105
	COLLECTING	North Dakota State Department Of Health	19821105
		MONITOR TYPE INFORMATION	
Monitor Type	Begin Date	End Date Action Type	Action Reason
SLAMS	19821105		

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19821101
Reference Method Used Y 19821101
Siting Criteria Met Y 19821101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Fargo

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-42401-1 Parameter Measured: Sulfur Dioxide

Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW MSA: Fargo-Moorhead, ND-MN

County: Cass UAR: FARGO-MOORHEAD, ND-MN

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT Location Setting: SUBURBAN Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 3.0 Vertical Distance (m): Surrogate?:

Sample Residence Time: Unrestricted Air FLow?: Y

sample Residence lime.		O1	ilestilcted A.	LI FLOW:.	1			
DATES OF OPERATION			AGENCY ROLE	ES				
Begin Date End Date	Agency Role Age	ency Name			Begi	in Date E	and Date	
19980527	ANALYZING No:	rth Dakota State Dep	artment Of He	alth	1998	30527		
	COLLECTING No:	rth Dakota State Dep	artment Of He	alth	1998	30527		
	REPORTING No:	rth Dakota State Dep	artment Of He	alth	1998	30527		
		MONITOR TYPE INFO	ORMATION					
Monitor Type	Begin Date	End Date	Action Type	2	Act	ion Reaso	n	
SLAMS	19980527							
		REGULATION INFO	RMATION					
Regulation					Met?	Date Met		
Quality Assurance Crite	ria Met				Y	19980501		
Reference Method Used					Y	19980501		
Siting Criteria Met					Y	19980501		
		TANGENT ROAD INFO	ORMATION	Traff	Traff			
Street Name		Type Roa	d	Count	Yr	Dist.	to Road	(m)
19TH AVE N.		THRU ST	OR HY	550	1989	1600		
INTERSTATE 94		ARTERIAL		8790	1989	350		
COUNTY 20		THRU ST	OR HY	975	1989	30		
		MONITORING OB	JECTIVES					
Monitor Objective Type	UAR Name	MSA	Name		CMSA	Name		

Fargo-Moorhead, ND-MN MAX PRECURSOR EMISSIONS

IMPACT

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN

MONITOR DESCRIPTION REPORT

City: Fargo

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-42602-1 Parameter Measured: Nitrogen Dioxide

Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW MSA: Fargo-Moorhead, ND-MN

County: Cass UAR: FARGO-MOORHEAD, ND-MN

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: MOBILE

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m): Probe Height (m): 4.0 Vertical Distance (m): Surrogate?:

Sample Residence Time: Unrestricted Air FLow?: Y

dampie nebiaence iime.			0112000120004	TILL LLOW	-	
DATES OF OPERATION			AGENCY RO	LES		
Begin Date End Date	Agency Role	Agency Name			Beg	in Date End Date
19980527	ANALYZING	North Dakota State	Department Of B	Health	1998	30527
	COLLECTING	North Dakota State	Department Of B	Health	1998	30527
	REPORTING	North Dakota State	Department Of B	Health	1998	30527
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Ty	ре	Act	cion Reason
SLAMS	19980527					
		REGULATION :	INFORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite:	ria Met				Y	19980501
Reference Method Used					Y	19980501
Siting Criteria Met					Y	19980501
		TANGENT ROAD	INFORMATION	Traff	Traff	
Street Name		Туре	Road	Count	Yr	Dist. to Road (m)
19TH AVE N.		THRU	ST OR HY	550	1989	1600
INTERSTATE 94		ARTE	RIAL	8790	1989	350
COUNTY 20		THRU	ST OR HY	975	1989	30
		MONITORING	G OBJECTIVES			
Monitor Objective Type	UAR Name		MSA Name		CMSA	Name
MAX PRECURSOR EMISSIONS IMPACT			Fargo-Moorhead,	ND-MN		

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN

MONITOR DESCRIPTION REPORT

MSA: Bismarck, ND

UAR: BISMARCK, ND

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-88501-3 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL
County: Burleigh

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION

Begin Date End Date

AGENCY ROLES

Begin Date End Date

Begin Date End Date

20051005 COLLECTING North Dakota State Department Of Health 20051005

REPORTING North Dakota State Department Of Health 20051005

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason
SLAMS 20051005

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20051005
Reference Method Used Y 20051005
Siting Criteria Met Y 20051005

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-88101-1 Parameter Measured: PM-Fine Last Updated: 20070507 Date of Latest Collection: 20070331

Owner: North Dakota City: Fargo

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW MSA: Fargo-Moorhead, ND-MN

County: Cass UAR: FARGO-MOORHEAD, ND-MN

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: GROUND LEVEL SUPPORT Horizontal Distance (m):

Probe Height (m): 2.0 Vertical Distance (m): Surrogate?:

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
19990101	ANALYZING	Inter-Mountain Labo	ratory Sheridan, WY	19990101
	COLLECTING	North Dakota State	Department Of Health	19990101
	REPORTING	North Dakota State	Department Of Health	19990101
		MONITOR TYPE	INFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	19990101			

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Y 19990101 Reference Method Used Y 19990101 19990101 Siting Criteria Met Υ

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20000101 20011230 Υ

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN SOURCE ORIENTED FARGO-MOORHEAD, ND-MN

MONITOR DESCRIPTION REPORT

City: Not in a city

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-42602-1 Parameter Measured: Nitrogen Dioxide

Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie UAR: NOT IN AN URBAN AREA Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA

Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Vertical Distance (m): Surrogate?:

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20010801	ANALYZING	North Dakota State Department Of Health	20010801
	COLLECTING	North Dakota State Department Of Health	20010801
	REPORTING	North Dakota State Department Of Health	20010801
		MONITOR TYPE INFORMATION	
Monitor Type	Begin Date	End Date Action Type	Action Reason

SLAMS 20010801

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Y 20010801 Reference Method Used Υ 20010801 Siting Criteria Met 20010801

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

Location Setting: RURAL

CMSA Name

May. 18, 2007

North Dakota

Monitor ID: 38-013-0004-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20031028	REPORTING	North Dakota State De	epartment Of Health	20031028
	COLLECTING	North Dakota State De	epartment Of Health	20031028
		MONITOR TYPE IN	NFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	20031028			

Regulation	Met?	Date Met
Quality Assurance Criteria Met	Y	20031028
Reference Method Used	Y	20031028
Siting Criteria Met	Υ	20031028

	TANGENT ROAD INFORMATION	Traff	Traff	
Street Name	Type Road	Count	Yr	Dist. to Road (m)
90TH STREET NW	LOCAL ST OR HY	10	2002	8290
ND HIGHWAY 8	THRU ST OR HY	100	2002	1120
NDHIGHWAY 8	THRU ST OR HY	100	2002	840
COUNTY ROAD 11	LOCAL ST OR HY	10	2002	13800
	MONITORING OBJECTIVES			

Monitor Objective Type UAR Name MSA Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Bismarck

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20051003	COLLECTING	North Dakota State Department Of Health	20051003
	REPORTING	North Dakota State Department Of Health	20051003
		MONITOR TYPE INFORMATION	

Monitor Type Begin Date End Date Action Type Action Reason
SLAMS 20051003

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20051003
Reference Method Used Y 20051003
Siting Criteria Met Y 20051003

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-81102-3 Parameter Measured: PM10 Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 9610 SEVENTH STREET SW

Site Name: DUNN CENTER

County: Dunn

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Surrogate?:

Sample Residence Time:

City: Not in a city

MSA: Not in a MSA

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m): 1.0

Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date	
20040908	ANALYZING	North Dakota State	Department Of Health	20040908	
	REPORTING	North Dakota State	Department Of Health	20040908	
	COLLECTING	North Dakota State	Department Of Health	20040908	
		MONITOR TYPE	INFORMATION		
Monitor Type	Begin Date	End Date	Action Type	Action Reason	
SLAMS	20040908				

MONITORING OBJECTIVES

MSA Name Monitor Objective Type UAR Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-88101-2 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070507

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: GROUND LEVEL SUPPORT Horizontal Distance (m):

Probe Height (m): 3.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION

Begin Date End Date

Agency Role Agency Name

ANALYZING Inter-Mountain Laboratory Sheridan, WY 20060125

COLLECTING North Dakota State Department Of Health 20060125

REPORTING North Dakota State Department Of Health 20060125

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 20060125

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20060125 2 N

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-88501-3 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH

County: Mercer
Project Type: SOURCE-ORIENTED AMBIENT SURVEILLANCE

20001011

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Sample Residence Time: MSA: Not in a MSA

City: Beulah

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA Location Setting: RURAL

Horizontal Distance (m): 0.0

Vertical Distance (m): 1.0

Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES				
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date		
20001011	ANALYZING	North Dakota State I	Department Of Health	20001011		
	COLLECTING	North Dakota State I	Department Of Health	20001011		
	REPORTING	North Dakota State I	Department Of Health	20001011		
		MONITOR TYPE 1	NFORMATION			
Monitor Type	Begin Date	End Date	Action Type	Action Reason		

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20001011
Reference Method Used Y 20001001
Siting Criteria Met Y 20001001

TANGENT ROAD INFORMATION Traff Traff Count Yr Street Name Type Road Dist. to Road (m) THRU ST OR HY HIGHWAY 200 1000 1998 32 COUNTY ROAD LOCAL ST OR HY 100 1998 1000 CITY STREET THRU ST OR HY 250 1998 3200

POLLUTANT AREA INFORMATION

Community Spatial Schedule Applicable Monitoring Zone Average Ind Exemption NAAQS Ind

ND UNCLASSIFIED NOT

SPECIFIED

STAMS

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-065-0002-44201-1 Parameter Measured: Ozone
Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver
Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING
Probe Height (m): 3.0

Sample Residence Time:

City: Not in a city

MSA: Not in a MSA

UAR: NOT IN AN URBAN AREA
Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date	
19880323	ANALYZING	North Dakota State D	epartment Of Health	19880323	
	COLLECTING	North Dakota State D	epartment Of Health	19880323	
	REPORTING	North Dakota State D	epartment Of Health	19880323	
		MONITOR TYPE I	NFORMATION		
Monitor Type	Begin Date	End Date	Action Type	Action Reason	
SLAMS	19880323				

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19880301
Reference Method Used Y 19880301
Siting Criteria Met Y 19880301

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

UAR: NOT IN AN URBAN AREA

Dominant Source: POINT

Location Setting: RURAL

May. 18, 2007

North Dakota

Monitor ID: 38-065-0002-88501-3 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver
Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 2.0

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION AGENCY ROLES Begin Date End Date Agency Role Agency Name Begin Date End Date 20020917 ANALYZING North Dakota State Department Of Health 20020917 REPORTING North Dakota State Department Of Health 20020917 MONITOR TYPE INFORMATION End Date Action Type Monitor Type Begin Date Action Reason SLAMS 20020917

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name CMSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

May. 18, 2007

North Dakota

Monitor ID: 38-013-0004-42602-1 Parameter Measured: Nitrogen Dioxide

Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke UAR: NOT IN AN URBAN AREA Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA Location Setting: RURAL

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0 Probe Height (m): 4.0 Vertical Distance (m): Surrogate?: Sample Residence Time: Unrestricted Air FLow?: Y

dampie Residence iime.			United Clicked Ai	I FLOW:	1	
DATES OF OPERATION			AGENCY ROLE	S		
Begin Date End Date	Agency Role Age	ncy Name			Ве	gin Date End Date
20031028	COLLECTING Nor	th Dakota State	Department Of Hea	alth	20	031028
	REPORTING Nor	th Dakota State	Department Of Hea	alth	20	031028
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Type		А	ction Reason
SLAMS	20031028					
		REGULATION I	NFORMATION			
Regulation					Met?	Date Met
Quality Assurance Criter	ria Met				Y	20031028
Reference Method Used					Y	20031028
Siting Criteria Met					Y	20031028
		TANGENT ROAD	INFORMATION	Traff	Traf	f

	TANGENT ROAD INFORMATION	Traff	Traff	
Street Name	Type Road	Count	Yr	Dist. to Road (m)
90TH STREET NW	LOCAL ST OR HY	10	2002	8290
ND HIGHWAY 8	THRU ST OR HY	100	2002	1120
NDHIGHWAY 8	THRU ST OR HY	100	2002	840
COUNTY ROAD 11	LOCAL ST OR HY	10	2002	13800
	MONITORING OBJECTIVES			

MONITORING OBJECTIVES

Monitor Objective Type UAR Name CMSA Name MSA Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

SITE RESTARTED AUG 8, 2001

DATES OF OPERATION		AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name	Ве	gin Date	End Date
19800101 19980630	ANALYZING	North Dakota State Department Of Health	19	800101	19980630
20010801	COLLECTING	North Dakota State Department Of Health	19	800101	19980630
	REPORTING	North Dakota State Department Of Health	19	800101	
	ANALYZING	North Dakota State Department Of Health	20	010801	
	COLLECTING	North Dakota State Department Of Health	20	010801	
		MONITOR TYPE INFORMATION			
Monitor Type	Begin Date	End Date Action Type	A	ction Reas	son
SLAMS	19800101				
		REGULATION INFORMATION			
Regulation			Met?	Date Me	:t
Quality Assurance Criter	ia Met		Y	1980010	1
Reference Method Used			Y	1980010	1
				1980010	

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-44201-1 Parameter Measured: Ozone
Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 9610 SEVENTH STREET SW

Site Name: **DUNN CENTER** MSA: Not in a MSA

County: Dunn

UAR: NOT IN AN URBAN AREA

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

*

DATES OF OPERATION	AGENCY ROLES	
Begin Date End Date	Agency Role Agency Name	Begin Date End Date
19791001 19890430	COLLECTING North Dakota State Department Of Health	19791001
19981214	REPORTING North Dakota State Department Of Health	19791001
	ANALYZING North Dakota State Department Of Health	19791001
	MONITOR TYPE INFORMATION	
Monitor Type	Begin Date End Date Action Type	Action Reason
OTHER	19791001 19791231	
SLAMS	19800101	
	REGULATION INFORMATION	
Regulation		Met? Date Met

Regulation Met? Date Met

Quality Assurance Criteria Met Y 19800101

Reference Method Used Y 19800101

Siting Criteria Met Y 19800101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Beulah

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-81102-3 Parameter Measured: **PM10**

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

SLAMS

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION AGENCY ROLES Begin Date End Date Agency Role Agency Name Begin Date End Date 20060717 REPORTING North Dakota State Department Of Health 20060717 ANALYZING North Dakota State Department Of Health 20060717 COLLECTING North Dakota State Department Of Health 20060717 MONITOR TYPE INFORMATION End Date Action Type Monitor Type Begin Date Action Reason

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20060717 Y

MONITORING OBJECTIVES

20060717

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 9610 SEVENTH STREET SW

Site Name: DUNN CENTER

County: Dunn UAR: NOT IN AN URBAN AREA

Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA

Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time:

Unrestricted Air FLow?:

MONITOR COMMENT

*

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
19791001	COLLECTING	North Dakota State	Department Of Health	19791001
	REPORTING	North Dakota State	Department Of Health	19791001
	ANALYZING	North Dakota State	Department Of Health	19791001
		MONITOR TYPE	INFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
OTHER	19791001	19791231		
SLAMS	19800101			
		REGULATION I	NFORMATION	
Regulation				Met? Date Met

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19800101
Reference Method Used Y 19800101
Siting Criteria Met Y 19800101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

May. 18, 2007

North Dakota

Monitor ID: 38-065-0002-42401-1 Parameter Measured: Sulfur Dioxide

Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver UAR: NOT IN AN URBAN AREA

Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): Probe Height (m): 3.0 Vertical Distance (m): Surrogate?:

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES				
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date		
19880323	ANALYZING	North Dakota State	Department Of Health	19880323		
	COLLECTING	North Dakota State	Department Of Health	19880323		
	REPORTING	North Dakota State	Department Of Health	19880323		
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Type	Action Reason		
SLAMS	19880323					
		DECLII ARION TA	IDODMA BLOM			

REGULATION INFORMATION

Met? Regulation Date Met Quality Assurance Criteria Met Y 19880301 Reference Method Used Υ 19880301 19880301 Siting Criteria Met

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

May. 18, 2007

North Dakota

Monitor ID: 38-013-0004-81102-3 Parameter Measured: PM10

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: POINT
Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0
Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0
Sample Residence Time: Unrestricted Air FLow?: Y

Sample Residence Time:			Unrestricted	Air FLow?:	Y	
DATES OF OPERATION			AGENCY RO	LES		
Begin Date End Date	Agency Role A	gency Name			В	egin Date End Date
20031028	ANALYZING N	North Dakota State	Department Of I	Health	2	0031028
	REPORTING N	North Dakota State	Department Of I	Health	2	0031028
	COLLECTING N	North Dakota State	Department Of I	Health	2	0031028
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Ty	rpe		Action Reason
SLAMS	20031028					
		REGULATION I	INFORMATION			
Regulation					Met?	Date Met
Quality Assurance Criter	ria Met				Y	20031028
Reference Method Used					Y	20031028
Siting Criteria Met					Y	20031028
Short Term Satisfied					Y	20031028
		TANGENT ROAD	INFORMATION	Traff	Tra	ff
Street Name		Туре	Road	Count	Yr	Dist. to Road
90TH STREET NW		LOCA	L ST OR HY	10	200	2 8290

	TANGENT ROAD INFORMATION	Traff	Traff	
Street Name	Type Road	Count	Yr	Dist. to Road (m)
90TH STREET NW	LOCAL ST OR HY	10	2002	8290
ND HIGHWAY 8	THRU ST OR HY	100	2002	1120
NDHIGHWAY 8	THRU ST OR HY	100	2002	840
COUNTY ROAD 11	LOCAL ST OR HY	10	2002	13800
	MONITORING OBJECTIVES			

Monitor Objective Type UAR Name MSA Name CMSA Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-013-0004-88501-3 Parameter Measured: PM-Fine Last Updated: 20070430 Date of Latest Collection: 20070331 Owner: North Dakota City: Not in a city Street Address: 8315 HIGHWAY 8, KENMARE Site Name: LOSTWOOD NWR MSA: Not in a MSA County: Burke UAR: NOT IN AN URBAN AREA Project Type: BACKGROUND SURVEILLANCE Dominant Source: POINT Meas. Scale: REGIONAL SCALE Location Setting: RURAL Probe Location: TOP OF BUILDING Horizontal Distance (m): Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): Sample Residence Time: Unrestricted Air FLow?: Y DATES OF OPERATION AGENCY ROLES Begin Date End Date Agency Role Agency Name Begin Date End Date 20031028 ANALYZING North Dakota State Department Of Health 20031028 REPORTING North Dakota State Department Of Health 20031028 COLLECTING North Dakota State Department Of Health 20031028 MONITOR TYPE INFORMATION End Date Monitor Type Begin Date Action Type Action Reason SLAMS 20031028 REGULATION INFORMATION Regulation Met? Date Met Quality Assurance Criteria Met Y 20031028 Reference Method Used Υ 20031028

Siting Criteria Met 20031028 TANGENT ROAD INFORMATION Traff Traff Count Yr Street Name Type Road Dist. to Road (m) 90TH STREET NW LOCAL ST OR HY 10 2002 8290 ND HIGHWAY 8 THRU ST OR HY 100 2002 1120 NDHIGHWAY 8 THRU ST OR HY 100 2002 840 COUNTY ROAD 11 LOCAL ST OR HY 10 2002 13800

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

City: Fargo

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-88501-3 Parameter Measured: PM-Fine Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW MSA: Fargo-Moorhead, ND-MN County: Cass UAR: FARGO-MOORHEAD, ND-MN Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT

Location Setting: SUBURBAN Meas. Scale: URBAN SCALE Probe Location: TOP OF BUILDING Horizontal Distance (m): Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION AGENCY ROLES Begin Date End Date Agency Role Agency Name Begin Date End Date 20000608 ANALYZING North Dakota State Department Of Health 20000608 COLLECTING North Dakota State Department Of Health 20000608 REPORTING North Dakota State Department Of Health 20000608

MONITOR TYPE INFORMATION Monitor Type Begin Date End Date Action Type Action Reason SLAMS 20000608

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Υ 20000608 Reference Method Used 20000601 Υ Siting Criteria Met 20000601

TANGENT ROAD INFORMATION Traff Traff Count Yr Street Name Type Road Dist. to Road (m) THRU ST OR HY 19TH AVE N. 550 1989 1600 INTERSTATE 94 ARTERIAL 8790 1989 350 COUNTY 20 THRU ST OR HY 975 1989

POLLUTANT AREA INFORMATION

Community Applicable Spatial Schedule Monitoring Zone Average Ind Exemption NAAQS Ind Worst Site Type

Pollutant Area Name ND UNCLASSIFIED NOT Classified as

SPECIFIED having the highest

PM-10 concentration and is expected to monitor at recommended

sampling frequency.

MONITORING OBJECTIVES

MSA Name Monitor Objective Type CMSA Name UAR Name

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN SOURCE ORIENTED FARGO-MOORHEAD, ND-MN

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-81102-3 Parameter Measured: PM10 Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Fargo

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW MSA: Fargo-Moorhead, ND-MN County: Cass UAR: FARGO-MOORHEAD, ND-MN

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0 Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION	AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20040628	ANALYZING	North Dakota State	Department Of Health	20040628
	COLLECTING	North Dakota State	Department Of Health	20040628
	REPORTING	North Dakota State	Department Of Health	20040628
		MONITOR TYPE	INFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	20040628			

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Υ 20040628 Reference Method Used Υ 20040628 Siting Criteria Met Υ 20040628

POLLUTANT AREA INFORMATION

Community Spatial Schedule Applicable Monitoring Zone Average Ind Exemption NAAQS Ind Pollutant Area Name Worst Site Type

Classified as

ND UNCLASSIFIED NOT SPECIFIED

having the highest PM-10 concentration and is expected to monitor at recommended

sampling frequency.

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-81102-3 Parameter Measured: PM10 Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie UAR: NOT IN AN URBAN AREA Project Type: BACKGROUND SURVEILLANCE Dominant Source: POINT Meas. Scale: REGIONAL SCALE Location Setting: RURAL Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION	AGENCY ROLES		
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20040616	COLLECTING	North Dakota State Department Of Health	20040616
	REPORTING	North Dakota State Department Of Health	20040616
		MONITOR TYPE INFORMATION	

Monitor Type Begin Date End Date Action Type Action Reason SLAMS 20040616

REGULATION INFORMATION

Regulation Met? Date Met. Υ 20040616 Quality Assurance Criteria Met Reference Method Used Υ 20040616 Siting Criteria Met 20040616 Υ

POLLUTANT AREA INFORMATION

Community Spatial Schedule Applicable NAAQS Ind Monitoring Zone Average Ind Exemption Pollutant Area Name Worst Site Type

ND UNCLASSIFIED NOT

Classified as SPECIFIED having the highest PM-10 concentration and is expected to monitor at

recommended sampling frequency.

MONITORING OBJECTIVES

MSA Name CMSA Name Monitor Objective Type UAR Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA REGIONAL TRANSPORT NOT IN AN URBAN AREA

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-81102-3 Parameter Measured: PM10 Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck, ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION AGENCY ROLES Begin Date End Date Agency Role Agency Name Begin Date End Date 20051001 REPORTING North Dakota State Department Of Health 20051001 COLLECTING North Dakota State Department Of Health 20051001

MONITOR TYPE INFORMATION Monitor Type Begin Date End Date Action Type Action Reason SLAMS 20051001

REGULATION INFORMATION

Regulation Met.? Date Met. Υ 20051001 Quality Assurance Criteria Met Reference Method Used Υ 20051001 Siting Criteria Met 20051001 Υ

POLLUTANT AREA INFORMATION

Community Spatial Schedule Applicable NAAQS Ind Monitoring Zone Average Ind Exemption Pollutant Area Name Worst Site Type

ND UNCLASSIFIED NOT

SPECIFIED

Classified as having the highest PM-10 concentration and is expected to monitor at recommended sampling frequency.

MONITORING OBJECTIVES

CMSA Name MSA Name Monitor Objective Type UAR Name

POPULATION EXPOSURE BISMARCK, ND

MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: MOBILE

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20051003	COLLECTING	North Dakota State Department Of Health	20051003
	REPORTING	North Dakota State Department Of Health	20051003

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 20051003

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20051003
Reference Method Used Y 20051003
Siting Criteria Met Y 20051003

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

Appendix D

Public Comments