



**NOTIFICATION FOR UNDERGROUND STORAGE TANKS**  
 NORTH DAKOTA DEPARTMENT OF ENVIRONMENTAL QUALITY  
 DIVISION OF WASTE MANAGEMENT - UST PROGRAM  
 SFN-10980 (REV: 05/2019)

FOR STATE USE ONLY:  
 Facility ID#: \_\_\_\_\_  
 Log ID#: \_\_\_\_\_

**I. TYPE OF NOTIFICATION**       First       Amended       Closure

**II. FACILITY INFORMATION** ( check if new facility name)

|   |  |   |
|---|--|---|
| Facility Name Where Tanks Are Located:  | County:  | Phone Number:                                 |
| Facility Mailing Address (or PO Box)  | City:  | State:      Zip Code:                         |
| Facility <b>911 ADDRESS (REQUIRED)</b> :  | City   | State:      Zip Code:                         |
| Facility Latitude and Longitude in Decimal Degrees:   |  |   |
| <b>TYPE OF FACILITY</b>   |  |   |
| <input type="checkbox"/> Gas Station  | <input type="checkbox"/> Local Government                  | <input type="checkbox"/> Contractor           |
| <input type="checkbox"/> Petroleum Distributor  | <input type="checkbox"/> State Government                  | <input type="checkbox"/> Truck/Transportation |
| <input type="checkbox"/> Air Taxi (Airliner)  | <input type="checkbox"/> Federal Non-Military Installation | <input type="checkbox"/> Utilities            |
| <input type="checkbox"/> Aircraft Owner   | <input type="checkbox"/> Federal Military Installation     | <input type="checkbox"/> Farm                 |
| <input type="checkbox"/> Auto Dealership  | <input type="checkbox"/> Commercial                        | <input type="checkbox"/> Residential          |
| <input type="checkbox"/> Railroad   | <input type="checkbox"/> Industrial                        | <input type="checkbox"/> Other                |
| <b>ARE THE TANKS LOCATED ON INDIAN LANDS?</b> <input type="checkbox"/> Yes <input type="checkbox"/> No    Tribe/Nation: |  |   |

**III. TANK OWNER INFORMATION**

|                        |   |
|------------------------|---|
| Name of Tank Owner:    | Phone Number:   |
| Owner Mailing Address: | City:      State:      Zip Code:  |
| Type of Owner:         | <input type="checkbox"/> Federal <input type="checkbox"/> State <input type="checkbox"/> Local <input type="checkbox"/> Commercial <input type="checkbox"/> Private |

**IV. CONTACT PERSON INFORMATION**

|                                   |            |        |               |                |
|-----------------------------------|------------|--------|---------------|----------------|
| First Name:                       | Last Name: | Title: | Phone Number: | Email Address: |
| Contact Person's Mailing Address: |            | City:  | State:        | Zip Code:      |

**V. DESCRIPTION OF UNDERGROUND STORAGE TANKS**

Note: If there are more than seven underground storage tanks or tank compartments at this location, make additional copies of this form before filling in any information.

| <b>1. TANK INFORMATION</b>                         |           |           |           |           |           |           |           |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Tank ID  | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ |
| Estimated total capacity of tank (gallons)         |           |           |           |           |           |           |           |
| Is the tank compartmented? Y/N                     |           |           |           |           |           |           |           |
| <b>Compartment ID</b> (if applicable) i.e. 1a, 1b  |           |           |           |           |           |           |           |
| Size of compartment (gallons)                      |           |           |           |           |           |           |           |
| Is the tank used for heating oil only?             |           |           |           |           |           |           |           |
| Is the tank used for an emergency power generator? |           |           |           |           |           |           |           |
| Is the tank an aboveground tank (AST)?             |           |           |           |           |           |           |           |
| <b>2. STATUS OF TANK OR COMPARTMENT</b>            |           |           |           |           |           |           |           |
| Currently In Use                                   |           |           |           |           |           |           |           |
| Temporarily Out of Use                             |           |           |           |           |           |           |           |
| Permanently Out of Use                             |           |           |           |           |           |           |           |
| <b>3. INSTALLATION</b>                             |           |           |           |           |           |           |           |
| <b>Date of Installation (mm/dd/yy)</b>             |           |           |           |           |           |           |           |
| <b>4. SUBSTANCE STORED</b>                         |           |           |           |           |           |           |           |
| Gasoline   |           |           |           |           |           |           |           |
| Alcohol Blends >15% or E85                         |           |           |           |           |           |           |           |
| Diesel   |           |           |           |           |           |           |           |
| Biodiesel >20%                                     |           |           |           |           |           |           |           |
| Heating Oil  |           |           |           |           |           |           |           |
| Used Oil   |           |           |           |           |           |           |           |
| Hazardous Substance                                |           |           |           |           |           |           |           |
| Name of substance or CAS number                    |           |           |           |           |           |           |           |
| Other (specify)                                    |           |           |           |           |           |           |           |
| <b>5. TANK MATERIAL</b>                            |           |           |           |           |           |           |           |
| Bare Steel   |           |           |           |           |           |           |           |
| Cathodically Protected Steel                       |           |           |           |           |           |           |           |
| Epoxy Coated Steel                                 |           |           |           |           |           |           |           |
| Fiberglass Reinforced Plastic                      |           |           |           |           |           |           |           |
| Concrete   |           |           |           |           |           |           |           |
| Unknown  |           |           |           |           |           |           |           |
| Other (specify)                                    |           |           |           |           |           |           |           |
| <b>6. CONSTRUCTION OF TANK</b>                     |           |           |           |           |           |           |           |
| Single-Walled                                      |           |           |           |           |           |           |           |
| Double-Walled                                      |           |           |           |           |           |           |           |
| Polyethylene Tank Jacket                           |           |           |           |           |           |           |           |
| Lined Interior                                     |           |           |           |           |           |           |           |
| Excavation Liner                                   |           |           |           |           |           |           |           |
| <b>7. CATHODIC PROTECTION FOR TANKS</b>            |           |           |           |           |           |           |           |
| Sacrificial Anodes                                 |           |           |           |           |           |           |           |
| Impressed Current                                  |           |           |           |           |           |           |           |
| Not required                                       |           |           |           |           |           |           |           |

| Tank ID   | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ |
|---|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Compartment ID (if applicable)                      |           |           |           |           |           |           |           |
| <b>8. LEAK DETECTION FOR TANKS AND COMPARTMENTS</b> |           |           |           |           |           |           |           |
| Manual Tank Gauging                                 |           |           |           |           |           |           |           |
| Tank Tightness Testing                              |           |           |           |           |           |           |           |
| Automatic Tank Gauging                              |           |           |           |           |           |           |           |
| Interstitial Monitoring                             |           |           |           |           |           |           |           |
| Statistical Inventory Reconciliation                |           |           |           |           |           |           |           |
| Other method allowed by the state (specify)         |           |           |           |           |           |           |           |

**VI. DESCRIPTION OF SPILL AND OVERFILL SYSTEM**

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| <b>9. SPILL PREVENTION DEVICE (tank)</b>       |  |  |  |  |  |  |  |
| Installation date                              |  |  |  |  |  |  |  |
| Capacity of spill bucket (gallons)             |  |  |  |  |  |  |  |
| Delivery of product less than 25 gallons?      |  |  |  |  |  |  |  |
| Is containment double-walled?                  |  |  |  |  |  |  |  |
| <b>10. LEAK DETECTION USED ON SPILL BUCKET</b> |  |  |  |  |  |  |  |
| Interstitial Monitoring                        |  |  |  |  |  |  |  |
| Tightness Testing                              |  |  |  |  |  |  |  |
| Other method (specify)                         |  |  |  |  |  |  |  |
| <b>11. OVERFILL PREVENTION DEVICE (tank)</b>   |  |  |  |  |  |  |  |
| Ball Float Valve                               |  |  |  |  |  |  |  |
| High Level Alarm                               |  |  |  |  |  |  |  |
| Automatic Shutoff (flapper valve)              |  |  |  |  |  |  |  |
| Other method allowed by the state              |  |  |  |  |  |  |  |

**VII. DESCRIPTION OF PIPING SYSTEM**

|  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| <b>12. DATE OF PIPING INSTALLATION</b> |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
| <b>13. PIPING MATERIAL</b>             |  |  |  |  |  |  |  |
| Bare or Galvanized Steel               |  |  |  |  |  |  |  |
| Cathodically Protected Steel           |  |  |  |  |  |  |  |
| Fiberglass Reinforced Plastic          |  |  |  |  |  |  |  |
| Flexible Plastic                       |  |  |  |  |  |  |  |
| Copper                                 |  |  |  |  |  |  |  |
| Unknown                                |  |  |  |  |  |  |  |
| Other (specify)                        |  |  |  |  |  |  |  |
| <b>14. CONSTRUCTION OF PIPING</b>      |  |  |  |  |  |  |  |
| Single-Walled                          |  |  |  |  |  |  |  |
| Double-Walled                          |  |  |  |  |  |  |  |
| Secondary Containment                  |  |  |  |  |  |  |  |

| Tank ID                                      | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ |
|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Compartment ID (if applicable)               |           |           |           |           |           |           |           |
| <b>15. CATHODIC PROTECTION FOR PIPING</b>    |           |           |           |           |           |           |           |
| Sacrificial Anodes                           |           |           |           |           |           |           |           |
| Impressed Current                            |           |           |           |           |           |           |           |
| Not required                                 |           |           |           |           |           |           |           |
| <b>16. TYPE OF PIPING SYSTEM</b>             |           |           |           |           |           |           |           |
| Pressurized                                  |           |           |           |           |           |           |           |
| Suction with no valve at tank (safe suction) |           |           |           |           |           |           |           |
| Suction with valve at tank                   |           |           |           |           |           |           |           |
| Gravity fed                                  |           |           |           |           |           |           |           |
| <b>17. LEAK DETECTION FOR PIPING</b>         |           |           |           |           |           |           |           |
| Interstitial Monitoring with Sump Alarms     |           |           |           |           |           |           |           |
| Interstitial Monitoring Visual Monitoring    |           |           |           |           |           |           |           |
| Annual Line Tightness Testing                |           |           |           |           |           |           |           |
| Electronic .2 gph Line Leak Detectors        |           |           |           |           |           |           |           |
| Mechanical 3 gph Line Leak Detectors         |           |           |           |           |           |           |           |
| Statistical Inventory Reconciliation         |           |           |           |           |           |           |           |
| Other method allowed by the state (specify)  |           |           |           |           |           |           |           |
| <b>18. FOR PRESSURIZED PIPING SYSTEMS</b>    |           |           |           |           |           |           |           |
| Make and Model of Line Leak Detector         |           |           |           |           |           |           |           |
| Automatic Flow Restriction                   |           |           |           |           |           |           |           |
| Automatic Shut Off Device                    |           |           |           |           |           |           |           |
| Continuous Alarm System (Sump Sensors)       |           |           |           |           |           |           |           |
| <b>19. PIPING SUMP INFORMATION</b>           |           |           |           |           |           |           |           |
| Installation date                            |           |           |           |           |           |           |           |
| Capacity of piping sump (gallons)            |           |           |           |           |           |           |           |
| Is piping sump double-walled?                |           |           |           |           |           |           |           |
| Does the piping sump have sump alarms?       |           |           |           |           |           |           |           |
| Is the sump contained?                       |           |           |           |           |           |           |           |
| <b>20. CONSTRUCTION OF PIPING SUMP</b>       |           |           |           |           |           |           |           |
| Fiberglass                                   |           |           |           |           |           |           |           |
| Plastic                                      |           |           |           |           |           |           |           |
| Metal  |           |           |           |           |           |           |           |
| Other (specify)                              |           |           |           |           |           |           |           |
| <b>21. LEAK DETECTION FOR PIPING SUMP</b>    |           |           |           |           |           |           |           |
| Interstitial Monitoring                      |           |           |           |           |           |           |           |
| Tightness Testing                            |           |           |           |           |           |           |           |
| Other method (specify)                       |           |           |           |           |           |           |           |

**VIII. DESCRIPTION OF DISPENSERS**

| <b>22. DISPENSER INFORMATION</b>                     |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|
| Dispenser ID   |  |  |  |  |  |  |  |  |
| Installation date                                    |  |  |  |  |  |  |  |  |
| Is this a single hose dispenser?                     |  |  |  |  |  |  |  |  |
| Does this dispenser only use credit card?            |  |  |  |  |  |  |  |  |
| Is the dispenser a blender dispenser?                |  |  |  |  |  |  |  |  |
| Is this a satellite dispenser?                       |  |  |  |  |  |  |  |  |
| Does the dispenser have under dispenser containment? |  |  |  |  |  |  |  |  |
| <b>23. UNDER DISPENSER CONTAINMENT (UDC)</b>         |  |  |  |  |  |  |  |  |
| Capacity of containment (gallons)                    |  |  |  |  |  |  |  |  |
| Is the containment double-walled?                    |  |  |  |  |  |  |  |  |
| Does the UDC have sump sensors?                      |  |  |  |  |  |  |  |  |
| <b>24. CONSTRUCTION OF UDC</b>                       |  |  |  |  |  |  |  |  |
| Fiberglass   |  |  |  |  |  |  |  |  |
| Plastic  |  |  |  |  |  |  |  |  |
| Other (specify)                                      |  |  |  |  |  |  |  |  |
| <b>25. LEAK DETECTION USED ON UDC</b>                |  |  |  |  |  |  |  |  |
| Interstitial Monitoring                              |  |  |  |  |  |  |  |  |
| Tightness Testing                                    |  |  |  |  |  |  |  |  |
| Other method (specify)                               |  |  |  |  |  |  |  |  |

**IX. ADDITIONAL INFORMATION**

|  | Tank ID | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ | Tank ____ |
|--|---------|-----------|-----------|-----------|-----------|-----------|-----------|
| <b>26. FOR TANKS TAKEN OUT OF USE</b>  |         |           |           |           |           |           |           |
| Date Last Used and Emptied (mm/dd/yy)  |         |           |           |           |           |           |           |
| Date Tank Removed from Ground (mm/dd/yy)   |         |           |           |           |           |           |           |
| Date Closed/Abandoned in Place (mm/dd/yy)  |         |           |           |           |           |           |           |
| <b>27. CERTIFICATION OF FINANCIAL RESPONSIBILITY</b>   |         |           |           |           |           |           |           |
| <p>This facility meets the financial responsibility requirements in accordance with Sections 33.1-24-08-80 through 33.1-24-08-102 NDAC by:</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><input type="checkbox"/> ND Petroleum Release Compensation Fund<br/>PTRCF ID Number: _____</p> </div> <div style="width: 45%;"> <p><input type="checkbox"/> Government<br/><input type="checkbox"/> Railroad</p> </div> </div> <p>If the owner of this facility owns more than 100 tanks in the United States, this facility meets the financial responsibility requirements in accordance with Section 33.1-24-08-83.2b by:</p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><input type="checkbox"/> Self-Insured<br/><input type="checkbox"/> Insurance<br/><input type="checkbox"/> Risk Retention Group<br/><input type="checkbox"/> Guarantee</p> </div> <div style="width: 45%;"> <p><input type="checkbox"/> Letter of Credit<br/><input type="checkbox"/> Trust Fund<br/><input type="checkbox"/> Surety Bond</p> </div> </div> |         |           |           |           |           |           |           |

**X. CERTIFICATION OF INSTALLATION**

(Blocks 28, 29, 30 and 31 to be completed by installer)

|  |                    |                      |
|--|--------------------|----------------------|
| <p><b>28. INSTALLATION</b> (tank(s) and its associated piping have the same numbers; list all that apply)</p> <p style="text-align: center;">The installer has been certified by the tank and piping manufacturers</p> <p style="text-align: center;">The installer has been certified by the state</p> <p style="text-align: center;">The installation has been inspected by a registered professional engineer</p> <p style="text-align: center;">All work listed on the manufacturer’s installation checklists has been completed</p> <p style="text-align: center;">Another method was used as allowed by the state (please specify)</p> | <b>Tank No(s).</b> | <b>Piping No(s).</b> |
|  |                    |                      |
|  |                    |                      |
|  |                    |                      |
|  |                    |                      |
|  |                    |                      |

**29. INITIAL START-UP PRECISION TEST**  
(Precision test to be done after tank(s) and piping have been covered with backfill and final cover.)

Completed By:

|                       |          |                 |          |
|-----------------------|----------|-----------------|----------|
| Signature             | Position | Date (mm/dd/yy) |          |
| Name (print)          | Company  | Phone           |          |
| Mailing Address       | City     | State           | Zip Code |
| Date of Start-Up Test |          |                 |          |

|   |                    |                      |
|---|--------------------|----------------------|
| <p><b>30. TYPE OF START-UP TEST</b></p> <p style="text-align: center;">Tightness test (with product)</p> <p style="text-align: center;">Monitoring of interstitial space</p> <p style="text-align: center;">Automatic tank gauging test</p> <p style="text-align: center;">Manual tank gauging (tanks less than 1000 gallons)</p> | <b>Tank No(s).</b> | <b>Piping No(s).</b> |
|   |                    |                      |
|   |                    |                      |
|   |                    | N/A                  |
|   |                    | N/A                  |

**31. OATH:**

I (*Installer*) certify that the information concerning the installation provided in section X is true to the best of my belief and knowledge.

Installer:

|                 |          |                 |          |
|-----------------|----------|-----------------|----------|
| Signature       | Position | Date (mm/dd/yy) |          |
| Name (print)    | Company  | Phone           |          |
| Mailing Address | City     | State           | Zip Code |

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and **all attached documents**, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

|              |       |                 |
|--------------|-------|-----------------|
| Signature    | Title | Date (mm/dd/yy) |
| Name (print) |       |                 |

## HOW TO FILL OUT THIS FORM

**Section I. TYPE OF NOTIFICATION** - Check "First" for new facilities. Check "Amended" to update existing tank system information, facility information, or contact information. Check "Closure" for tank systems that have been closed.

**Section II. FACILITY INFORMATION** - This section contains information on the actual location of the tanks. You must use the correct 911 street address so that the facility can easily be located.

**Section IV. CONTACT PERSON INFORMATION** - This is the person who the Department will contact with any questions regarding the UST system(s).

**Section V. DESCRIPTION OF UNDERGROUND STORAGE TANKS** - A tank installer generally completes this information.

Block 1. Tank ID is an ID that you use to identify the tank. Typically, the ID is numeric such as Tank 1, Tank 2, etc. If the tank has compartments, you must also use an ID for each compartment such as 1a, 1b, etc where the number "1" identifies the tank number and the letters "a" and "b" represent the different compartments. Example:

| 1. TANK ID                                 | Tank <u>1</u> | Tank <u>1</u> | Tank <u>2</u> | Tank <u>3</u> | Tank ____ | Tank ____ | Tank ____ |
|--|---------------|---------------|---------------|---------------|-----------|-----------|-----------|
| Estimated total capacity of tank (gallons) | 10,000        |               | 8,000         | 8,000         |           |           |           |
| Is the tank compartmented Y/N              | yes           | yes           | no            | no            |           |           |           |
| COMPARTMENT ID (if applicable) i.e. 1a, 1b | 1a            | 1b            | -             | -             |           |           |           |
| Size of compartment (gallons)              | 5,000         | 5,000         |               |               |           |           |           |

**Section VI. DESCRIPTION OF SPILL AND OVERFILL SYSTEM** – This information is generally completed by the tank installer.

**Section VII. DESCRIPTION OF PIPING SYSTEM** - A tank installer generally completes this information.

**Section VIII. DESCRIPTION OF DISPENSERS** - A tank installer generally completes this information.

Block 22. A satellite dispenser is a second dispenser which is plumbed from the primary dispenser to a location on the opposite side of the vehicle which is usually intended to shorten the length of fueling saddle tanks on diesel trucks. Leak detection must be provided on the piping system from the primary dispenser to the satellite dispenser.

### Section IX. ADDITIONAL INFORMATION

Block 26. Complete this information for tanks that are removed from the ground or closed in place.

Block 27. This block refers to financial responsibility. Call the North Dakota Petroleum Release Compensation Fund (PTRCF) office at 701-328-9600 for more information. Owners or operators of one hundred one or more petroleum underground storage tanks are required to provide **two million dollars** in annual financial responsibility in accordance with Section 33.1-24-08-83.2b

**Section X. CERTIFICATION OF INSTALLATION** - Blocks 28, 29 and 30 are to be completed by the tank installer.

## GENERAL INFORMATION

The primary purpose of this notification form is to provide information about the installation, existence, changes to, and closure of underground storage tank systems (USTs) that store or have stored petroleum or hazardous substances. The information you provide will be based on reasonably available records, or in the absence of such records, your knowledge or recollection.

Federal law requires UST owners to use this notification form for all USTs storing regulated substances that are brought into use after May 8, 1986, or USTs in the ground as of May 8, 1986 that have stored regulated substances at any time since January 1, 1974.

**Who Must Notify?** Owners of USTs that store regulated substances (unless exempted) are required to notify the North Dakota Underground Storage Tank Program (NDUST) of the existence of their USTs. An owner is defined as:

- In the case of an UST in use on November 8, 1984, or brought into use after that date, any person who owns an UST used for storage, use, or dispensing of regulated substances; or
- In the case of an UST in use before November 8, 1984, but no longer in use on that date, any person who owned the UST immediately before its discontinuation.

Also, owners of previously deferred UST systems with field constructed tanks or airport hydrant fuel distribution systems in the ground as of October 13, 2015 must submit a one-time notification of existence by October 13, 2018. Owners of UST systems with field constructed tanks or airport hydrant fuel distribution systems brought into use after October 13, 2015 are considered new facilities and must follow the same notification requirements as all other UST owners.

**What USTs Are Required to Notify?** An UST system is defined as any one or combination of tanks that is used to contain an accumulation of regulated substances, and whose volume (including connected underground piping) is 10 percent or more beneath the ground. Regulated USTs store petroleum or hazardous substances (see *What Substances Are Covered* below). This includes UST systems with field-constructed tanks or airport hydrant fuel distribution systems.

### **What Tanks Are Excluded From Notification?**

- Tanks removed from the ground before May 8, 1986;
- Farm or residential tanks of 1,100 gallons or less capacity storing motor fuel for noncommercial purposes;
- Tanks storing heating oil for consumptive use on the premises where stored;
- Septic tanks;
- Certain pipeline facilities regulated under chapters 601 and 603 of Title 49;
- Surface impoundments, pits, ponds, or lagoons;
- Storm water or wastewater collection systems;
- Flow-through process tanks;
- Liquid traps or associated gathering lines directly related to oil or gas production and gathering operations;
- Tanks on or above the floor of underground areas, such as basements or tunnels;
- Tanks with a capacity of 110 gallons or less;
- Wastewater treatment tank systems;
- UST systems containing radioactive material that are regulated under the Atomic Energy Act of 1954;
- UST systems that are part of an emergency generator system at nuclear power generation facilities regulated by the Nuclear Regulatory Commission under 10 CFR part 50.



**What Substances Are Covered?** The notification requirements apply to USTs containing a complex blend of hydrocarbons or certain hazardous substances. A complex blend of hydrocarbons includes gasoline, used oil, diesel fuel, ethanol, biodiesel, crude oil or any fraction thereof, which is liquid at standard conditions of temperature and pressure (60 degrees Fahrenheit and 14.7 pounds per square inch absolute). Hazardous substances are those found in Section 101 (14) of the Comprehensive Environmental Response, Compensation and Liability Act of 1980, with the exception of those substances regulated as hazardous waste under Subtitle C of the Resource Conservation and Recovery Act.

**When And Who To Notify?** Owners who bring USTs into use after May 8, 1986 must submit this notification form to the NDUST Program within 30 days of bringing the UST into use. Any changes to the facility or tank system, including ownership changes must be submitted to the NDUST Program within 30 days.

**Where Must One Notify?** Mailing Address: North Dakota Department of Environmental Quality, Division of Waste Management, 918 E. Divide Ave. 3rd Floor, Bismarck, ND 58501-1947. Telephone: 701-328-5166, Fax: 701-328-5200. (Office is located at: 918 E. Divide Avenue - 3rd Floor, Bismarck, ND 58501-1947.)