

ENVIRONMENTAL HEALTH SECTION
Gold Seal Center, 918 E. Divide Ave.
Bismarck, ND 58501-1947
701.328.5200 (fax)
www.ndhealth.gov

September 22, 2009

Ms. Callie Videtich (8P-AR)
Director, Air & Radiation Program
U.S. EPA - Region 8
1595 Wynkoop Street
Denver, CO 80202-1129



Dear Ms. Videtich:

The public comment period required for the 2009 Ambient Monitoring Network Plan has expired. The Department did not receive any comments during that time. Therefore, the final document is posted on the Department website at:

http://www.ndhealth.gov/AQ/AmbientMonitoring.htm.

If you have any questions or need further information, please contact Justin Mayer of my staff at 701-328-5188.

Sincerely,

Terry L. O'Clair, P.E.

Director

Division of Air Quality

TLO/JDM:csc

xc: Michael Copeland - EPA Region 8

# **Annual Report**

# North Dakota Ambient Monitoring Network Plan 2009



# **Annual Report**

# North Dakota Ambient Monitoring Network Plan 2009

July 2009

John Hoeven Governor

Terry L. Dwelle, M.D. State Health Officer

L. David Glatt Environmental Health Section Chief



North Dakota Department of Health Division of Air Quality
Air Quality Monitoring Branch
918 E. Divide Ave.
Bismarck, N.D. 58501-1947

# TABLE OF CONTENTS

		<u>Page</u>	
1 15	ГОЕТАВ	BLES	4 **
		URES	
1.0		TRODUCTION	
1.0	1.1	Network Plan Process	
	1.1	General Monitoring Needs	
	1.3	Monitoring Objectives	
2.0		mbient Air Monitoring Network Coverage	
2.0	2.1	Sulfur Dioxide	
	2.1.1	Point Sources	
	2.1.2	Other Sources	
	2.1.3	Monitoring Network	
	2.1.4	Network Analysis	
	2.2	Oxides of Nitrogen	
	2.2.1	Point Sources	
	2.2.2	Area Sources	
	2.2.3	Monitoring Network	
	2.2.4	Network Analysis	
	2.3	Ozone	
	2.3.1	Point Sources	
	2.3.2	Area Sources	19
	2.3.3	Monitoring Network	19
	2.3.4	Network Analysis	
	2.4	Inhalable Particulates	23
	2.4.1	Sources	23
	2.4.2	Monitoring Network	23
	2.4.3	PM <sub>10</sub> Network Analysis	26
	2.4.4	PM <sub>fine</sub> Network	
	2.4.5	Speciation Network	27
	2.5	Carbon Monoxide	
	2.5.1	Sources	28
	2.5.2	Monitoring Network	
	2.6	Lead	
	2.7	Hydrogen Sulfide	
	2.7.1	Sources	
	2.7.2	Monitoring Network	
	2.8	Air Toxics	
	2.8.1	Sources	
	2.8.2	Monitoring Network	
3.0		JMMARY AND CONCLUSIONS	
	3.1	Sulfur Dioxide (SO <sub>2</sub> )	
	3.2	Nitrogen Dioxide (NO <sub>2</sub> )	
	3.3	Ozone $(O_3)$	
	3.4	Inhalable Particulates	
	3.5	Carbon Monoxide (CO)	
	3.6	Lead	
	3.7	Hydrogen Sulfide	
	3.8	Air Toxics	
	endix A	AAQM Site Descriptions	
	endix B	Detailed Site Descriptions	
	endix C	Detailed Monitor Descriptions	

# LIST OF TABLES

<u>Table</u>		<u>Page</u>
Table 1	AAQM Network Description	5
Table 2	Major SO <sub>2</sub> Sources	7
Table 3	Sulfur Dioxide	
Table 3A	Trace Level Sulfur Dioxide	10
Table 4	SO <sub>2</sub> 5-Minute Average	11
Table 4A	Trace Level SO2 5-Minute Average	
Table 5	Major NOx Sources	
Table 6	Nitrogen Dioxide	
Table 7	Major VOC Sources	
Table 8	Ozone	21
Table 9	Major PM <sub>10</sub> Sources	24
Table 10	FRM PM <sub>fine</sub> Particulates	25
Table 11	Continuous PM <sub>10</sub>	26
Table 12	Continuous PM <sub>fine</sub>	26
Table 13	Major CO Sources	
Table 14	Carbon Monoxide	
Table 15	Major Air Toxics Sources	32

# LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
Figure 1	North Dakota Ambient Air Quality Monitoring Sites	5
Figure 2	Major Sulfur Dioxide Sources	7
Figure 2A	Annual Sulfur Dioxide Emissions	8
Figure 3	SO <sub>2</sub> Maximum 1-Hour Concentrations	12
Figure 4	SO <sub>2</sub> Maximum 3-Hour Concentrations	12
Figure 5	SO <sub>2</sub> Maximum 24-Hour Concentrations	13
Figure 6	Major Oxides of Nitrogen Sources	16
Figure 6A	Annual Oxides of Nitrogen Emissions	
Figure 7	NO <sub>2</sub> Annual Average Concentrations	
Figure 8	Major VOC Sources	
Figure 9	Monthly 4 <sup>th</sup> Highest Ozone Concentrations	
Figure 10	Annual 4 <sup>th</sup> Highest Ozone Concentrations	
Figure 11	Major PM <sub>10</sub> Sources	
Figure 11A	Annual PM Emissions	
Figure 12	Major CO Sources	
Figure 13	Major Air Toxics Sources	
_		

# 1.0 INTRODUCTION

The North Dakota Department of Health, Division of Air Quality, has the primary responsibility of protecting the health and welfare of North Dakotans from the detrimental effects of air pollution. Toward that end, the Division of Air Quality ensures the ambient air quality in North Dakota is maintained in accordance with the levels established by the state and federal Ambient Air Quality Standards (AAQS) and the Prevention of Significant Deterioration of Air Quality (PSD) Rules. To carry out this responsibility, the Division of Air Quality operates and maintains a network of ambient air quality monitors and requires three major industrial pollution sources to conduct source-specific ambient air quality monitoring. There are 16 ambient air quality monitoring sites currently operating in the State. However, this review addresses only the seven department-operated sites. The Theodore Roosevelt National Park – South Unit site at Painted Canyon is a National Park Service site. The department operates and maintains the sulfur dioxide, ozone and continuous fine particulate analyzers at the National Park Service's request. The remaining eight sites are department-required industry-supported sites

To evaluate the effectiveness of the state's air quality monitoring effort, the U.S. Environmental Protection Agency (EPA) requires the Division of Air Quality to conduct an annual review of the department's ambient air quality monitoring (AAQM) network. EPA's requirements, as set forth in 40 CFR 58.10, are to (1) determine if the system meets the monitoring objectives defined in 40 CFR 58, Appendix D, and (2) identify network modifications such as termination or relocation of unnecessary sites or establishment of new sites that are necessary.

The 2005 Draft National Ambient Air Monitoring Strategy (NAAMS, <a href="https://www.epa.gov/ttn/amtic/monstratdoc.html">www.epa.gov/ttn/amtic/monstratdoc.html</a> ) established a new monitoring site classification system for the national AAQM network structure. There are two primary categories: National Core (NCore) and State, Local, and Tribal (SLT). Each state is required to have at least one NCore site. Fargo NW has been selected as North Dakota's required NCore site. Fargo NW is also a part of EPA's 54-site Speciation Trends National Network. The NAAMS explains the purpose of these national networks and rationale for each gaseous and particulate measurement.

For the States and tribes, the State and Local Monitoring Systems (SLAMS), SPM, Prevention of Significant Deterioration (PSD) and Tribal Networks site designations still apply. The remaining six department-operated sites are designated as SLAMS sites.

# 1.1 Network Plan Process

The locations of sites in a monitoring program are established to meet certain objectives. The Oc. 17, 2006, Federal Register (40 CFR 58, Appendix D), defined six basic monitoring objectives. These objectives are as follows:

- 1. To determine the highest <u>pollutant concentrations</u> expected to occur in an area covered by the network.
- 2. To determine representative concentrations in areas of high population density.
- 3. To determine the impact on ambient pollution levels by a <u>significant source</u> or class categories.
- 4. To determine the general/background concentration levels.
- 5. To determine the impact on air quality by regional transport.
- 6. *To determine welfare-related impacts (such as visibility impacts and vegetation effects).*

The link between basic monitoring objectives and the physical location of a particular monitoring site involves the concept of spatial scale of representativeness. This spatial scale is determined by the physical dimensions of the air parcel nearest a monitoring site throughout which actual pollutant concentrations are reasonably similar. The goal in locating sites is to match the spatial scale represented by the sample of monitored air with a spatial scale most appropriate for the monitoring objective. Spatial scales of representativeness, as specified by EPA, are described as follows:

Microscale – dimensions ranging from several meters up to about 100 meters.

Middle Scale – areas up to several city blocks in size with dimensions ranging from about 100 meters to 0.5 km.

Neighborhood Scale – city areas of relatively uniform land use with dimensions of 0.5 to 4.0 km

Urban Scale – overall, city-wide dimensions on the order of 4 to 50 km. (Usually requires more than one site for definition.)

Regional Scale – rural areas of reasonably homogeneous geography covering from 50 km to hundreds of km.

The relationships between monitoring objectives and spatial scales of representativeness, as specified by EPA, are as follows:

Monitoring Objective Appropriate Siting Scales

Highest Concentration Micro, middle, neighborhood, (sometimes urban or regional

for secondarily formed pollutants)

Population Oriented Neighborhood, urban

Source Impact Micro, middle, neighborhood

General/Background Urban, regional Regional Transport Urban, regional Welfare-related Impacts Urban, regional

Recommended scales of representativeness appropriate to the criteria pollutants monitored in North Dakota are shown below:

<u>Criteria Pollutant</u> <u>Spatial Scales</u>

Inhalable Particulate micro, middle, neighborhood, urban, regional

Sulfur Dioxide middle, neighborhood, urban, regional Ozone middle, neighborhood, urban, regional

Nitrogen Dioxide middle, neighborhood, urban

Using this physical basis to locate sites allows for an objective approach, ensures compatibility among sites, and provides a common basis for data interpretation and application. The annual review process involves reviewing each site and associated monitors to evaluate their monitoring objectives and spatial scales to ensure each site and monitor still meets the intended purpose. Sites and monitors that no longer satisfy the intended purpose are either terminated or modified accordingly. Further details on network design can be found in 40 CFR 58, Appendix D.

# 1.2 General Monitoring Needs

As can be gathered from the prior discussion, each air pollutant has certain characteristics that must be considered when establishing a monitoring site. These characteristics may result from (1) variations in the number and types of sources and emissions in question; (2) reactivity of a particular pollutant with other constituents in the air; (3) local site influences such as terrain and land use; and (4) climatology. The Department's AAQM network is designed to monitor air quality data for five basic conditions: (1) background monitoring; (2) population exposure; (3) significant source or class category; (4) long range transport; and (5) regional haze.

There are a total of 16 ambient air quality monitoring sites operating in the state: eight are source-specific industry sites and one site, Painted Canyon in Theodore Roosevelt National Park, is a part of the National Park Service's (NPS) network. The department, at the NPS's request, provides sulfur dioxide and ozone analyzers and a manual fine particulate ( $PM_{fine}$ ) sampler. The NPS also provides a continuous  $PM_{fine}$  analyzer, which the department operates

and maintains. The remaining seven sites fall into two categories: 40 CFR 58 required sites (3) and supplemental sites (4). The primary function of the department's three required sites (see Table 1) are to satisfy five monitoring objectives. Beulah is a significant source and population-oriented site because of the three major sources in the vicinity of Beulah. Also, the site is between the city and downwind of two major sources. Fargo NW is population orientated because Fargo is a major population center with five major sources in the Fargo, ND-Moorhead, MN, area. The data from this site is used as input to dispersion models to evaluate permits-to-construct and permits-to-operate for projects located in or near population centers in the eastern part of the state. And, TRNP-NU is the background/long-range transport/welfare-related site. The remaining four sites are used to support modeling activities (model calibration and/or validation) and supplement data collected at the required sites. For the national PM<sub>fine</sub> program, the department is required to operate three "non-Core required" sites (Fargo, Bismarck and Beulah).

Background, welfare-related and long-range transport sites are chosen to determine concentrations of air contaminants in areas remote from urban sources and generally are sited using the regional spatial scale. This is true for NO<sub>2</sub> despite the fact that the regional spatial scale is not normally used for NO<sub>2</sub> monitoring. Once a specific location is selected for a site, the site is established in accordance with the specific sitting criteria specified in 40 CFR 58, Appendices A, C, D and E.

# 1.3 Monitoring Objectives

The department's monitoring objective is to track those pollutants that are judged to have the potential for violating either state or federal Ambient Air Quality Standards. To accomplish this objective, the department operates SLAMS sites at selected locations around the state. Table 1 lists basic site information: Appendix A contains a full description for each site, site photographs, and a site map taken from Google Earth mapping service. Figure 1 shows the approximate site locations.

With the visibility regulations in 40 CFR 51.300, 40 CFR 51.308 (regional haze rules) and 40 CFR 51, Appendix Y (Best Available Retrofit Technology, BART) coming into effect, the department is beginning to evaluate monitoring requirements and changes needed to support the visibility regulations.

Table 1 **AAQM Network Description** 

Site Name AQS Site #	Parameter Monitored <sup>1</sup>	Monitoring Objective <sup>2</sup>
1 Beulah North 380570004	$SO_2, NO_2, O_3, NH_3, MET$ cont. $PM_{fine}$ $PM_{10}$ Manual $PM_{fine}$	Population Exposure & Significant Source
2 Bismarck Residential 380150003	$SO_2$ , $NO_2$ , $O_3$ , MET cont. $PM_{fine}$ , $PM_{10}$ Manual $PM_{fine}$	Population Exposure
3 Dunn Center 380250003	$SO_2^4$ , $NO_2$ , $O_3$ , MET cont. $PM_{fine}$ , cont. $PM_{10}$	General Background
4 Fargo NW 380171004	SO <sub>2</sub> , NO <sub>2</sub> , O <sub>3</sub> , MET cont. PM <sub>fine</sub> , PM <sub>10</sub> Manual PM <sub>fine</sub> PM <sub>fine</sub> Speciation	Population Exposure Population Exposure Population Exposure Population Exposure
5 Hannover 380650002	SO <sub>2</sub> , NO <sub>2</sub> , O <sub>3</sub> , MET cont. PM <sub>fine</sub>	Source Impact
6 Lostwood NWR 380130004	SO <sub>2</sub> <sup>4</sup> , NO <sub>2</sub> , O <sub>3</sub> , MET, cont. PM <sub>fine</sub> , cont. PM <sub>10</sub> PM <sub>fine</sub> Speciation (IMPROVE)	General Background & Significant Source
7 TRNP - NU 380530002	SO <sub>2</sub> <sup>4</sup> , NO <sub>2</sub> , O <sub>3</sub> , MET cont. PM <sub>fine</sub> , PM <sub>10</sub>	General Background, Long range Transport, & Welfare-related

- MET refers to meteorological and indicates wind speed and wind direction monitoring equipment.
   Not applicable to MET.
   This analyzer will serve a dual role of population exposure and general background.
   The SO<sub>2</sub> was replaced with a SO<sub>2</sub> Trace Level Analyzer.




Figure 1 North Dakota Ambient Air Quality Monitoring Sites

# 2.0 Ambient Air Monitoring Network Coverage

The State of North Dakota is in attainment for all ambient standards for criteria pollutants, including PM<sub>fine</sub> and 8-hour ozone. The seven department-operated ambient monitoring sites are positioned to satisfy five monitoring objectives and collect data to compare to the State and federal ambient air quality standards and support dispersion modeling activities relating to, first, visibility/regional haze, and, second, source permit evaluation.

# 2.1 Sulfur Dioxide

Energy development in the west and west-central portions of North Dakota has produced a number of sources of sulfur dioxide (SO<sub>2</sub>). These sources include coal-fired steam-powered electrical generating facilities, a coal gasification plant, natural gas processing plants, an oil refinery, and flaring at oil/gas well sites. As a result, SO<sub>2</sub> is one of the Department's primary interests in regard to visibility: first, to aid in establishing the visibility baseline, then to track visibility improvement over time.

# 2.1.1 Point Sources

The major SO<sub>2</sub> point sources (>100 Tons Per Year or TPY) based on 2008 emissions are listed in Table 2. Figure 2 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). Figure 2A shows the total annual SO<sub>2</sub> emissions from point sources and three sub-categories for 1984 through 2008.

# 2.1.2 Other Sources

The western part of the state has a number of potential SO<sub>2</sub> sources associated with the development of oil and gas. These sources include individual oil/gas wells, oil storage facilities, and compressor stations. Emissions from these sources may lead to two problems. First, these sources may directly emit significant amounts of hydrogen sulfide (H<sub>2</sub>S) to the ambient air (see Section 2.7). Second, flaring the H<sub>2</sub>S from these sources may create significant concentrations of SO<sub>2</sub> in the ambient air. The primary counties for these sources in western North Dakota are outlined in green on Figure 2. Figure 2A shows the contribution of an "Other Point Sources" category that consists of Dakota Gasification Company (DGC), oil refineries, natural gas processing plants, and agricultural processing plants.

Table 2
Major  $SO_2$  Sources (>100 TPY)

#	Company Name	SOURCE	Facility ID
1	Basin Electric Power Cooperative	Leland Olds Station	3805700001
2	Minnkota Power Cooperative, Inc	Milton R. Young Station	3806500001
3	Great River Energy	Coal Creek Station	3805500017
4	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
5	Otter Tail Power Company	Coyote Station	3805700012
6	Montana Dakota Utilities Company	RM Heskett Station	3805900001
7	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
8	Great River Energy	Stanton Station	3805700004
9	Hess Corporation	Tioga Gas Plant	3810500004
10	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
11	American Crystal Sugar Company	Hillsboro Plant	3809700019
12	University of North Dakota	UND Heating Plant	3803500003
13	North Dakota State University	NDSU Heating Plant	3801700005
14	American Crystal Sugar Company	Drayton Plant	3806700003
15	Petro-Hunt, LLC	Little Knife Gas Plant	3800700002
16	ADM Corn Processing	Walhalla Ethanol Plant	3806700004
17	Minn-Dak Farmers Cooperative	Wahpeton Plant	3807700026
18	Bear Paw Energy, L.L.C.	Grasslands Gas Plant	3805300023
19	Cargill Corn Milling	Wahpeton Facility	3807700110




Figure 2 Major Sulfur Dioxide Sources

### NORTH DAKOTA SO<sub>2</sub> EMISSIONS




Figure 2A Annual Sulfur Dioxide Emissions

# 2.1.3 Monitoring Network

The  $SO_2$  monitoring sites are shown on Figure 2. There were no significant changes to the  $SO_2$  monitoring network for 2008.

As can be seen in Figure 2, the monitoring sites are concentrated in the vicinity of the oil and gas development in the west and the coal-fired steam electrical generating plants in the west-central part of the state. Tables 3 and 3A show the 2008 annual SO<sub>2</sub> data summaries; Tables 4 and 4A show the 5-minute data summaries. There were no exceedances of either state or federal SO<sub>2</sub> standards.

# 2.1.4 Network Analysis

Ten major SO<sub>2</sub> sources are within 45 miles of both the Beulah and Hannover sites. This makes these two sites very important in tracking the impact of these sources on the ambient air. Also, Lostwood NWR is within 45 miles of four major sources: two natural gas processing plants and two power plants. The two natural gas processing plants are the Lignite Gas Plant and Tioga Gas Plant. The two power plants, Shand Power Station and Boundary Dam Power Station, are located near Estevan, Saskatchewan, approximately 40 miles to the northwest.

One would expect that as the large sources in Oliver and Mercer counties came on line beginning in 1980, a noticeable change would be seen on the ambient air quality. This has not been the case. There have been possible short-term influences, but no significant long-term impact by these sources combined has been demonstrated in the data. Figures 3, 4 and 5 present the following for the Department-operated sites: (1) 1-hour maximums; (2) 3-hour maximums; and (3) 24-hour maximums. Because the industry sites are sited specifically for maximum expected concentrations (primarily as predicted by dispersion models and secondarily in a downwind direction), the industry sites are not reviewed for particular long-term trends.

To calculate valid statistics, at least 75 percent of the data for each averaging period must be valid. The result of the 75 percent requirement is that each 1-hour average must have at least 45 valid minutes of data. The 3-hour average must have three valid values. The 24-hour average must have at least 18 valid hourly averages. And, the annual average must have 6,570 hours of data.

# TABLE 3

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

### POLLUTANT : SULFUR DIOXIDE (ppb)

LOCATION	YEAR	NUM OBS	1 1ST	M - HOUR 2ND	A X 3 1ST	I M A - HOUR 2ND	24 1ST	- HOUR 2ND	ARITH MEAN	1HR #>273	24HR #>99
Beulah - North	2008	8468	66	45	39	22	9	6	1.6		
Bismarck Residential	2008	8541	51	50	26	26	12	9	1.8		
Hannover	2008	8717	119	75	74	32	14	8	1.9		

- \* The air quality standards are: STATE Standards -1) 273 ppb maximum 1-hour average concentration. 2) 99 ppb maximum 24-hour average concentration. 3) 23 ppb maximum annual arithmetic mean concentration.

### FEDERAL Standards -

- 1) 500 ppb maximum 3-hour concentration not to be exceeded more than once per year.
  2) 140 ppb maximum 24-hour concentration not to be exceeded more than once per year.
  3) 30 ppb annual arithmetic mean.

# TABLE 3A

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

### POLLUTANT : TRACE LEVEL SULFUR DIOXIDE (ppb)

				M	A X	I M A					
		NUM	1 -	- HOUR	3	- HOUR	24 -	HOUR	ARITH	1HR	24HR
LOCATION	YEAR	PERIOD OBS	1ST	2ND	1ST	2ND	1ST	2ND	MEAN	#>273	#>99
				I							
Dunn Center	2008	8621	20.9	17.2	11.0	11.0	4.0	3.0	0.4		
				I							
Fargo NW	2008	8433	4.9	4.9	3.0	3.0	1.0	1.0	0.3		
Lostwood NWR	2008	8722	72.7	69.1	61.0	25.0	13.0	8.0	1.1		
TRNP - NU	2008	8731	19.2	17.4	13.0	12.0	5.0	4.0	0.5		

- \* The air quality standards are:
  - STATE Standards -
    - 1) 273 ppb maximum 1-hour average concentration.
    - 2) 99 ppb maximum 24-hour average concentration.
    - 3) 23 ppb maximum annual arithmetic mean concentration.

# FEDERAL Standards -

- 1) 500 ppb maximum 3-hour concentration not to be exceeded more than once per year.
- 2) 140 ppb maximum 24-hour concentration not to be exceeded more than once per year.
- 3) 30 ppb annual arithmetic mean.

TABLE 4

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

POLLUTANT: SO2 5-Minute Averages (ppb)

				5 - M I N U T E	MAXIMA	
LOCATION	YEAR	NUM OBS	1ST	2ND	3RD	# HOURS >600
Beulah - North	2008	8468	97	66	61	
Bismarck Residential	2008	8541	78	67	59	
Hannover	2008	8607	251	198	163	
				'	•	

<sup>\*</sup> No Standard is currently in effect

TABLE 4A

COMPARISON OF AIR QUALITY DATA WITH
THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

POLLUTANT	:	Trace	Level	SO2	5-Minute	Averages	(ppb)

				5 - M I N U T E	MAXIMA	
LOCATION	YEAR	NUM OBS	1ST	2ND	. 3RD	# HOURS >600
Dunn Center	2008	8340	32.9	30.0	29.9	
Fargo NW	2008	8444	12.6	11.6	8.8	
Lostwood NWR	2008	8722	110.0	107.0	85.1	
TRNP - NU	2008	8731	23.9	21.4	21.3	

<sup>\*</sup> No Standard is currently in effect:

Beginning in 1980, major events are traceable. In 1980, the oil industry was expanding. In 1981, Otter Tail Power's Coyote Power Station began operation. In 1982 the oil industry in western North Dakota hit its peak activity. Dunn Center and TRNP – NU show the influence from the oil field activity as the oil fields expanded and flared the gas. As pipelines were built and wells were tied into the pipelines, the amount of hydrogen sulfide gas flared decreased, reducing the amount of sulfur dioxide emitted. Once the wells were tied into pipelines, the predominant influence at these two sites has been long-range transport from major point sources.

Dunn Center and TRNP – NU were indicators of the "oil patch" activity and tracked the activity very well. Since TRNP – NU is more centrally located in the "oil patch," it is the stronger indicator. Dunn Center, which is on the eastern edge of the oil development area, demonstrates influences from both the "oil patch" and the coal conversion facilities to the east.

1983, 1984 and 1985 were startup years for Basin Electric's Antelope Valley Unit #1, the synthetic natural gas plant (aka, Dakota Gasification Company, DGC), and Antelope Valley Unit #2, respectively. At Hannover, 1985 and 1986 reflected these startups (1984 had only three months of data and shut down Dec. 31, 1986). Hannover was started up again Jan. 1, 1988; and the Beulah - North site began operation in 1999 and has tracked the Hannover data.




Figure 3 SO<sub>2</sub> Maximum 1-Hour Concentrations




Figure 4 SO<sub>2</sub> Maximum 3-Hour Concentrations




Figure 5 SO<sub>2</sub> Maximum 24-Hour Concentrations

# 2.2 Oxides of Nitrogen

"Oxides of Nitrogen"  $(NO_x)$  is the term used to represent nitric oxide (NO) plus nitrogen dioxide  $(NO_2)$ .  $NO_2$  is formed when NO is oxidized in the ambient air. There is no ambient air quality standard for NO.

### 2.2.1 Point Sources

The major NO<sub>x</sub> stationary point sources (>100 TPY) are listed in Table 5, along with their emissions as calculated from the most recent emission inventories reported to the department. Figure 6 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). The larger NO<sub>x</sub> point sources in North Dakota are associated with coal-fired steam-powered electrical generating plants in the west-central portion of the state and large internal combustion compressor engines in the natural gas fields in the western part of the state. Figure 6A shows the contribution of point sources to the total NO<sub>x</sub> emissions. The "Point Sources" category consists of utility boilers (power plant boilers) and oil and gas wells.

# 2.2.2 Area Sources

Another source of  $NO_X$  is automobile emissions. North Dakota has no significant urbanized areas with regard to oxides of nitrogen; the entire population of the state is less than 1,000,000 people. However, currently operating NO analyzers cannot be terminated without EPA Region 8 administrator permission. Figure 6A shows the contribution of "Other Point Sources" and "Utility Boilers." The "Other Point Sources" category consists of DGC, oil refineries, natural gas processing plants and agricultural processing plants.

# 2.2.3 Monitoring Network

The Department currently operates seven  $NO/NO_2/NO_x$  analyzers. Table 6 shows the 2008  $NO_2$  data summaries. The measured  $NO_2$  values are quite low. From Figure 6 it can be seen that  $NO/NO_2/NO_x$  analyzers, except for Dunn Center and TRNP - NU, are well placed with respect to the major  $NO_x$  sources: TRNP - NU is defined as a background and long-range transport/welfare-related site.

# TABLE 5 Major $NO_x$ Sources (> 100 TPY)

#	COMPANY	SOURCE	Facility ID
1	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500001
2	Otter Tail Power Company	Coyote Station	3805700012
3	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
4	Basin Electric Power Cooperative	Leland Olds Station	3805700001
5	Great River Energy	GRE Coal Creek Station	3805500017
6	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
7	Great River Energy	GRE Stanton Station	3805700004
8	Montana Dakota Utilities Company	RM Heskett Station	3805900001
9	Hess Corporation	Tioga Gas Plant	3810500004
10	American Crystal Sugar Company	Hillsboro Plant	3809700019
11	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
12	American Crystal Sugar Company	Drayton Plant	3806700003
13	Minn-Dak Farmers Cooperative	Wahpeton Plant	3807700026
14	University of North Dakota	UND Heating Plant	3803500003
15	Bear Paw Energy, L.L.C.	Alexander Station	3805300024
16	Bear Paw Energy, L.L.C.	Fort Buford Station	3805300028
17	North Dakota State University	NDSU Heating Plant	3801700005
18	Bear Paw Energy, L.L.C.	Tree Top Station	3800700019
19	ADM Corn Processing	Walhalla Ethanol Plant	3806700004
20	Northern Sun (Division of ADM)	Enderlin Facility	3807300001
21	Williston Basin Interstate Pipeline Company	Dickinson Compressor Station	3808900004
22	Alliance Pipeline, L.P.	Wimbledon Compressor Station	3800300013




Figure 6 Major Oxides of Nitrogen Sources

# NORTH DAKOTA NO<sub>x</sub> EMISSIONS




Figure 6A Annual Oxides of Nitrogen Emissions

TABLE 6

# COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

POLLUTANT : NITROGEN DIOXIDE (ppb)

		M A X I M A 1 - HOUR			
YEAR	NUM OBS	1ST	2ND	ARITH MEAN	
2008	8685	34	32	2.7	
2008	8498	45	43	5.8	
2008	8493	24	24	1.8	
2008	8272	53	49	5.5	
2008	8422	45	36	2.0	
2008	8704	22	22	1.5	
2008	7573	22	14	1.1	
	2008 2008 2008 2008 2008 2008	YEAR OBS  2008 8685 2008 8498 2008 8493 2008 8272 2008 8422 2008 8704	NUM OBS 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NUM OBS 1 - HOUR 1ST 2ND  2008 8685 34 32 2008 8498 45 43 2008 8493 24 24 2008 8272 53 49 2008 8422 45 36 2008 8704 22 22	

\*The air quality standards are:

STATE - 53 ppb maximum annual arithmetic mean.

FEDERAL - 53 ppb annual arithmetic mean.

# 2.2.4 Network Analysis

Nine of the 10 largest  $NO_X$  sources in the state are within 45 miles of the Beulah and Hannover monitoring sites. Figure 7 shows the annual average concentrations for the department-operated sites for 1980 - 2008.

The state and federal annual standard is 53 ppb. However, the annual averages are at most 16 percent of the standard; therefore, a more appropriate scale was chosen to better show the data.




Figure 7 NO<sub>2</sub> Annual Average Concentrations

# 2.3 Ozone

Unlike most other pollutants, ozone (O<sub>3</sub>) is not emitted directly into the atmosphere but results from a complex photochemical reaction between volatile organic compounds (VOC), oxides of nitrogen (NO<sub>x</sub>), and solar radiation. Both VOC and NO<sub>x</sub> are emitted directly into the atmosphere. Since solar radiation is a major factor in O<sub>3</sub> production, O<sub>3</sub> concentrations are known to peak in summer months. 40 CFR 58 defines the O<sub>3</sub> monitoring season for North Dakota as May 1 through September 30. However, O<sub>3</sub> analyzers at all the sites run year round, collecting data for use in dispersion modeling.

# 2.3.1 Point Sources

The major stationary point sources (> 100 TPY) of VOC as calculated from the most recent emission inventories reported to the department are listed in Table 8. Figure 8 shows the approximate locations of these facilities.

# 2.3.2 Area Sources

Point sources contribute only part of the total VOC and NO<sub>x</sub> emissions. The remaining emissions can be attributed to oilfield-related activities and mobile sources in urban areas. The EPA has specified design criteria for selecting locations for O<sub>3</sub> as any urbanized area having a population of 50,000 to less than 350,000. North Dakota has three urbanized areas (Bismarck; Fargo, ND-Moorhead, MN; and Grand Forks) populated enough to qualify for population-oriented monitoring. However, to require monitoring, the 4<sup>th</sup> highest 8-hour average concentration must be at least 68 parts per billion.

# 2.3.3 Monitoring Network

The department currently has seven continuous ozone analyzers in operation. See Table 1 and Figure 8 for locations. Table 8 presents the 2008 8-hour data summaries.

# TABLE 7

# Major VOC Sources (> 100 TPY)

#	Company	Source	<b>Facility ID</b>
1	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
2	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
3	Northern Sun (Division of ADM)	Enderlin Facility	3807300001
4	ADM Processing	Velva Facility	3804900005
5	American Crystal Sugar Company	Hillsboro Plant	3809700019
6	DMI Industries	DMI Industries	3801700122
7	Basin Electric Power Cooperative	Leland Olds Station	3805700001
8	Cargill Corn Milling	Wahpeton Facility	3807700110
9	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
10	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500001
11	Great River Energy	Coal Creek Station	3805500017
12	Minn-Dak Farmers Cooperative	Wahpeton Plant	3807700026
13	Hood Packaging Corporation	Hood Packaging Corporation	3803500052
14	Kaneb Pipe Line Operating Partnership, L.P.	Jamestown East Products Terminal	3809300037




Figure 8 Major VOC Sources

TABLE 8

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

POLLUTANT : Ozone (ppb)

					M	A X	1 M	A		
LOCATION	YEAR	NUM OBS	1 - 1ST	HOUR 2ND	1ST	8 - 2ND	HOUR 3RD	4TH	1HR #>120	8HR #>75
Beulah - North	2008	8327	68	66	63	62	61	61		
Bismarck Residential	2008	8528	72	65	66	60	59	58		
Dunn Center	2008	8616	69	65	62	62	62	60		
Fargo NW	2008	8662	173	64	58	56	56	55	1	
Hannover	2008	8712	69	65	66	62	61	60		
Lostwood NWR	2008	8723	64	63	60	59	59	59		
TRNP - NU	2008	8730	68	67	63	63	62	62		

<sup>\*</sup> The air quality standards for ozone are: STATE - 120 ppb not to be exceeded more than once per year.

FEDERAL Standards -

# 2.3.4 Network Analysis

Only three of the seven monitoring sites are in an area not significantly influenced by VOC sources (see Figure 8). Beulah and Hannover are within 45 miles of six of the 14 major VOC sources in the state. Lostwood NWR and TRNP - NU are located in Class I areas surrounded by oil fields. Bismarck Residential and Fargo NW are located in population centers and influenced by city traffic. Dunn Center is located in a rural area surrounded by crop land. With this diversity of site locations and influences, one would expect to see a diversity of ozone concentrations. On the contrary, Figures 9 and 10 shows a significant similarity among the 4<sup>th</sup> maximum 8-hour concentrations whether view monthly or annually. Since 1980, only four 8-hour averages have been higher than 70 ppb. Another, even stronger, indication of a uniform ozone distribution is the 8-hour concentrations: for all sites, the difference among the 4<sup>th</sup> highest average is 7 ppb (see Table 8).

<sup>1) 120</sup> ppb maximum 1-hour concentration with no more than one expected exceedance per year.

2) Fourth highest daily maximum 8-hour averages for a 3-year period not to exceed 80 ppb.




Figure 9 Monthly 4<sup>th</sup> Highest Ozone Concentrations




Figure 10 Annual 4<sup>th</sup> Highest 8-HR Ozone Concentrations

# 2.4 Inhalable Particulates

The inhalable particulate standards are designed to protect against those particulates that can be inhaled deep into the lungs and cause respiratory problems. The major designation for particulates is PM. Within this designation there are two subgroups:  $PM_{10}$  and  $PM_{fine}$ . The  $PM_{10}$  particulates have an aerodynamic diameter less than or equal to a nominal 10 microns and are designated as  $PM_{10}$ . The  $PM_{fine}$  particulates have an aerodynamic diameter less than or equal to a nominal 2.5 microns. The EPA is working on a new PM subgroup of particles called "coarse fraction," or  $PM_{coarse}$ . This subgroup is made up of  $PM_{10} - PM_{fine}$ . Specific health effects have been identified for both the  $PM_{coarse}$  and  $PM_{fine}$ . The EPA is working with equipment manufacturers to develop a continuous analyzer and a manual sampler to collect and report both of these subgroups. Continuous analyzers are available with equivalence designation and the department will develop a plan and schedule to deploy these analyzers as the current analyzers come due for replacement.

# 2.4.1 Sources

The major PM<sub>10</sub> point sources (>100 TPY) are listed in Table 9. Figure 11 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). Most of these sources are large coal-fired facilities, and the PM<sub>10</sub> particles are part of the boiler stack emissions; however, some of the emissions are the result of processing operations. Not included in this table are sources of fugitive dust such as coal mines, gravel pits, agricultural fields and unpaved roads. Figure 11A shows the contribution of point sources to the total PM<sub>10</sub> emissions. The "Utility Boilers" category consists of power plant boilers. The "Other Point Sources" category consists of DGC, oil refineries, natural gas processing plants and agricultural processing plants.

# 2.4.2 Monitoring Network

The Department operated six continuous  $PM_{10}$  analyzers, three manual  $PM_{fine}$  samplers, seven continuous  $PM_{fine}$  analyzers, and one speciation sampler. Table 11 shows the continuous  $PM_{10}$  particulate data summary. Tables 10 and 12 show the manual and continuous  $PM_{fine}$  data summaries, respectively.

TABLE 9

# Major PM<sub>10</sub> Sources (> 100 TPY)

#	COMPANY	SOURCE	Facility ID
1	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
2	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
3	American Crystal Sugar Company	Drayton Plant	3806700003
4	American Crystal Sugar Company	Hillsboro Plant	3809700019
5	Basin Electric Power Cooperative	Leland Olds Station	3805700001
6	Otter Tail Power Company	Coyote Station	3805700012
7	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500001
8	Great River Energy	Coal Creek Station	3805500017
9	Great River Energy	Stanton Station	3805700004
10	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003




Figure 11 Major PM<sub>10</sub> Sources

# NORTH DAKOTA PARTICULATE EMISSIONS




Figure 11A **Annual PM Emissions** 

# TABLE 10

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

POLLUTANT : FRM  $PM_{fine}$  Particulates  $(\mu g/m^3)$ 

		NUM	M A	XI	M A	ARITH		
LOCATION	YEAR	OBS	1ST	2ND	3RD	MEAN	#>35	AM>15
Beulah - North	2008	62	16.4	13.2	12.9	6.56		
Bismarck Residential	2008	122	41.2	14.9	14.4	6.95	1	
Fargo NW	2008	115	34.6	23.8	23.5	8.33		

- \* The ambient air quality standards are: FEDERAL Standards 1) 24-hour: 3-year average of 98th percentiles not to exceed 35  $\mu g/m^3$ . 2) Annual: 3-year average not to exceed 15  $\mu g/m^3$ .
- \*\*\* Less than 80% of the possible samples (data) were collected.

Table 11 COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

 $\texttt{M} \quad \texttt{A} \quad \texttt{X} \quad \texttt{I} \quad \texttt{M} \quad \texttt{A}$ 

POLLUTANT : Inhalable Continuous  $PM_{10}$  ( $\mu g/m^3$ )

		NUM	1 -	- HOUR			24 - но	TR		24HR	
LOCATION	YEAR	OBS	1ST	2ND	1ST	2ND	3RD	4TH	MEAN	#>150	AM>50
Beulah - North	2008	8676	366.0	362.0	94	84	77	69	15.7		
Bismarck Residential	2008	8671	330.0	282.0	86	85	53	49	14.0		
Dunn Center	2008	8572	389.0	387.0	108	53	50	49	14.2		
Fargo NW	2008	8714	397.0	320.0	64	37	35	35	11.8		
Lostwood NWR	2008	8701	211.0	130.0	32	30	29	29	9.8		
TRNP - NU	2008	8715	351.0	337.0	58	45	44	40	10.2		

Table 12 COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

POLLUTANT	Inhalable	Continuous	PM.	$(1107/m^3)$

				M A	X I	M A					
		NUM	1 -	HOUR		24 -	HOUR			24HR	
LOCATION	YEAR	OBS	1ST	2ND	1ST	2ND	3RD	4TH	MEAN	#>35	AM>15
Beulah - North	2008	8672	80.3	73.1	35.7	16.8	11.9	11.4	3.8		
Bismarck Residential	2008	4719	99.7	96.1	44.7	13.3	12.3	12.2	4.7		
Dunn Center	2008	8577	83.1	81.0	35.7	20.9	20.0	16.4	3.7		
Fargo NW	2008	8487	479.2	406.8	17.9	16.6	14.5	13.9	4.5		
Hannover	2008	8601	93.0	90.5	42.2	19.9	15.9	15.1	6.8		
Lostwood NWR	2008	8699	95.9	72.7	24.5	22.0	18.6	14.7	3.6		
TRNP - NU	2008	8503	104.2	99.8	22.2	19.9	14.3	13.4	3.3		

<sup>\*</sup> The ambient air quality standards are:

# 2.4.3 PM<sub>10</sub> Network Analysis

PM<sub>10</sub> and smaller particles are of concern mainly because of their health effects. Continuous PM<sub>10</sub> analyzers are installed at Beulah, Bismarck, Dunn Center, Fargo, Lostwood NWR, and TRNP – NU. The primary purpose for the continuous  $PM_{10}$ analyzers is to be used with the continuous PM<sub>fine</sub> analyzers to determine the PM<sub>coarse</sub> fraction. The data also was compared to both the data and federal ambient air quality

<sup>\*</sup> The STATE and FEDERAL air quality standards are: 1) 150  $\mu g/m^3$  maximum averaged over a 24-hour period with no more than one expected exceedance per year. 2) 50  $\mu g/m^3$  expected annual arithmetic mean.

<sup>\*\*\*</sup> Less than 80% of the possible samples (data) were collected.

FEDERAL Standards - 1) 24-hour: 3-year average of 98th percentiles not to exceed 35  $\mu g/m^3$ . 2) Annual: 3-year average not to exceed 15  $\mu g/m^3$ .

<sup>\*\*\*</sup> Less than 80% of the possible samples (data) were collected.

standards.

# 2.4.4 PM<sub>fine</sub> Network

The manual  $PM_{fine}$  network currently has three sites. Bismarck, Fargo and Beulah are non-CORE required sites. Bismarck and Fargo operate on a 1-in-3 day schedule, while Beulah operates on a 1-in-6 day schedule. Continuous  $PM_{fine}$  analyzers have been installed at Beulah, Bismarck, Dunn Center, Fargo, Hannover, Lostwood NWR and TRNP-NU. Current continuous  $PM_{fine}$  analyzers will be replaced with EPA designated equivalent method analyzers as they come due for scheduled replacement.

# 2.4.5 Speciation Network

One speciation sampler is installed as a National Trends Network sampler in Fargo. The data collected by this sampler is added to the AQS database by RTI.

# 2.5 Carbon Monoxide

Many large urban areas in the United States have problems attaining the NAAQS for carbon monoxide (CO) where the primary source of CO is automobiles. North Dakota does not have sufficient population with the corresponding traffic congestion and geographical/meteorological conditions to create significant CO emission problems. However, there are several stationary sources in the state that emit more than 100 TPY of CO.

# 2.5.1 Sources

The major stationary CO sources (>100 TPY) are listed in Table 13. Figure 12 shows the approximate locations of these facilities (the numbers correspond to the site and source tables). Most of these sources are the same sources that are the major emitters of  $SO_2$  and  $NO_x$ . However, the corresponding CO levels from these sources are considerably lower.

# 2.5.2 Monitoring Network

Carbon monoxide monitoring in North Dakota was terminated March 31, 1994, after operating five years. The conclusion drawn from the data was that North Dakota did not have a CO problem. A summary report of the data collected at the West Acres Shopping Mall was drafted for the Fargo-Moorhead Council of Governments for use in its traffic planning program. The department operates a Trace Level CO analyzer at the Fargo NW site in order to comply with the NCore requirements.

TABLE 13 Major CO Sources (> 100 TPY)

#	COMPANY	SOURCE	Facility ID
1	American Crystal Sugar Company	Hillsboro Plant	3809700019
2	Great River Energy	Coal Creek Station	3805500017
3	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
4	Montana Dakota Utilities Company	RM Heskett Station	3805900001
5	Basin Electric Power Cooperative	Antelope Valley Station	3805700011
6	Minnkota Power Cooperative, Inc.	Milton R. Young Station	3806500020
7	Basin Electric Power Cooperative	Leland Olds Station	3805700001
8	Otter Tail Power Company	Coyote Station	3805700012
9	Minn-Dak Farmers Cooperative	Wahpeton Plant	3807700026
10	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
11	American Crystal Sugar Company	Drayton Plant	3806700003
12	Hess Corporation	Tioga Gas Plant	3810500004
13	Great River Energy	Stanton Station	3805700004
14	Bear Paw Energy, L.L.C.	Fort Buford Station	3805300028
15	Bear Paw Energy, L.L.C.	Tree Top Station	3800700019
16	University of North Dakota	Heating Plant	3803500003
17	Northern Sun (Division of ADM)	Enderlin Facility	3807300001
18	Bear Paw Energy, L.L.C.	Alexander Station	3805300024
19	Cargill Corn Milling	Wahpeton Facility	3807700110




Figure 12 Major CO Sources

# TABLE 14

COMPARISON OF AIR QUALITY DATA WITH THE NORTH DAKOTA AMBIENT AIR QUALITY STANDARDS \*

POLLUTANT: CARBON MONOXIDE (PPB)

		NUM		M A X - HOUR	I M A	OUR	1HR	8HR
LOCATION	YEAR	OBS .	1ST	2ND	. 1ST	2ND	.#>35000	#>9000
Fargo NW	2008	8441	6490.0	1712.0	1200.0	700.0		

<sup>\*</sup> The STATE and FEDERAL air quality standards are:
1) The maximum allowable 1-hour concentration is 35000 ppb not to be exceeded more than once per year.
2) The maximum allowable 8-hour concentration is 9000 ppb not to be exceeded more than once per year.

## 2.6 Lead

Through prior sampling efforts, the department has determined that the state has low lead concentrations and no significant lead sources. This determination, coupled with the federal requirement for a NAMS network only in urbanized areas, resulted in terminating the lead monitoring program effective Dec. 31, 1983. Along with the low monitored concentrations, lead has been completely removed from gasoline since lead monitoring began in 1979.

With the revised, lower limits on lead; the department has taken another look at the sources and urban areas to ensure compliance with the EPA rules. It has been determined that the department will not need any lead monitors, neither source nor population orientated, in the state.

## 2.7 Hydrogen Sulfide

Although no Federal Ambient Air Quality Standard exists for hydrogen sulfide (H<sub>2</sub>S), the state of North Dakota has developed H<sub>2</sub>S standards.

### 2.7.1 Sources

 $H_2S$  emissions of concern stems almost totally from the oil and gas operations in the western part of the state; principally from the green outlined area on Figure 2. Flares and treater stacks associated with oil/gas wells, oil storage tanks, compressor stations, pipeline risers, and natural gas processing plants are potential  $H_2S$  emission sources.

## 2.7.2 Monitoring Network

Currently there are no state or industry H<sub>2</sub>S monitoring sites.

### 2.8 Air Toxics

Currently there are no state or federal air toxics monitoring sites.

### 2.8.1 Sources

The major air toxics sources are listed in Table 15 and Figure 13 shows the approximate locations of these facilities (the numbers correspond to the source table).

## 2.8.2 Monitoring Network

Currently there are no state or industry air toxics monitoring sites. The historic raw data and associated summaries are available in EPA's Air Quality System.

Table 15
Major Air Toxics Sources
(>100 TPY)

#	COMPANY	SOURCE	Facility ID
1	Dakota Gasification Company	Great Plains Synfuels Facility	3805700013
2	ADM Processing	Velva Facility	3804900005
3	Great River Energy	Stanton Station	3805700004
4	Tesoro Refining and Marketing Company	Mandan Refinery	3805900003
5	LM Glassfiber	Grand Forks Facility	3803500067
6	Great River Energy	Coal Creek Station	3805500017




Figure 13 Major Air Toxics Sources

## 3.0 SUMMARY AND CONCLUSIONS

The North Dakota Ambient Air Quality Monitoring Network is designed to monitor those air pollutants that demonstrate the greatest potential for deteriorating the air quality of North Dakota. Due to a greater number of pollution-producing sources in the western part of the state (primarily associated with the energy producing industries) the greatest percentage of the network is located in the western part of the State.

## 3.1 Sulfur Dioxide (SO<sub>2</sub>)

Neither the state nor federal standards were exceeded at any monitoring site. The maximum concentrations are as follows: 1-hour –119 ppb; 3-hour – 74 ppb; 24-hour – 15 ppb; annual – 1.9 ppb.

There is no SO<sub>2</sub> 5-minute standard currently in effect. The maximum 5-minute average was 251 ppb.

## 3.2 Nitrogen Dioxide (NO<sub>2</sub>)

Neither the state nor federal standards were exceeded at any of the monitoring sites. The maximum concentrations are as follows: annual -5.8 ppb.

## $Ozone (O_3)$

Neither the state nor federal standard was exceeded during the year. The 1-hour maximum and highest  $4^{th}$  highest 8-hour concentrations are as follows: 1-hour – 173 ppb; highest  $4^{th}$  highest 8-hour – 62 ppb.

## 3.4 Inhalable Particulates

Neither the state nor federal  $PM_{10}$  standards were exceeded during the year. The maximum concentrations are as follows: 24-hour  $-108.1 \,\mu\text{g/m}^3$ ; annual  $-15.7 \,\mu\text{g/m}^3$ .

The federal PM<sub>fine</sub> standards were not exceeded during the year. The maximum concentrations and are as follows: 24-hour FRM  $-41.2 \,\mu\text{g/m}^3$ ; annual FRM  $-8.33 \,\mu\text{g/m}^3$ .

## 3.5 Carbon Monoxide (CO)

Neither the state nor federal standards were exceeded at the monitoring site. The maximum concentrations are as follows: 1-hour -6490 ppb; 8-hour -1200 ppb.

## 3.6 Lead

No monitoring was conducted.

## 3.7 Hydrogen Sulfide

No monitoring was conducted.

## 3.8 Air Toxics

No monitoring was conducted.

Appendix A

AAQM Site Descriptions

This appendix is a condensation of Appendices B and C, combined with a site description and any information relating to specific analyzer or sampler. Please note that all sites meet the siting criteria specified in 40 CFR 58, Appendices A, C, D, and E. When selecting a site, five factors are considered: modeling results, landowner permission, power availability, year-round access to the site, and prevailing wind direction.

The sites addressed in this report are only the current active sites. A complete list of sites and all monitoring that has been conducted at each site that has ever reported data to EPA, you may go to <a href="https://www.epa.gov/air/data/aqsdb.html">www.epa.gov/air/data/aqsdb.html</a>. The site is very easy to use and with a little experimenting, site and monitor selections can be made very specific. Also available at this site are air quality summary data and emissions data.

Another useful tool is Google Earth<sup>TM</sup>. (<a href="http://free.download.earth.googlepages.com/">http://free.download.earth.googlepages.com/</a>) With this tool, one can enter latitude and longitude to get either an expanded view or close-up view of each monitoring site.

For both of these tools, a high-speed Internet connection is highly recommended. They can be used with a dial-up connection, but it is not recommended.

**Site:** Beulah – North **Station Type:** SLAMS (required)

**AQS#:** 38-057-0004 **MSA:** 0000

Address: 6024 Highway 200, Beulah

**Latitude:** +47.298611 **Longitude:** -101.766944

Site Description: This is one of three key sites in the department's ambient monitoring network to meet the six required monitoring objectives. When this site was established, it was decided to enhance the site to include ammonia, solar radiation and delta temperature to support air quality dispersion modeling. This site is one of the required  $PM_{fine}$  monitoring sites for North Dakota

**Gas/Particulate parameters:** 

_	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Population Exposure	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Ozone	Instrumental Ultra Violet	Continuous	Population Exposure	Urban
Ammonia	Instrumental Chemiluminescence	Continuous	General Background	Regional
$PM_{fine}$	24-hour Gravimetric	1/6	Population Exposure	Urban
$PM_{fine}$	PM <sub>fine</sub> SCC W/ No Correction	Continuous	Population Exposure	Urban
	TEOM Gravimetric 40 deg. Celsius			
$PM_{10}$	PM <sub>10</sub> TEOM Gravimetric 50°	Continuous	Population Exposure	Urban
	Celsius			

**Meteorological parameters:** 

Without orogical parameters.				
	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	<b>Tower Height</b>	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Solar Radiation	Pyranometer	Continuous	2 meters	Urban

There are no plans to move or remove this site.

The manual PM<sub>fine</sub> data may be compared to the annual NAAQS.

# Site Pictures: Beulah North



38



Site: Bismarck Residential Station Type: SLAMS

**AQS#:** 38-015-0003 **MSA:** 1010

**Address:** 1810 N 16<sup>th</sup> Street, Bismarck

**Latitude:** +46.825425 **Longitude:** -100.768210

Site Description: This site is located in the second largest metropolitan area in the state. When two special purpose sites in Mandan were closed, this site was expanded from a particulates-only site to be a full site for gases, continuous particulates (inc. ambient pressure) and the basic meteorological parameters (wind speed, wind direction and temperature). Another key role this site plays is to field test new types of equipment and procedures isolated from the equipment used to report data to AQS.

**Gas/Particulate parameters:** 

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Population Exposure	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Ozone	Instrumental Ultra Violet	Continuous	Population Exposure	Urban
$PM_{fine}$	24-hour Gravimetric	1/6	Population Exposure	Urban
PM <sub>fine</sub>	PM <sub>fine</sub> SCC W/ No Correction	Continuous	Population Exposure	Urban
	TEOM Gravimetric 40 deg. Celsius			
$PM_{10}$	PM <sub>10</sub> TEOM Gravimetric 50°	Continuous	Population Exposure	Urban
	Celsius			

**Meteorological parameters:** 

	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	Tower Height	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban

There are no plans to move or remove this site.

The manual PM<sub>fine</sub> data may be compared to the annual NAAQS.



Looking Southeast South



Site: Dunn Center Station Type: SLAMS

**AQS#:** 38-025-0003 **MSA:** 0000

Address: 9610 Seventh Street SW, Dunn Center

**Latitude:** +47.313200 **Longitude:** -102.527300

Site Description: This site is located about midway between the oil development all along the North Dakota – Montana border and the seven coal conversion facilities to the east. The importance lies in the ability to monitor the transport of sulfur dioxide, nitrogen dioxide, and  $PM_{\text{fine}}$  between these two areas. Also, this is a key site used in dispersion model calibration and validation.

**Gas/Particulate parameters** 

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	General/Background	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	General/Background	Urban
Ozone	Instrumental Ultra Violet	Continuous	General/Background	Urban
$PM_{fine}$	PM <sub>fine</sub> SCC W/ No Correction	Continuous	General/Background	Urban
	TEOM Gravimetric 40 deg. Celsius			
$PM_{10}$	PM <sub>10</sub> TEOM Gravimetric 50° Celsius	Continuous	General/Background	Urban

**Meteorological parameters:** 

11200010108-001 PW-W-10010V				
	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	Tower Height	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Solar Radiation	Pyranometer	Continuous	2 meters	Urban

There are no plans to move or remove this site.

Site Pictures: **Dunn Center** 



Looking Northwest

Looking Northeast



Site Name: Fargo NW Station Type: SLAMS (required)

**AQS#:** 38-017-1004 **MSA:** 2520

**Address:** 4266 40<sup>th</sup> Avenue North, Fargo

**Latitude:** +46.933754 **Longitude:** -96.855350

Site Description: This site is one of EPA's 54 Speciation Trends Network sites, the state's required NCORE site, located in the largest metropolitan area in North Dakota. The data collected at this site is used in dispersion modeling for input, calibration and validation. An NCORE site is required to have trace level analyzers for sulfur dioxide, carbon monoxide, and  $NO_Y$  (total reactive nitrogen) operational by January 1, 2011. The trace level analyzers are installed.

**Gas/Particulate parameters:** 

	Sampling &	Operating	Monitoring	Spatial
Parameter	<b>Analysis Method</b>	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Population Exposure	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Carbon Monoxide	Gas Filter Correlation	Continuous	Population Exposure	Urban
$NO_y$	Instrumental Chemiluminescence	Continuous	Population Exposure	Urban
Ozone	Instrumental Ultra Violet	Continuous	Population Exposure	Urban
$PM_{fine}$	24-hour Gravimetric	1/3	Population Exposure	Urban
$PM_{fine}$	PM <sub>FINE</sub> SCC W/ No Correction	Continuous	Population Exposure	Urban
	TEOM Gravimetric 40 deg. Celsius			
$PM_{10}$	PM <sub>10</sub> TEOM Gravimetric 50° Celsius	Continuous	Population Exposure	Urban
PM <sub>fine</sub> Speciation	METOne SASS 24-hour Gravimetric	1/3	Population Exposure	Urban

**Meteorological parameters:** 

	Sampling &	Operating		Spatial
Parameter	Analysis Method	Schedule	Tower Height	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Relative Humidity	Hygroscopic Plastic Film	Continuous	10 meters	Urban
Solar Radiation	Pyranometer	Continuous	2 meters	Urban

There are no plans to move or remove this site.

The manual PM<sub>fine</sub> data may be compared to the annual NAAQS

Site Pictures: Fargo NW



Looking Northeast

Looking West



Site Name: Hannover Station Type: SLAMS

**AQS#:** 38-065-0002 **MSA:** 0000

Address: 1575 Highway 31, Stanton

**Latitude:** +47.185833 **Longitude:** -101.428056

Site Description: This site is centrally located to the power plants in the Oliver-Mercer-McLean county area. The data collected here is used to supplement ambient data collected

at Beulah - North and TRNP - NU.

**Gas/Particulate parameters:** 


	Sampling &	Operating	Monitoring	Spatial
Parameter	<b>Analysis Method</b>	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Source Oriented	Urban
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Source Oriented	Urban
Ozone	Instrumental Ultra Violet	Continuous	Source Oriented	Urban
$PM_{fine}$	PM <sub>fine</sub> SCC W/ No Correction	Continuous	Source Oriented	Urban
	TEOM Gravimetric 40 deg. Celsius			

## **Meteorological parameters:**

Parameter	Sampling & Analysis Method	Operating Schedule	Tower Height	Spatial Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban

There are no plans to move or remove this site.

Site Pictures: Hannover



Looking Southwest

Looking Northeast



Site Name: Lostwood NWR Station Type: SLAMS

**AQS#:** 38-013-0004 **MSA:** 0000

**Address:** 8315 Highway 8, Kenmare

**Latitude:** +48.641930 **Longitude:** -102.401800

Site Description: This site is located in a PSD Class I area. Because this site is downwind of the two power plants near Estevan, SK, and located in the Souris River Airshed, this data is also usable by SaskEnvironment in a study they are conducting in the western region of the Souris Basin Airshed.

The site has an IMPROVE sampler operated by the US Fish and Wildlife Service. This data will be used with the other ambient data collected here to evaluate long-range transport of aerosols affecting regional haze/visibility.

**Gas/Particulate parameters:** 

	Sampling &	Operating	Monitoring	Spatial
Parameter	Analysis Method	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	Regional Transport	Regional
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	Regional Transport	Regional
Ozone	Instrumental Ultra Violet	Continuous	Regional Transport	Regional
$PM_{fine}$	PM <sub>fine</sub> SCC W/ No Correction	Continuous	Regional Transport	Regional
	TEOM Gravimetric 40 deg. Celsius			
$PM_{10}$	PM <sub>10</sub> TEOM Gravimetric 50° Celsius	Continuous	Regional Transport	Regional

**Meteorological parameters:** 

	Sampling &	Operating		Spatial
Parameter	<b>Analysis Method</b>	Schedule	<b>Tower Height</b>	Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Delta Temperature	Elec. or Mach Avg.	Continuous	10 - 2 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Solar Radiation	Pyranometer	Continuous	2 meters	Urban
Relative Humidity	Hygroscopic Plastic Film	Continuous	10 meters	Urban

There are no plans to move or remove this site.

# Site Pictures: Lostwood NWR



Looking Northwest

Looking North



Site Name: TRNP-NU Station Type: SLAMS(required)

**AQS#:** 38-053-0002 **MSA:** 0000

Address: 229 Service Road, Watford City

**Latitude:** +47.581200 **Longitude:** -103.299500

Site Description: This site is located in Theodore Roosevelt National Park – North Unit and is one of three key sites in the department's ambient monitoring network to meet the six required monitoring objectives. The data collected is used for model calibration/validation.

Gas/Particulate parameters:

Gas/I al ticula	te parameters.			
	Sampling &	Operating	Monitoring	Spatial
Parameter	<b>Analysis Method</b>	Schedule	Objective	Scale
Sulfur Dioxide	Instrumental Pulsed Florescent	Continuous	General/Background	Regional
Nitrogen Dioxide	Instrumental Chemiluminescence	Continuous	General/Background	Regional
Ozone	Instrumental Ultra Violet	Continuous	General/Background	Regional
$PM_{fine}$	PM <sub>fine</sub> SCC W/ No Correction	Continuous	General/Background	Regional
	TEOM Gravimetric 40 deg. Celsius		Regional Transport	
$PM_{10}$	PM <sub>10</sub> TEOM Gravimetric 50° Celsius	Continuous	General/Background	Regional
			Regional Transport	

**Meteorological parameters:** 

Parameter	Sampling &	Operating	Tower Height	Spatial
	<b>Analysis Method</b>	Schedule		Scale
Wind Speed	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Wind Direction	Elec. or Mach Avg. Level 1	Continuous	10 meters	Urban
Ambient Temperature	Elec. or Mach Avg.	Continuous	10 meters	Urban
Ambient Pressure	Barometric Pressure Transducer	Continuous	6 meters	Urban
Relative Humidity	Hygroscopic Plastic Film	Continuous	10 meters	Urban

There are no plans to move or remove this site.

Site Pictures: TRNP-NU



Looking Northwest

Looking Northeast



Appendix B

**Detailed Site Descriptions** 

This appendix is a listing printed from the EPA's Air Quality System (AQS) database. Please note that if the latitude and longitude are used in Google Earth<sup>TM</sup>, the display generated may not exactly match the display in Appendix A. This is a problem with Google Earth<sup>TM</sup>, not the coordinates in AQS.

### SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-013-0004 Site Name: LOSTWOOD NWR

City: Not in a city

Street Address: 8315 HIGHWAY 8, KENMARE

State: North Dakota Zip Code: 58721 County: Burke

Location Description: MONITORING POINT

Location Setting: RURAL

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

Land Use: AGRICULTURAL

Date Established: 19990101 Date Terminated:

AOCR :

Last Updated: 20060814

NORTH DAKOTA

Regional Eval. Date:

HQ Eval. Date:

Met. Site ID:

MSA: Not in a MSA

CMSA: Not in a CMSA Dist to Met. Site(m): Direct Met Site: Local Region:

Type Met Site: ON-SITE MET EQUIP

EPA Region: DENVER

Urban Area: NOT IN AN URBAN AREA

City Population:

Dist. to City(km):

Census Block:

Block Group: Census Tract:

Congressional District:

Class 1 Area: Lostwood National Wildlife Refuge

Local ID:

Site Latitude: +48.641930

Site Longitude: -102.401800

Time Zone: CENTRAL

Begin Date

20031027

UTM Zone: 13

UTM Northing: 5390691.44

UTM Easting: 691395.29

AGENCY ROLES

Accuracy: .01

Datum: WGS84

Dir. to CBD:

Scale: 24000

Point/Line/Area: POINT

End Date

Vertical Measure(m): 696.0 Vert Accuracy: .01

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONI	TOR TYPES							Ž
Monitor Type	# of Monitors	Role	Agency Desc					
Monitor Type	11011110115	SUPPORTING	North Dakota	State	Department	Of	Health	Ī
SLAMS	5							
OTHER	12							
IMPROVE	59							

			TANGENT	ROADS		
Road Number	Road Name	Traffic Count	Traffic Year	Traffic Volume Source	Road Type	Compass Sector
1	90TH STREET NW	10	2002	DOT	LOCAL ST OR HY	N
2	ND HIGHWAY 8	100	2002	DOT	THRU ST OR HY	E
3	NDHIGHWAY 8	100	2002	DOT	THRU ST OR HY	S
4	COUNTY ROAD 11	10	2002	DOT	LOCAL ST OR HY	W

### SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-015-0003 Site Name: BISMARCK RESIDENTIAL Local ID:

Street Address: 1810 N 16TH STREET

City: Bismarck Zip Code: 58501 County: Burleigh

Location Description: MONITORING POINT

Location Setting: SUBURBAN

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

Land Use: RESIDENTIAL

Date Established: 19950501

Last Updated: 20060814

Date Terminated: HQ Eval. Date:

Regional Eval. Date:

State: North Dakota

AOCR : NORTH DAKOTA

MSA: Bismarck, ND

CMSA:

Direct Met Site: S

Met. Site ID:

Type Met Site: NWS

Dist to Met. Site(m): 3200 Local Region:

Begin Date

19950501

End Date

Urban Area: BISMARCK, ND

EPA Region: DENVER

City Population: 55532

Dist. to City(km): 2

Census Block:

Block Group:

Census Tract:

Vert Accuracy:

AGENCY ROLES

Congressional District:

Class 1 Area:

Site Latitude: +46.825425

Site Longitude: -100.768210

Time Zone: CENTRAL

UTM Zone: 14

UTM Northing: 5187064

Dir. to CBD: N

UTM Easting: 365130.78

Accuracy: .03

SLAMS

Datum: WGS84

Scale: 0 Point/Line/Area: POINT

.03

Vertical Measure(m): 580.0

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONIT	OR TYPES							Ž
	# of Monitors	Role	Agency Desc					
Monitor Type	MONITORS	SUPPORTING	North Dakota	State	Department	Of	Health	_
SUPPLMNTL	134	_						
SPECTAT OTHER	18							

16

			TANGENT	ROADS		
Road Number	Road Name	Traffic Count	Traffic Year	Traffic Volume Source	Road Type	Compass Sector
1	16TH AVE.	10650	1991		LOCAL ST OR HY	S
2	15TH ST	150	1994		LOCAL ST OR HY	W
3	17TH ST	100	1994		LOCAL ST OR HY	E
4	SPALDING AVE.	20	1994		LOCAL ST OR HY	N

### SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-017-1004 Site Name: FARGO NW Local ID:

METROPOLITAN FARGO-MOORHEAD

Street Address: 4266 40TH AVE NORTH

State: North Dakota Zip Code: 58102

County: Cass

City: Fargo

Location Description: MONITORING POINT

Location Setting: SUBURBAN

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

Land Use: AGRICULTURAL

Date Established: 19980513

Date Terminated:

Last Updated: 20060814

Regional Eval. Date:

HQ Eval. Date:

MSA: Fargo-Moorhead, ND-MN

CMSA:

Direct Met Site:

Met. Site ID:

Type Met Site: ON-SITE MET EQUIP

Dist to Met. Site(m):

Local Region:

Urban Area: FARGO-MOORHEAD, ND-MN

EPA Region: DENVER

City Population: 90599 Dir. to CBD: N

Dist. to City(km): 4

Census Block:

Census Tract:

AOCR :

Congressional District: 1

Class 1 Area:

Site Latitude: +46.933754

Site Longitude: - 96.855350

Time Zone: CENTRAL

UTM Zone: 14

UTM Northing: 5199816.62

UTM Easting: 663252.17

Accuracy: .03

Scale: 0

Datum: WGS84

Block Group:

Point/Line/Area: POINT

Vertical Measure(m): 275.0

Vert Accuracy: .03

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONITOR TYPES			AGENCY ROLES		
Monitor Trmo	# of Monitors	Role	Agency Desc	Begin Date	End Date
Monitor Type	11011110015	SUPPORTING	North Dakota State Department Of Health	19980513	

TRENDS SPECIATION

OTHER Air Toxics 23

SLAMS 6

			TANGENT	ROADS		
Road Number	Road Name	Traffic Count	Traffic Year	Traffic Volume Source	Road Type	Compass Sector
1	19TH AVE N.	550	1989		THRU ST OR HY	S
2	INTERSTATE 94	8790	1989		ARTERIAL	E
3	COUNTY 20	975	1989		THRU ST OR HY	N

### SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-025-0003 Site Name: DUNN CENTER Local ID:

Street Address: 9610 SEVENTH STREET SW

City: Not in a city

State: North Dakota

Zip Code: 58626

County: Dunn

Location Description: MONITORING POINT

Location Setting: RURAL

Coll. Method: GPS CARRIER PHASE STATIC RELATIVE POSITION

Land Use: AGRICULTURAL

Date Established: 19750701

Regional Eval. Date:

Last Updated: 20060814 AOCR : NORTH DAKOTA

MSA: Not in a MSA

CMSA: Not in a CMSA

Date Terminated:

HQ Eval. Date:

Dir. to CBD:

Direct Met Site:

Met. Site ID:

Point/Line/Area: POINT

Type Met Site: ON-SITE MET EQUIP

Dist to Met. Site(m):

Site Longitude: -102.527300

Local Region:

Urban Area: NOT IN AN URBAN AREA

EPA Region: DENVER

City Population: 1 Dist. to City(km):

Census Block:

Block Group: Census Tract:

Congressional District: 1

Class 1 Area:

Site Latitude: +47.313200

Vertical Measure(m): 683.0

Time Zone: MOUNTAIN

UTM Zone: 13

UTM Northing: 5242716.42 UTM Easting: 686888.26

Accuracy: .03

Datum: WGS84 Scale: 0

Vert Accuracy: .03

Vert Datum NAVD88

Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

SITE COMMENTS

ACTIVE MONIT	TOR TYPES		AGENCY ROLE	S	
Manihan Thurs	# of Monitors	Role	Agency Desc	Begin Date En	nd Date
Monitor Type	MOIIICOIB	SUPPORTING	North Dakota State Department Of Health	19750701	
INDEX SITE	1				

OTHER 10 7 SLAMS

			TANGENT	' ROADS		
Road		Traffic	Traffic			Compass
Number	Road Name	Count	Year	Traffic Volume Source	Road Type	Sector
1	SEVENTH STREET SW	10	2004	DOT	LOCAL ST OR HY	N

Local ID:

### SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-053-0002 Site Name: TRNP-NU

Street Address: 229 SERVICE RD., WATFORD CITY City: Not in a city

State: North Dakota Zip Code: 58854 County: McKenzie

Location Description: MONITORING POINT Location Setting: RURAL

Coll. Method: GPS CARRIER PHASE STATIC RELATIVE POSITION Land Use: AGRICULTURAL Date Established: 19781201 Date Terminated: Last Updated: 20060814

Regional Eval. Date: HQ Eval. Date: AQCR : NORTH DAKOTA

Type Met Site: ON-SITE MET EQUIP Dist to Met. Site(m): Local Region:

Urban Area: NOT IN AN URBAN AREA EPA Region: DENVER

City Population: 1 Dir. to CBD: Dist. to City(km):

Census Block: Block Group: Census Tract:

Congressional District: Class 1 Area: T. Roosevelt Park (North)

Site Latitude: +47.581200 Site Longitude: -103.299500 Time Zone: MOUNTAIN

UTM Zone: 13 UTM Northing: 5270936.38 UTM Easting: 627875.21

Accuracy: .03 Datum: NAD83 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 624.0 Vert Accuracy: 0

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

### SITE COMMENTS

LOCATED IN THE THOEDORE ROOSEVELT NATIONAL PARK APPROXIMATELY 10 KM INSIDE THE PARK ENTRANCE.

ACTIVE MONITOR	R TYPES		AGENCY ROLES		
Monitor Trme	# of Monitors	Role	Agency Desc	Begin Date	End Date
Monitor Type	HOHICOIS	SUPPORTING	North Dakota State Department Of Health	19781201	

SLAMS 6
SUPPLMNTL SPECIAT 67
OTHER 9

### SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-057-0004 Site Name: BEULAH NORTH Local ID:

Street Address: 6024 HIGHWAY 200

Zip Code: 58571 County: Mercer

Location Description: MONITORING POINT

Location Setting: RURAL

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

Land Use: AGRICULTURAL

Date Established: 19981213

AOCR :

City: Beulah

Last Updated: 20031212

Regional Eval. Date:

Date Terminated: HQ Eval. Date:

NORTH DAKOTA

MSA: Not in a MSA

State: North Dakota

CMSA: Not in a CMSA

Direct Met Site: Met. Site ID:

Dist to Met. Site(m):

Local Region:

Type Met Site: ON-SITE MET EQUIP Urban Area: NOT IN AN URBAN AREA

EPA Region: DENVER

3152

City Population: Dir. to CBD: Census Block: Block Group: Dist. to City(km):

Census Tract:

Congressional District:

Class 1 Area:

Site Latitude: +47.298611

Site Longitude: -101.766944

Time Zone: MOUNTAIN

UTM Zone: 14

UTM Northing: 5241843

UTM Easting: 290816

Accuracy: .03

Datum: WGS84

Scale: 0

Point/Line/Area: POINT

Vertical Measure(m):

630.0

Vert Accuracy: .03

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

ACTIVE MONITOR TYPES			AGENCY ROLES		
Manaith and Manai	Monitors	Role	Agency Desc	Begin Date	End Date
Monitor Type		SUPPORTING	North Dakota State Department Of Health	19981213	
SLAMS	10				

OTHER 78 Air Toxics

	Road Number	Road Name	Traffic Count	TANGENT Traffic Year	Road Type	Compass Sector
_	1	HIGHWAY 200	1000	1998	THRU ST OR HY	N
	2	COUNTY ROAD	100	1998	LOCAL ST OR HY	W
	3	CITY STREET	250	1998	THRU ST OR HY	S

### SITE DESCRIPTION REPORT

May. 18, 2007

Site ID: 38-065-0002 Site Name: HANNOVER Local ID:

Street Address: 1575 HIGHWAY 31

State: North Dakota Zip Code: County: Oliver

Location Description: MONITORING POINT Location Setting: RURAL

Coll. Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL Land Use: AGRICULTURAL

Date Established: 19841004 Date Terminated: Last Updated: 20050304 Regional Eval. Date: HQ Eval. Date: AQCR: NORTH DAKOTA

MSA: Not in a MSA CMSA: Not in a CMSA Direct Met Site: Met. Site ID:

Type Met Site: ON-SITE MET EQUIP Dist to Met. Site(m): Local Region:

Urban Area: NOT IN AN URBAN AREA EPA Region: DENVER

City Population: 1 Dir. to CBD: S Dist. to City(km): 7

Census Block: Block Group: Census Tract:

Congressional District: 1 Class 1 Area:

Site Latitude: +47.185833 Site Longitude: -101.428056 Time Zone: MOUNTAIN

UTM Zone: 14 UTM Northing: 5228457 UTM Easting: 316045

Accuracy: .01 Datum: WGS84 Scale: 0 Point/Line/Area: POINT

Vertical Measure(m): 697.0 Vert Accuracy: .01

Vert Datum NAVD88 Vert Method: GPS CODE (PSEUDO RANGE) DIFFERENTIAL

SITE COMMENTS

ACTIVE MONITOR TYPES

# of
Monitor Type Monitors

AGENCY ROLES

Role Agency Desc Begin Date End Date

SUPPORTING North Dakota State Department Of Health 19841004

City: Not in a city

OTHER 6
SLAMS 5

TANGENT ROADS Road Traffic Traffic Compass Number Count Year Sector Road Name Traffic Volume Source Road Type STATE HIGHWAY 31 350 2000 DOT LOCAL ST OR HY

Appendix C

Detailed Monitor Descriptions

This appendix is a listing pri	nted from the AQS	database for only	the gaseous parame	ters for each site

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Beulah

Street Address: 6024 HIGHWAY 200

Site Name: **BEULAH NORTH** MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA
Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA
Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

\*

DATES OF OPERATION			AGENCY ROL	ES		
Begin Date End Date	Agency Role	Agency Name			Beg	in Date End Date
19990114	ANALYZING	North Dakota State	Department Of He	ealth	1999	90114
	REPORTING	North Dakota State	Department Of He	ealth	1999	90114
	COLLECTING	North Dakota State	Department Of He	ealth	1999	90114
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Type	е	Act	ion Reason
SLAMS	19990114					
		REGULATION 1	INFORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite	ria Met				Y	19990101
Reference Method Used					Y	19990101
Siting Criteria Met					Y	19990101
		TANGENT ROAD	INFORMATION	Traff	Traff	
Street Name		Туре	Road	Count	Yr	Dist. to Road (m
HIGHWAY 200		THRU	ST OR HY	1000	1998	32

Street Name
Type Road
Type Road
Type Road
THRU ST OR HY
1000
1998
32
COUNTY ROAD
LOCAL ST OR HY
100
1998
1000
CITY STREET
THRU ST OR HY
250
1998
3200
MONITORING OBJECTIVES

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

# North Dakota

Monitor ID: 38-057-0004-42604-1 Parameter Measured: Ammonia Last Updated: 20070430 Date of Latest Collection: 20070331

Surrogate?:

Owner: North Dakota

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH

County: Mercer

Project Type: POPULATION-ORIENTED SURVEILLANCE Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

MSA: Not in a MSA

City: Beulah

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m):

Sample Residence Time:			Unrestricted A	Air FLow?:	Y		
DATES OF OPERATION			AGENCY ROI	ES			
Begin Date End Date	Agency Role Age	ency Name			Beg:	in Date E	nd Date
20001103	ANALYZING No:	rth Dakota State De	epartment Of H	ealth	200	01103	
	COLLECTING No:	rth Dakota State De	epartment Of H	ealth	200	01103	
	REPORTING No:	rth Dakota State De	epartment Of H	ealth	200	01103	
		MONITOR TYPE IN	NFORMATION				
Monitor Type	Begin Date	End Date	Action Typ	pe	Act	cion Reasor	1
OTHER	20001114						
SLAMS	20001103	20001113					
		REGULATION INF	FORMATION				
Regulation					Met?	Date Met	
Quality Assurance Crite	ria Met				Y	20001103	
Reference Method Used					Y	20001101	
Siting Criteria Met					Y	20001101	
		TANGENT ROAD IN	NFORMATION	Traff	Traff		
Street Name		Type Ro	oad	Count	Yr	Dist.	to Road (m)
HIGHWAY 200		THRU ST	r or hy	1000	1998	32	
COUNTY ROAD		LOCAL S	ST OR HY	100	1998	1000	
CITY STREET		THRU ST	r or hy	250	1998	3200	
		MONITORING C	BJECTIVES				
Monitor Objective Type	UAR Name	MS	SA Name		CMSA	Name	
GENERAL/BACKGROUND	NOT IN AN URBAN	N AREA					

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-88101-1 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070507

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: GROUND LEVEL SUPPORT Horizontal Distance (m):

Probe Height (m): 3.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION	AGENCY ROLES				
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date		
19990101	ANALYZING	Inter-Mountain Laboratory Sheridan, WY	19990101		
	COLLECTING	North Dakota State Department Of Health	19990101		
	REPORTING	North Dakota State Department Of Health	19990101		
		MONITOR TYPE INFORMATION			

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 19990101

REGULATION INFORMATION

Regulation Met? Date Met

Quality Assurance Criteria Met Y 19990101

Reference Method Used Y 19990101

Siting Criteria Met Y 19990101

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20060125 Y

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

### North Dakota

Monitor ID: 38-053-0002-88101-1 Parameter Measured: PM-Fine Last Updated: 20070226 Date of Latest Collection: 20061231

Owner: North Dakota

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU

County: McKenzie

Project Type: BACKGROUND SURVEILLANCE Meas. Scale: REGIONAL SCALE

Probe Location: GROUND LEVEL SUPPORT

Sample Residence Time:

Siting Criteria Met

REGIONAL TRANSPORT

Probe Height (m): 2.0

Surrogate?:

Location Setting: RURAL Horizontal Distance (m): Vertical Distance (m):

Dominant Source: AREA

UAR: NOT IN AN URBAN AREA

City: Not in a city

MSA: Not in a MSA

Unrestricted Air FLow?: Y

Y

20020101

CMSA Name

					-		
DATES OF	OPERATION			AGENCY ROLES			
Begin Date	End Date	Agency Role	Agency Name		Ве	gin Date	End Date
20020101	20061231	ANALYZING	Inter-Mountain Labor	atory Sheridan, WY	20	020101	
		COLLECTING	North Dakota State D	epartment Of Health	20	020101	20061231
		REPORTING	North Dakota State D	epartment Of Health	20	020101	
MONITOR TYPE INFORMATION							
Monitor Typ	е	Begin Date	End Date	Action Type	A	ction Rea	son
SLAMS		20020101	20061231				
			REGULATION IN	FORMATION			
Regulation					Met?	Date Me	et
Quality Ass	urance Crite	ria Met			Y	2002010	01
Reference M	ethod Used				Y	2002010	01

MONITORING OBJECTIVES

MSA Name

Monitor Objective Type

UAR Name

NOT IN AN URBAN AREA

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

City: Not in a city

May. 18, 2007

PM-Fine

# North Dakota

Monitor ID: 38-053-0002-88501-3 Parameter Measured:

Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

SLAMS

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU

MSA: Not in a MSA County: McKenzie UAR: NOT IN AN URBAN AREA

Project Type: BACKGROUND SURVEILLANCE Dominant Source: POINT

Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0 Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION			AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date		
20021001	COLLECTING	North Dakota State	Department Of Health	20021001		
	REPORTING	North Dakota State	Department Of Health	20021001		
MONITOR TYPE INFORMATION						
Monitor Type	Begin Date	End Date	Action Type	Action Reason		

MONITORING OBJECTIVES

20021001

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA REGIONAL TRANSPORT NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-88101-1 Parameter Measured: PM-Fine Date of Latest Collection: 20070331 Last Updated: 20070507

Owner: North Dakota City: Beulah

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA Project Type: SOURCE-ORIENTED AMBIENT SURVEILLANCE Dominant Source: AREA Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: GROUND LEVEL SUPPORT Horizontal Distance (m): Probe Height (m): 3.0 Surrogate?: Vertical Distance (m): Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

DATES OF OPERATION		AGENCY ROLES				
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date			
19990101	ANALYZING	Inter-Mountain Laboratory Sheridan, WY	19990101			
	COLLECTING	North Dakota State Department Of Health	19990101			
	REPORTING	North Dakota State Department Of Health	19990101			
		MONITOR TYPE INFORMATION				
Monitor Type	Begin Date	End Date Action Type	Action Reason			

19990101 SLAMS

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Υ 19990101 Reference Method Used 19990101 Siting Criteria Met 19990101

TANGENT ROAD INFORMATION Traff Traff Count Street Name Type Road Dist. to Road (m) HIGHWAY 200 THRU ST OR HY 1000 1998 32 COUNTY ROAD LOCAL ST OR HY 100 1998 1000 CITY STREET THRU ST OR HY 250 1998 3200

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20000101 20030714 Υ

MONITORING OBJECTIVES

Monitor Objective Type MSA Name CMSA Name UAR Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

### North Dakota

Monitor ID: 38-013-0004-44201-1 Parameter Measured: Ozone 20070430 Date of Latest Collection: 20070331 Last Updated:

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

Sample Residence Time:

County: Burke Project Type: BACKGROUND SURVEILLANCE Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING Probe Height (m): 4.0 Surrogate?:

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA Dominant Source: POINT Location Setting: RURAL

Horizontal Distance (m): 0.0 Vertical Distance (m): Unrestricted Air FLow?:

CMSA Name

DATES OF OPERATION		AG	ENCY ROLES					
Begin Date End Date	Agency Role	Agency Name		Вед	gin Date End Date			
20031028	COLLECTING	North Dakota State Departme	nt Of Health	200	031028			
	REPORTING	North Dakota State Departme	nt Of Health	200	031028			
		MONITOR TYPE INFORMAT	ION					
Monitor Type	Begin Date	End Date Act	cion Type	Ad	ction Reason			
SLAMS	20031028							
	REGULATION INFORMATION							
Regulation				Met?	Date Met			

Reference Method Used Υ 20031028 Siting Criteria Met 20031028

TANGENT ROAD INFORMATION Traff Traff Count Yr Street Name Type Road Dist. to Road (m) LOCAL ST OR HY 8290 90TH STREET NW 10 2002 ND HIGHWAY 8 THRU ST OR HY 100 2002 1120 NDHIGHWAY 8 THRU ST OR HY 100 2002 840 COUNTY ROAD 11 LOCAL ST OR HY 10 2002 13800

MSA Name

MONITORING OBJECTIVES

REGIONAL TRANSPORT NOT IN AN URBAN AREA

UAR Name

Monitor Objective Type

#### MONITOR DESCRIPTION REPORT

City: Not in a city

MSA: Not in a MSA

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 9610 SEVENTH STREET SW

Site Name: DUNN CENTER

County: Dunn

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): Sample Residence Time: Unrestricted Air FLow?:

MONITOR COMMENT

\*

	AGENCY ROLES	
Agency Role	Agency Name	Begin Date End Date
ANALYZING	North Dakota State Department Of Healt	h 19791001
COLLECTING	North Dakota State Department Of Healt	h 19791001
REPORTING	North Dakota State Department Of Healt	h 19791001
	MONITOR TYPE INFORMATION	
Begin Date	End Date Action Type	Action Reason
19791001	19791231	
19800101		
	ANALYZING COLLECTING REPORTING Begin Date 19791001	Agency Role Agency Name  ANALYZING North Dakota State Department Of Healt  COLLECTING North Dakota State Department Of Healt  REPORTING North Dakota State Department Of Healt  MONITOR TYPE INFORMATION  Begin Date End Date Action Type  19791001 19791231

# REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19800101
Reference Method Used Y 19800101
Siting Criteria Met Y 19800101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

### North Dakota

Monitor ID: 38-017-1004-44201-1 Parameter Measured: Ozone Last Updated: Date of Latest Collection: 20070331 20070430

Surrogate?:

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW

County: Cass

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Sample Residence Time:

City: Fargo

MSA: Fargo-Moorhead, ND-MN UAR: FARGO-MOORHEAD, ND-MN Dominant Source: AREA

Location Setting: SUBURBAN

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow? . V

Sample Residence Time:			Unrestricted A	ir FLow?:	Y	
DATES OF OPERATION			AGENCY ROL	ES		
Begin Date End Date	Agency Role A	gency Name			Beg:	in Date End Date
19980527	ANALYZING N	orth Dakota State	Department Of He	ealth	199	80527
	REPORTING N	orth Dakota State	Department Of He	ealth	1998	80527
	COLLECTING N	orth Dakota State	Department Of He	ealth	1998	80527
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Type	е	Act	cion Reason
SLAMS	19980527					
		REGULATION :	INFORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite	ria Met				Y	19980501
Reference Method Used					Y	19980501
Siting Criteria Met					Y	19980501
		TANGENT ROAD	INFORMATION	Traff	Traff	
Street Name		Туре	Road	Count	Yr	Dist. to Road (m)
19TH AVE N.		THRU	ST OR HY	550	1989	1600

INTERSTATE 94 ARTERIAL 8790 1989 350 COUNTY 20 THRU ST OR HY 975 1989 30

MONITORING OBJECTIVES

Monitor Objective Type MSA Name CMSA Name UAR Name

MAX PRECURSOR EMISSIONS

IMPACT

Fargo-Moorhead, ND-MN

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND

County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION	AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date	
20051003	COLLECTING	North Dakota State Department Of Health	20051003	
	REPORTING	North Dakota State Department Of Health	20051003	
		MONITOR TYPE INFORMATION		

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 20051003

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20051003
Reference Method Used Y 20051003
Siting Criteria Met Y 20051003

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Beulah

Street Address: 6024 HIGHWAY 200

Site Name: **BEULAH NORTH** MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):
Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

\*

DATES OF OPERATION			AGENCY ROLES			
Begin Date End Date	Agency Role	Agency Name			Begi	n Date End Date
19990114	ANALYZING	North Dakota State	Department Of Heal	th	1999	00114
	COLLECTING	North Dakota State	Department Of Heal	th	1999	00114
	REPORTING	North Dakota State	Department Of Heal	th	1999	90114
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Type		Act	ion Reason
SLAMS	19990114					
		REGULATION :	INFORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite	ria Met				Y	19990101
Reference Method Used					Y	19990101
Siting Criteria Met					Y	19990101
		TANGENT ROAD	INFORMATION	Traff	Traff	
Street Name		Туре	Road	Count	Yr	Dist. to Road (m)

HIGHWAY 200 THRU ST OR HY 1000 1998 32 COUNTY ROAD LOCAL ST OR HY 100 1998 1000 CITY STREET THRU ST OR HY 250 1998 3200 MONITORING OBJECTIVES

MSA Name

CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

UAR Name

Monitor Objective Type

#### MONITOR DESCRIPTION REPORT

City: Beulah

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 6024 HIGHWAY 200

Site Name: **BEULAH NORTH** MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Comple Desidence With the State of the State

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

\*

DATES OF OPERATION			AGENCY ROLES	,		
DATES OF OPERATION			AGENCY ROLLS	•		
Begin Date End Date	Agency Role	Agency Name			Beg	in Date End Date
19990114	ANALYZING	North Dakota State D	epartment Of Hea	lth	199	90114
	COLLECTING	North Dakota State D	epartment Of Hea	lth	199	90114
	REPORTING	North Dakota State D	epartment Of Hea	lth	199	90114
		MONITOR TYPE I	NFORMATION			
Monitor Type	Begin Date	End Date	Action Type		Ac	tion Reason
SLAMS	19990114					
		REGULATION IN	FORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite:	ria Met				Y	19990101
Reference Method Used					Y	19990101
Siting Criteria Met					Y	19990101
		TANGENT ROAD I	NFORMATION	Traff	Traff	:

	TANGENT ROAD	INFORMATION	Traff Traff			
Street Name	Туре	Road	Count	Yr	Dist. to Road (	m)
HIGHWAY 200	THRU	ST OR HY	1000	1998	32	
COUNTY ROAD	LOCA	L ST OR HY	100	1998	1000	
CITY STREET	THRU	ST OR HY	250	1998	3200	
	MONT TO DING	OD TECTIVES				

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

# North Dakota

Monitor ID: 38-065-0002-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 3.0

Sample Residence Time:

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow?: Y

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
19880323	ANALYZING	North Dakota State	Department Of Health	19880323
	COLLECTING	North Dakota State	Department Of Health	19880323
	REPORTING	North Dakota State	Department Of Health	19880323
		MONITOR TYPE	INFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	19880323			
		DEGIII AETON T		

#### REGULATION INFORMATION

Regulation	Met?	Date Met
Quality Assurance Criteria Met	Y	19880301
Reference Method Used	Y	19880301
Siting Criteria Met	Y	19880301

### MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-88501-3 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 9610 SEVENTH STREET SW

Site Name: **DUNN CENTER** MSA: Not in a MSA

County: Dunn UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA
Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

\*

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20040908	ANALYZING	North Dakota State Department Of Health	20040908
	COLLECTING	North Dakota State Department Of Health	20040908
	REPORTING	North Dakota State Department Of Health	20040908
		MONITOR TYPE INFORMATION	
Monitor Type	Begin Date	End Date Action Type	Action Reason
INDEX SITE	20040908		
OTHER	20040908		
SLAMS	20040908		
		MONITORING OBJECTIVES	
Monitor Objective Type	UAR Name	MSA Name	CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie

UAR: NOT IN AN URBAN AREA

Project Type: BACKGROUND SURVEILLANCE

Dominant Source: AREA

Meas. Scale: REGIONAL SCALE

Location Setting: RURAL

Probe Location: TOP OF BUILDING

Horizontal Distance (m):

Probe Height (m): 4.0

Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

SITE RESTARTED ON AUG 8, 2001

DATES OF OPERATION	AGENCY ROLE	S
Begin Date End Date	Agency Role Agency Name	Begin Date End Date
19821105 19980630	ANALYZING North Dakota State Department Of Hea	alth 19821105
20010801	REPORTING North Dakota State Department Of Hea	alth 19821105
	COLLECTING North Dakota State Department Of Hea	alth 19821105
	MONITOR TYPE INFORMATION	
Monitor Type	Begin Date End Date Action Type	Action Reason
SLAMS	19821105	

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19821101
Reference Method Used Y 19821101
Siting Criteria Met Y 19821101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

### North Dakota

Monitor ID: 38-017-1004-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW MSA: Farg

County: Cass U.

Project Type: POPULATION-ORIENTED SURVEILLANCE Don

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 3.0

Sample Residence Time:

MSA: Fargo-Moorhead, ND-MN

City: Fargo

UAR: FARGO-MOORHEAD, ND-MN

Dominant Source: POINT

Location Setting: SUBURBAN

 $\label{eq:horizontal} \mbox{ Horizontal Distance (m):}$ 

Vertical Distance (m):

Unrestricted Air FLow?: Y

Sample Residence Time:			Unrestric	ted Air FLow?:	Y		
DATES OF OPERATION			AGENC	Y ROLES			
Begin Date End Date	Agency Role	Agency Name				Begin Date	End Date
19980527	ANALYZING	North Dakota	State Department	Of Health		19980527	
	COLLECTING	North Dakota	State Department	Of Health		19980527	
	REPORTING	North Dakota	State Department	Of Health		19980527	
		MONITOR	TYPE INFORMATION	Ī			
Monitor Type	Begin Date	End Dat	e Action	n Type		Action Reaso	on
SLAMS	19980527						
		REGULAT	TION INFORMATION				
Regulation					Met?	Date Met	:
Quality Assurance Crite	ria Met				Y	19980501	-
Reference Method Used					Y	19980501	-
Siting Criteria Met					Y	19980501	-
		TANGENT	ROAD INFORMATION	Traff	Ti	raff	
Street Name			Type Road	Count	Yı	r Dist.	to Road (m)
19TH AVE N.			THRU ST OR HY	550	19	989 1600	
INTERSTATE 94			ARTERIAL	8790	19	989 350	
COUNTY 20			THRU ST OR HY	975	19	989 30	

MONITORING OBJECTIVES

Fargo-Moorhead, ND-MN

Monitor Objective Type UAR Name MSA Name CMSA Name

MAX PRECURSOR EMISSIONS

IMPACT

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-42602-1 Parameter Measured:

Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW

County: Cass

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Sample Residence Time:

Nitrogen Dioxide

City: Fargo

MSA: Fargo-Moorhead, ND-MN

UAR: FARGO-MOORHEAD, ND-MN

Dominant Source: MOBILE

Location Setting: SUBURBAN

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow? • V

Sample Residence Time:			Unrestricted Ai:	r FLow?:	Y	
DATES OF OPERATION			AGENCY ROLES	3		
Begin Date End Date	Agency Role Age	ency Name			Begi	in Date End Date
19980527	ANALYZING No	rth Dakota State De	epartment Of Hea	lth	1998	30527
	COLLECTING No.	rth Dakota State De	epartment Of Hea	lth	1998	30527
	REPORTING No.	rth Dakota State De	epartment Of Hea	lth	1998	30527
		MONITOR TYPE IN	FORMATION			
Monitor Type	Begin Date	End Date	Action Type		Act	cion Reason
SLAMS	19980527					
		REGULATION INF	ORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite	ria Met				Y	19980501
Reference Method Used					Y	19980501
Siting Criteria Met					Y	19980501
		TANGENT ROAD IN	FORMATION	Traff	Traff	
Street Name		Type Ro	oad	Count	Yr	Dist. to Road (m)
19TH AVE N.		THRU ST	OR HY	550	1989	1600
INTERSTATE 94		ARTERIA	AL	8790	1989	350
COUNTY 20		THRU ST	OR HY	975	1989	30

MONITORING OBJECTIVES

Fargo-Moorhead, ND-MN

Monitor Objective Type MSA Name CMSA Name UAR Name

MAX PRECURSOR EMISSIONS

POPULATION EXPOSURE

IMPACT

FARGO-MOORHEAD, ND-MN

85

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-88501-3 Parameter Measured: PM-Fine 20070430 Date of Latest Collection: 20070331 Last Updated:

Surrogate?:

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL

County: Burleigh

Project Type: POPULATION-ORIENTED SURVEILLANCE Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Sample Residence Time:

UAR: BISMARCK, ND

MSA: Bismarck, ND

Dominant Source: AREA

Location Setting: SUBURBAN

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow?:

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20051005	COLLECTING	North Dakota State Department Of Health	20051005
	REPORTING	North Dakota State Department Of Health	20051005
		MONITOR TYPE INFORMATION	

Monitor Type Begin Date End Date Action Type Action Reason SLAMS 20051005

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Υ 20051005 Reference Method Used Υ 20051005 Siting Criteria Met Υ 20051005

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-017-1004-88101-1

Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW

County: Cass

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: GROUND LEVEL SUPPORT

Probe Height (m): 2.0

Sample Residence Time:

Parameter Measured:

PM-Fine 20070507

19990101

Last Updated:

City: Fargo

MSA: Fargo-Moorhead, ND-MN

UAR: FARGO-MOORHEAD, ND-MN

Dominant Source: POINT

Location Setting: SUBURBAN

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow?: Y

DATES OF OPERATION AGENCY ROLES

Begin Date End Date Agency Role Agency Name Begin Date End Date

19990101 ANALYZING Inter-Mountain Laboratory Sheridan, WY 19990101 COLLECTING North Dakota State Department Of Health 19990101

Surrogate?:

REPORTING

North Dakota State Department Of Health

MONITOR TYPE INFORMATION

End Date Monitor Type Begin Date Action Type Action Reason

SLAMS 19990101

REGULATION INFORMATION

Regulation Met? Date Met

Quality Assurance Criteria Met Y 19990101 Reference Method Used Y 19990101

Siting Criteria Met 19990101

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary?

20000101 20011230

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN SOURCE ORIENTED FARGO-MOORHEAD, ND-MN

#### MONITOR DESCRIPTION REPORT

City: Not in a city

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 229 SERVICE RD., WATFORD CITY

borood maarood. Ery brantor mon, militain ori.

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA

Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20010801	ANALYZING	North Dakota State Department Of Heal	th 20010801
	COLLECTING	North Dakota State Department Of Heal	th 20010801
	REPORTING	North Dakota State Department Of Heal	th 20010801
		MONITOR TYPE INFORMATION	
Monitor Type	Begin Date	End Date Action Type	Action Reason
SLAMS	20010801		

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20010801
Reference Method Used Y 20010801
Siting Criteria Met Y 20010801

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

# North Dakota

Monitor ID: 38-013-0004-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke
Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0
Sample Residence Time:

SCALE Location Setting: RURAL
OF BUILDING Horizontal Distance (m): 0.0

Surrogate?:

Vertical Distance (m): 1.
Unrestricted Air FLow?: Y

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

City: Not in a city

MSA: Not in a MSA

rampie Residence Time.			onicaciicea A	ii ilow	-		
DATES OF OPERATION			AGENCY ROL	ES			
Begin Date End Date	Agency Role Age	ency Name			Begi	in Date End I	ate
20031028	REPORTING No:	rth Dakota State De	epartment Of He	ealth	2003	31028	
	COLLECTING No:	rth Dakota State De	epartment Of He	ealth	2003	31028	
		MONITOR TYPE IN	FORMATION				
Monitor Type	Begin Date	End Date	Action Typ	e	Act	ion Reason	
SLAMS	20031028						
		REGULATION INF	ORMATION				
Regulation					Met?	Date Met	
Quality Assurance Crite	eria Met				Y	20031028	
Reference Method Used					Y	20031028	
Siting Criteria Met					Y	20031028	
		TANGENT ROAD IN	FORMATION	Traff	Traff		
Street Name		Type Ro	oad	Count	Yr	Dist. to	Road (m
90TH STREET NW		LOCAL S	ST OR HY	10	2002	8290	
ND HIGHWAY 8		THRU ST	OR HY	100	2002	1120	
NDHIGHWAY 8		THRU ST	OR HY	100	2002	840	
COUNTY ROAD 11		LOCAL S	ST OR HY	10	2002	13800	
		MONITORING O	BJECTIVES				
Monitor Objective Type	UAR Name	MS	A Name		CMSA	Name	

REGIONAL TRANSPORT NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-42401-1 Parameter Measured: Sulfur Dioxide

20070430 Date of Latest Collection: 20070331 Last Updated:

Owner: North Dakota

County: Burleigh

20051003

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Sample Residence Time:

Surrogate?:

MSA: Bismarck, ND

City: Bismarck

UAR: BISMARCK, ND

Dominant Source: POINT

Location Setting: SUBURBAN

Horizontal Distance (m): Vertical Distance (m):

Unrestricted Air FLow?:

DATES OF OPERATION AGENCY ROLES Begin Date End Date Agency Role Agency Name

> COLLECTING North Dakota State Department Of Health REPORTING

North Dakota State Department Of Health

20051003 MONITOR TYPE INFORMATION

Begin Date End Date

20051003

Begin Date End Date Monitor Type Action Type Action Reason SLAMS 20051003

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Y 20051003 Reference Method Used Υ 20051003 Siting Criteria Met Y 20051003

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

# North Dakota

Monitor ID: 38-025-0003-81102-3 Parameter Measured: **PM10** 

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 9610 SEVENTH STREET SW

Site Name: DUNN CENTER

County: Dunn

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Surrogate?:

Sample Residence Time:

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m): 1.0

Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20040908	ANALYZING	North Dakota State Department Of Health	20040908
	REPORTING	North Dakota State Department Of Health	20040908
	COLLECTING	North Dakota State Department Of Health	20040908
		MONITOR TYPE INFORMATION	
Monitor Type	Begin Date	End Date Action Type	Action Reason
SLAMS	20040908		

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-88101-2 Parameter Measured: PM-Fine Date of Latest Collection: 20070331 Last Updated: 20070507

Owner: North Dakota City: Bismarck

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck, ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: GROUND LEVEL SUPPORT Horizontal Distance (m):

Probe Height (m): 3.0 Vertical Distance (m): Surrogate?:

Unrestricted Air FLow?: Y

Sample Residence Time:

DATES OF OPERATION		AGENCY	ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20060125	ANALYZING	Inter-Mountain Laboratory Sheri	dan, WY	20060125
	COLLECTING	North Dakota State Department O	f Health	20060125
	REPORTING	North Dakota State Department O	f Health	20060125
		MONITOR TYPE INFORMATION		
Monitor Type	Begin Date	End Date Action	Туре	Action Reason
SLAMS	20060125			

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20060125 Ν

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-88501-3 Parameter Measured: **PM-Fine**Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH

County: Mercer
Project Type: SOURCE-ORIENTED AMBIENT SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Sample Residence Time: MSA: Not in a MSA

City: Beulah

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m): 0.0

Vertical Distance (m): 1.0

Unrestricted Air FLow?: Y

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20001011	ANALYZING	North Dakota State I	Department Of Health	20001011
	COLLECTING	North Dakota State I	Department Of Health	20001011
	REPORTING	North Dakota State I	Department Of Health	20001011
		MONITOR TYPE 1	NFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	20001011			

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20001011
Reference Method Used Y 20001001
Siting Criteria Met Y 20001001

TANGENT ROAD INFORMATION Traff Traff Count Street Name Type Road Dist. to Road (m) HIGHWAY 200 THRU ST OR HY 1000 1998 COUNTY ROAD LOCAL ST OR HY 100 1998 1000 CITY STREET THRU ST OR HY 3200 250 1998

POLLUTANT AREA INFORMATION

Community Spatial Schedule Applicable Monitoring Zone Average Ind Exemption NAAQS Ind

Pollutant Area Name Worst Site Type

ND UNCLASSIFIED NOT

SPECIFIED

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

### North Dakota

Monitor ID: 38-065-0002-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver
Project Type: BACKGROUND SURVEILLANCE

3.0

Project Type: BACKGROUND SURVEILLE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Sample Residence Time:

Probe Height (m):

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES		
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
19880323	ANALYZING	North Dakota State	Department Of Health	19880323
	COLLECTING	North Dakota State	Department Of Health	19880323
	REPORTING	North Dakota State	Department Of Health	19880323
		MONITOR TYPE	INFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	19880323			

### REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19880301
Reference Method Used Y 19880301
Siting Criteria Met Y 19880301

### MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

MSA: Not in a MSA

Location Setting: RURAL

May. 18, 2007

# North Dakota

Monitor ID: 38-065-0002-88501-3 Parameter Measured: PM-Fine Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota City: Not in a city

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver UAR: NOT IN AN URBAN AREA Project Type: BACKGROUND SURVEILLANCE Dominant Source: POINT

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0 Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20020917	ANALYZING	North Dakota State I	Department Of Health	20020917
	REPORTING	North Dakota State I	Department Of Health	20020917
		MONITOR TYPE I	NFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	20020917			

MONITORING OBJECTIVES

MSA Name Monitor Objective Type UAR Name CMSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

# North Dakota

Monitor ID: 38-013-0004-42602-1 Parameter Measured: Nitrogen Dioxide

Last Updated: 20070430 Date of Latest Collection: 20070331

Surrogate?:

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m): 0.0 Vertical Distance (m):

CMSA Name

Sample Residence Time:			Unrestricted	Air FLow?:	Y	
DATES OF OPERATION			AGENCY RO	LES		
Begin Date End Date	Agency Role A	Agency Name			Beg:	in Date End Date
20031028	COLLECTING N	North Dakota State I	Department Of H	[ealth	2003	31028
	REPORTING N	North Dakota State I	Department Of H	[ealth	2003	31028
		MONITOR TYPE	NFORMATION			
Monitor Type	Begin Date	End Date	Action Typ	pe	Act	cion Reason
SLAMS	20031028					
		REGULATION IN	   IFORMATION			
Regulation					Met?	Date Met
Quality Assurance Crite	eria Met				Y	20031028
Reference Method Used					Y	20031028
Siting Criteria Met					Y	20031028
		TANGENT ROAD	INFORMATION	Traff	Traff	
Street Name		Type 1	Road	Count	Yr	Dist. to Road (m)
90TH STREET NW		LOCAL	ST OR HY	10	2002	8290
ND HIGHWAY 8		THRU :	ST OR HY	100	2002	1120
NDHIGHWAY 8		THRU :	ST OR HY	100	2002	840
COUNTY ROAD 11		LOCAL	ST OR HY	10	2002	13800
		MONITORING	OBJECTIVES			

MSA Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

UAR Name

Monitor Objective Type

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie UAR: NOT IN AN URBAN AREA
Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA
Meas. Scale: REGIONAL SCALE Location Setting: RURAL
Probe Location: TOP OF BUILDING Horizontal Distance (m):
Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

SITE RESTARTED AUG 8, 2001

DATES OF OPERAT	ION		AGENCY ROLES	
Begin Date End D	ate Agency Role	Agency Name		Begin Date End Date
19800101 19980	630 ANALYZING	North Dakota State De	partment Of Health	19800101 19980630
20010801	COLLECTING	North Dakota State De	partment Of Health	19800101 19980630
	REPORTING	North Dakota State De	partment Of Health	19800101
	ANALYZING	North Dakota State De	partment Of Health	20010801
	COLLECTING	North Dakota State De	partment Of Health	20010801
		MONITOR TYPE IN	FORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	19800101			

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19800101
Reference Method Used Y 19800101
Siting Criteria Met Y 19800101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-44201-1 Parameter Measured: **Ozone**Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota City: Not in a city

Street Address: 9610 SEVENTH STREET SW

Site Name: DUNN CENTER MSA: Not in a MSA

County: Dunn

UAR: NOT IN AN URBAN AREA

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?: Y

MONITOR COMMENT

\*

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
19791001 19890430	COLLECTING	North Dakota State Department Of Health	19791001
19981214	REPORTING	North Dakota State Department Of Health	19791001
	ANALYZING	North Dakota State Department Of Health	19791001
		MONITOR TYPE INFORMATION	
Monitor Type	Begin Date	End Date Action Type	Action Reason
OTHER	19791001	19791231	
SLAMS	19800101		

# REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19800101
Reference Method Used Y 19800101
Siting Criteria Met Y 19800101

### MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

City: Beulah

May. 18, 2007

North Dakota

Monitor ID: 38-057-0004-81102-3 Parameter Measured: **PM10** 

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 6024 HIGHWAY 200

Site Name: BEULAH NORTH MSA: Not in a MSA

County: Mercer UAR: NOT IN AN URBAN AREA

Project Type: BACKGROUND SURVEILLANCE Dominant Source: AREA

Meas. Scale: URBAN SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES		
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20060717	REPORTING	North Dakota State Depa	rtment Of Health	20060717
	ANALYZING	North Dakota State Depa	rtment Of Health	20060717
	COLLECTING	North Dakota State Depa	rtment Of Health	20060717
		MONITOR TYPE INFO	RMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason

SLAMS 20060717

COLLOCATION INFORMATION

Begin Date End Date Dist.(m) Primary? 20060717 Y

-----

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-025-0003-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 9610 SEVENTH STREET SW

Site Name: DUNN CENTER

County: Dunn
Project Type: BACKGROUND SURVEILLANCE
Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING
Probe Height (m): 4.0

Sample Residence Time:

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):
Vertical Distance (m):
Unrestricted Air FLow?:

MONITOR COMMENT

\*

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
19791001	COLLECTING	North Dakota State Department Of Health	19791001
	REPORTING	North Dakota State Department Of Health	19791001
	ANALYZING	North Dakota State Department Of Health	19791001

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

OTHER 19791001 19791231

SLAMS 19800101

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19800101
Reference Method Used Y 19800101
Siting Criteria Met Y 19800101

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-065-0002-42401-1 Parameter Measured: Sulfur Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Surrogate?:

Owner: North Dakota

Street Address: 1575 HIGHWAY 31

Site Name: HANNOVER

County: Oliver

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 3.0

Sample Residence Time:

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA

Dominant Source: AREA

Location Setting: RURAL

Horizontal Distance (m):

Vertical Distance (m):

Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES		
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
19880323	ANALYZING	North Dakota State	Department Of Health	19880323
	COLLECTING	North Dakota State	Department Of Health	19880323
	REPORTING	North Dakota State	Department Of Health	19880323
		MONITOR TYPE	INFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason
SLAMS	19880323			

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 19880301
Reference Method Used Y 19880301
Siting Criteria Met Y 19880301

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

SOURCE ORIENTED NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

# North Dakota

Monitor ID: 38-013-0004-81102-3 Parameter Measured: PM10

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke

Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0 Surrogate?:

Sample Residence Time:

CALE Location Setting: RURAL BUILDING Horizontal Distance (m):

Horizontal Distance (m): 0.0

Vertical Distance (m): 1.0

Unrestricted Air FLow?: Y

UAR: NOT IN AN URBAN AREA

Dominant Source: POINT

City: Not in a city

MSA: Not in a MSA

DATES OF OPERATION			AGENCY RO	OLES		
Begin Date End Date	Agency Role	Agency Name			Begi	n Date End Date
20031028	ANALYZING	North Dakota State	Department Of	Health	2003	31028
	REPORTING	North Dakota State	Department Of	Health	2003	31028
	COLLECTING	North Dakota State	Department Of	Health	2003	31028
		MONITOR TYPE	INFORMATION			
Monitor Type	Begin Date	End Date	Action Ty	<i>г</i> ре	Act	ion Reason
SLAMS	20031028					
		REGULATION I	NFORMATION			
Regulation					Met?	Date Met
Quality Assurance Criter	ria Met				Y	20031028
Reference Method Used					Y	20031028
Siting Criteria Met					Y	20031028
Short Term Satisfied					Y	20031028
		TANGENT ROAD	INFORMATION	Traff	Traff	
Street Name		Туре	Road	Count	Yr	Dist. to Road (m)
90TH STREET NW		LOCAI	ST OR HY	10	2002	8290
ND HIGHWAY 8		THRU	ST OR HY	100	2002	1120
NDHIGHWAY 8		THRU	ST OR HY	100	2002	840
COUNTY ROAD 11		LOCAI	ST OR HY	10	2002	13800

MSA Name

CMSA Name

MONITORING OBJECTIVES

UAR Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

Monitor Objective Type

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

#### North Dakota

Monitor ID: 38-013-0004-88501-3 Parameter Measured: PM-Fine Last Updated: 20070430 Date of Latest Collection: 20070331

Owner: North Dakota

Street Address: 8315 HIGHWAY 8, KENMARE

Site Name: LOSTWOOD NWR

County: Burke Project Type: BACKGROUND SURVEILLANCE

Meas. Scale: REGIONAL SCALE Probe Location: TOP OF BUILDING Probe Height (m): 4.0 Surrogate?:

Sample Residence Time:

MSA: Not in a MSA

City: Not in a city

UAR: NOT IN AN URBAN AREA Dominant Source: POINT Location Setting: RURAL

Horizontal Distance (m): Vertical Distance (m): Unrestricted Air FLow?: Y

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20031028	ANALYZING	North Dakota State Department Of Health	20031028
	REPORTING	North Dakota State Department Of Health	20031028
	COLLECTING	North Dakota State Department Of Health	20031028
		MONITOR TYPE INFORMATION	
Monitor Type	Begin Date	End Date Action Type	Action Reason
SLAMS	20031028		
		REGULATION INFORMATION	

Regulation	Met?	Date Met
Quality Assurance Criteria Met	Y	20031028
Reference Method Used	Y	20031028
Siting Criteria Met	Y	20031028

TANGENT ROAD INFORMATION Traff Traff Street Name Type Road Dist. to Road (m) 90TH STREET NW LOCAL ST OR HY 10 2002 8290 ND HIGHWAY 8 THRU ST OR HY 100 2002 1120 NDHIGHWAY 8 THRU ST OR HY 100 2002 840 COUNTY ROAD 11 LOCAL ST OR HY 10 2002 13800

MONITORING OBJECTIVES

MSA Name CMSA Name Monitor Objective Type UAR Name

REGIONAL TRANSPORT NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

City: Fargo

May. 18, 2007

End Date

30

North Dakota

Monitor ID: 38-017-1004-88501-3 Parameter Measured: PM-Fine Date of Latest Collection: Last Updated: 20070331 20070430

Surrogate?:

Owner: North Dakota

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW

County: Cass

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location: TOP OF BUILDING

Probe Height (m): 4.0

Sample Residence Time:

MSA: Fargo-Moorhead, ND-MN

UAR: FARGO-MOORHEAD, ND-MN

Dominant Source: POINT

Location Setting: SUBURBAN

Horizontal Distance (m):

Vertical Distance (m): Unrestricted Air FLow?:

DATES OF OPERATION AGENCY ROLES

Begin Date End Date Begin Date Agency Role Agency Name 20000608 ANALYZING North Dakota State Department Of Health 20000608 COLLECTING North Dakota State Department Of Health 20000608 REPORTING North Dakota State Department Of Health 20000608

MONITOR TYPE INFORMATION

Begin Date End Date Action Reason Monitor Type Action Type

SLAMS 20000608

REGULATION INFORMATION

Regulation Met? Date Met 20000608 Quality Assurance Criteria Met Υ

Reference Method Used Υ 20000601 Siting Criteria Met 20000601

TANGENT ROAD INFORMATION Traff Traff Count

Street Name Type Road Dist. to Road (m) 19TH AVE N. THRU ST OR HY 550 1989 1600 INTERSTATE 94 ARTERIAL 8790 1989 350

COUNTY 20 THRU ST OR HY 975 1989

POLLUTANT AREA INFORMATION

Applicable NAAQS Ind Community Schedule Spatial Monitoring Zone Average Ind Exemption Worst Site Type

Pollutant Area Name ND UNCLASSIFIED NOT

SPECIFIED

Classified as having the highest PM-10 concentration and is expected to monitor at recommended

sampling frequency.

MONITORING OBJECTIVES

MSA Name Monitor Objective Type CMSA Name UAR Name

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN SOURCE ORIENTED FARGO-MOORHEAD, ND-MN

#### MONITOR DESCRIPTION REPORT

City: Fargo

May. 18, 2007

PM10

North Dakota

Monitor ID: 38-017-1004-81102-3 Parameter Measured:

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

SLAMS

Street Address: 4266 40TH AVE NORTH

Site Name: FARGO NW MSA: Fargo-Moorhead, ND-MN

County: Cass UAR: FARGO-MOORHEAD, ND-MN Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: POINT

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m):

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION			AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name		Begin Date End Date
20040628	ANALYZING	North Dakota State	Department Of Health	20040628
	COLLECTING	North Dakota State	Department Of Health	20040628
	REPORTING	North Dakota State	Department Of Health	20040628
		MONITOR TYPE	INFORMATION	
Monitor Type	Begin Date	End Date	Action Type	Action Reason

REGULATION INFORMATION

20040628

Regulation Met? Date Met Quality Assurance Criteria Met Υ 20040628 Reference Method Used Υ 20040628

Siting Criteria Met Υ 20040628

POLLUTANT AREA INFORMATION

Community Spatial Schedule Applicable Monitoring Zone Average Ind Exemption NAAQS Ind

Pollutant Area Name Worst Site Type

ND UNCLASSIFIED NOT Classified as

SPECIFIED having the highest PM-10 concentration and is expected to

monitor at recommended sampling frequency.

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE FARGO-MOORHEAD, ND-MN

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-053-0002-81102-3 Parameter Measured: PM10 Date of Latest Collection: 20070331 Last Updated: 20070430

City: Not in a city

Owner: North Dakota

Street Address: 229 SERVICE RD., WATFORD CITY

Site Name: TRNP-NU MSA: Not in a MSA

County: McKenzie UAR: NOT IN AN URBAN AREA Project Type: BACKGROUND SURVEILLANCE Dominant Source: POINT Meas. Scale: REGIONAL SCALE Location Setting: RURAL

Probe Location: TOP OF BUILDING Horizontal Distance (m):

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION AGENCY ROLES Begin Date End Date Begin Date End Date Agency Role Agency Name 20040616 COLLECTING North Dakota State Department Of Health 20040616 REPORTING North Dakota State Department Of Health 20040616 MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason SLAMS 20040616

REGULATION INFORMATION

Regulation Met? Date Met Quality Assurance Criteria Met Y 20040616 Reference Method Used 20040616 Υ Siting Criteria Met Υ 20040616

POLLUTANT AREA INFORMATION

Community Spatial Schedule Applicable Monitoring Zone Average Ind Exemption NAAQS Ind Pollutant Area Name Worst Site Type

ND UNCLASSIFIED NOT Classified as

SPECIFIED having the highest PM-10 concentration

and is expected to monitor at recommended sampling frequency.

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

GENERAL/BACKGROUND NOT IN AN URBAN AREA REGIONAL TRANSPORT NOT IN AN URBAN AREA

#### MONITOR DESCRIPTION REPORT

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-81102-3 Parameter Measured: PM10 Date of Latest Collection: 20070331 Last Updated: 20070430

City: Bismarck Owner: North Dakota

County: Burleigh

20051001

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL

Project Type: POPULATION-ORIENTED SURVEILLANCE

Meas. Scale: URBAN SCALE

Probe Location:

Probe Height (m): 4.0 Sample Residence Time:

TOP OF BUILDING

Surrogate?:

Horizontal Distance (m): Vertical Distance (m):

Dominant Source: AREA

MSA: Bismarck,ND

UAR: BISMARCK, ND

Location Setting:

Unrestricted Air FLow?:

SUBURBAN

DATES OF OPERATION AGENCY ROLES Begin Date End Date Begin Date Agency Role Agency Name

> REPORTING North Dakota State Department Of Health COLLECTING North Dakota State Department Of Health

> > MONITOR TYPE INFORMATION

End Date

20051001

20051001

Monitor Type Begin Date Action Type Action Reason

SLAMS 20051001

REGULATION INFORMATION

Regulation Met? Date Met Υ Quality Assurance Criteria Met 20051001 Reference Method Used 20051001 Υ

Siting Criteria Met Υ 20051001

POLLUTANT AREA INFORMATION

Pollutant Area Name Worst Site Type

ND UNCLASSIFIED NOT

SPECIFIED

Classified as having the highest PM-10 concentration and is expected to monitor at recommended sampling frequency.

Community Spatial Monitoring Zone Average Ind

Schedule Exemption Applicable NAAQS Ind

End Date

MONITORING OBJECTIVES

MSA Name Monitor Objective Type UAR Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

#### MONITOR DESCRIPTION REPORT

City: Bismarck

May. 18, 2007

North Dakota

Monitor ID: 38-015-0003-42602-1 Parameter Measured: Nitrogen Dioxide

Date of Latest Collection: 20070331 Last Updated: 20070430

Owner: North Dakota

Street Address: 1810 N 16TH STREET

Site Name: BISMARCK RESIDENTIAL MSA: Bismarck,ND County: Burleigh UAR: BISMARCK, ND

Project Type: POPULATION-ORIENTED SURVEILLANCE Dominant Source: MOBILE

Meas. Scale: URBAN SCALE Location Setting: SUBURBAN

Probe Location: TOP OF BUILDING Horizontal Distance (m): 0.0

Probe Height (m): 4.0 Surrogate?: Vertical Distance (m): 1.0

Sample Residence Time: Unrestricted Air FLow?:

DATES OF OPERATION		AGENCY ROLES	
Begin Date End Date	Agency Role	Agency Name	Begin Date End Date
20051003	COLLECTING	North Dakota State Department Of Health	20051003
	REPORTING	North Dakota State Department Of Health	20051003
		MONITOR TYPE INFORMATION	
L		- 1	

MONITOR TYPE INFORMATION

Monitor Type Begin Date End Date Action Type Action Reason

SLAMS 20051003

REGULATION INFORMATION

Regulation Met? Date Met
Quality Assurance Criteria Met Y 20051003
Reference Method Used Y 20051003
Siting Criteria Met Y 20051003

MONITORING OBJECTIVES

Monitor Objective Type UAR Name MSA Name CMSA Name

POPULATION EXPOSURE BISMARCK, ND

Appendix D

**Public Comments**