

Fecal Coliform Bacteria TMDL for Cottonwood Creek in LaMoure and Logan Counties, North Dakota

Final: September 2010

Prepared for:

US EPA Region 8
1595 Wynkoop Street
Denver, CO 80202-1129

Prepared by:

Jim Collins Jr.
Environmental Scientist
ND Department of Health
Division of Water Quality
Gold Seal Center, 4th Floor
918 East Divide Avenue
Bismarck, ND 58501-1947



**North Dakota Department of Health
Division of Water Quality**

Fecal Coliform Bacteria TMDL for Cottonwood Creek in LaMoure and Logan Counties, North Dakota

John Hoeven, Governor
Terry Dwelle, M.D., State Health Officer



North Dakota Department of Health
Division of Water Quality
Gold Seal Center, 4th Floor
918 East Divide Avenue
Bismarck, ND 58501-1947

701.328.5210

TABLE OF CONTENTS

Contents	iii
List of Tables	iv
List of Figures	iv
Appendices	iv
1.0 INTRODUCTION AND DESCRIPTION OF THE WATERSHED	1
1.1 Clean Water Act Section 303(d) Listing Information	2
1.2 Topography	3
1.3 Land Use/Land Cover	4
1.4 Climate and Precipitation	4
1.5 Available Data	5
1.5.1 Fecal Coliform Bacteria Data	5
1.5.2 Hydraulic Discharges	7
2.0 WATER QUALITY STANDARDS	7
2.1 Narrative Water Quality Standards	7
2.2 Numeric Water Quality Standards	7
3.0 TMDL TARGET	8
3.1 Cottonwood Creek Fecal Coliform Bacteria TMDL Target	8
4.0 SIGNIFICANT SOURCES	9
4.1 Point Source Pollution Sources	9
4.2 Nonpoint Source Pollution Sources	9
5.0 TECHNICAL ANALYSIS	9
5.1 Mean Daily Stream Flows	10
5.2 Flow Duration Curve Analysis	10
5.3 Load Duration Curve Analysis	11
5.4 Loading Sources	12
6.0 MARGIN OF SAFETY AND SEASONALITY	13
6.1 Margin of Safety	13
6.2 Seasonality	14
7.0 TMDL	14
8.0 ALLOCATION	15
8.1 Livestock Management Recommendations	16
9.0 PUBLIC PARTICIPATION	17
10.0 MONITORING STRATEGY	17
11.0 RESTORATION STRATEGY	17
12.0 REFERENCES	18

List of Tables

1. General Characteristics of Cottonwood Creek and the Cottonwood Creek Watershed	1
2. Section 303(d) TMDL Listing Information for Assessment Unit ND-10160003-003-S_00	2
3. Dominant Crop Types in the Cottonwood Creek Watershed in 1997 and 2007	4
4. Summary of Fecal Coliform Bacteria Data for Site 380276 (1995-2009)	6
5. North Dakota Fecal Coliform and E. coli Bacteria Standards for Class III Streams	8
6. Nonpoint Sources of Pollution and Their Potential to Pollute at a Given Flow Regime	13
7. TMDL Summary for Cottonwood Creek	14
8. Fecal Coliform Bacteria TMDL (10^7 CFU/Day) for the Cottonwood Creek Waterbody ND-10160003-003-S_00 as Represented by Site 380276	15
9. Management Practices and Flow Regimes Affected by the Implementation of BMPs.	15

List of Figures

1. General Location of the Cottonwood Creek Watershed in North Dakota	1
2. Section 303(d) Listed Segment ND-10160003-003-S_00	2
3. Level III Ecoregions in the Cottonwood Creek Watershed	4
4. Average Monthly Precipitation at LaMoure, North Dakota	5
5. Location of Sampling Site 380276 in the Cottonwood Creek Watershed	6
6. Flow Duration Curve for Cottonwood Creek Site 380276 (above Lake LaMoure)	11
7. Load Duration Curve for Cottonwood Creek Site 380276 (above Lake LaMoure)	12

APPENDICES

- A Fecal Coliform Bacteria Data Collected at Site 380276
- B Stream Discharge Measurements for Site 380276
- C Flow Duration Curves for Site 380276
- D Estimated Loads, TMDL Targets, Percentage of Reduction Required and Load Duration Curve for Site 380276
- E US EPA Region 8 Public Notice Review and Comments
- F NDDoH's Response to Comments Received from US EPA Region 8

1.0 INTRODUCTION AND DESCRIPTION OF THE WATERSHED

Cottonwood Creek and its watershed are located within the Upper James River watershed and is a tributary of the James River. The watershed extends from LaMoure in LaMoure County to Fredonia in Logan County, North Dakota. The contributing watershed is approximately 648 square kilometers (km²) or 160,009 acres in size and the noncontributing subwatersheds are approximately 65,837 acres in size. Table 1 summarizes the geographical, hydrological and physical characteristics, while Figures 1 and 2 shows the location of Cottonwood Creek and the Cottonwood Creek watershed.

Table 1. General Characteristics of Cottonwood Creek and the Cottonwood Creek Watershed.

Legal Name	Cottonwood Creek
Stream Classification	Class III
Major Drainage Basin	James River - Missouri River
Nearest Municipalities	Lamoure, Edgeley, Jud
Assessment Unit IDs	ND 10160003-003-S_00
Counties	Lamoure and Logan
Eco-Region	Drift Plains(46i) and Missouri Coteau (42a) level IV ecoregions and Northern & Northwestern Glaciated Plains level III ecoregions
Contributing Watershed Area	160,009 acres
River Miles	67.67 miles
Tributaries	Unnamed Tributaries
Outlet	Lake LaMoure, James River




Figure 1. General Location of the Cottonwood Creek Watershed in North Dakota.

1.1 Clean Water Act Section 303(d) Listing Information

As part of the 2010 Clean Water Act Section 303(d) Total Maximum Daily Load (TMDL) listing process, the North Dakota Department of Health (NDDoH) has identified Cottonwood Creek within the Cottonwood Creek watershed as impaired (Table 2). The NDDoH assessed this waterbody as not supporting for the beneficial use of recreation. This assessment is based on fecal coliform bacteria data collected from 1995-2009.

Table 2. Section 303(d) TMDL Listing Information for Assessment Unit ND-10160003-003-S_00.

Assessment Unit ID	ND 10160003-003-S_00
Waterbody Description	Cottonwood Creek, downstream to Lake LaMoure.
Size	67.67 miles
Designated Uses Impaired	Recreation
Use Support	Fully supporting, but threatened
Impairment	Fecal Coliform Bacteria
TMDL Priority	High




Figure 2. Section 303(d) Listed Segment ND-10160003-003-S_00

1.2 Topography

Approximately 67 percent of the watershed lies within the Drift Plains level IV ecoregion (46i) of the Northern Glaciated Plains level III ecoregion (46), while 33 percent of the watershed, the headwaters, lies within the Missouri Coteau level IV ecoregion (42a) of the Northwestern Glaciated Plains level III ecoregion (42) (Figure 3).

The Northern Glaciated Plains ecoregion is characterized by a flat to gently rolling landscape composed of glacial drift. The subhumid conditions foster a grassland transitional between the tall and shortgrass prairie. High concentrations of temporary and seasonal wetlands create favorable conditions for duck nesting and migration. Though the till soil is very fertile, agricultural success is subject to annual climatic fluctuations. On the Drift Plains, the retreating Wisconsin glaciers left a subtle undulating topography and a thick mantle of glacial till. A greater proportion of temporary and seasonal wetlands are found on the drift plains than in the coteau areas, where semipermanent wetlands are numerous. Because of the productive soil and level topography, this ecoregion is almost entirely cultivated, with many wetlands drained or simply tilled and planted. However, valuable waterfowl habitat still remains, concentrated in state and federally sponsored duck production areas. The historic grassland on the Drift Plains was a transitional mix of tallgrass and shortgrass prairie. The prairie grasses have been largely replaced by fields of spring wheat, barley, sunflowers, and alfalfa (USGS, 2006).

The Northwestern Glaciated Plains ecoregion marks the westernmost extent of continental glaciation. The morainal landscape has significant surface irregularity and high concentrations of wetlands. The rise in elevation along the eastern boundary defines the beginning of the Great Plains. Land use is transitional between the intensive dryland farming on Ecoregion 46i to the east and the predominance of cattle ranching and farming to the west on the Northwestern Great Plains (43). The rolling hummocks of the Missouri Coteau enclose countless wetland depressions or potholes. During its slow retreat, the Wisconsin glacier stalled on the Missouri escarpment for thousands of years, melting slowly beneath a mantle of sediment to create the characteristic pothole topography of the Coteau. The wetlands of the Missouri Coteau and the neighboring prairie pothole regions are the major waterfowl production areas in North America. Land use on the coteau is a mixture of tilled agriculture in flatter areas and grazing land on steeper slopes (USGS, 2006).

The dominant soil association in the Cottonwood Creek watershed is Svea-Barnes loams (Sw) (44 percent) followed by Barnes-Svea (BnB) (31 percent), Barnes-Gardena-Eckman loams (BgA) (12 percent), Renshaw loam (ReA) (5 percent), and LaPrairie-LaMoure (Lm) (3 percent).

The Svea series consists of very deep, well or moderately well drained soils that formed in calcareous till and local alluvium from the till. These soils are on concave positions on till plains and have slopes ranging from 0 to 25 percent (NRCS, 1999). The Barnes series consists of very deep, well drained, moderately or moderately slowly permeable soils that formed in loamy till. These soils are on till plains and moraines and have slopes ranging from 0 to 25 percent. The Renshaw series consists of very deep, somewhat excessively drained soils formed in loamy sediments and the underlying sand and gravel on outwash plains and terraces. Permeability is moderate in the upper part and very rapid in the underlying material. Slopes range from 0 to 25 percent. The La Prairie-LaMoure series are silty loam soils to silty clay loam soils. Typically, these soils inundated and found on flood plains. (NRCS 1999)




Figure 3. Level III Ecoregions in the Cottonwood Creek Watershed

1.3 Land Use/Land Cover

The dominant land use in the Cottonwood Creek watershed is row crop agriculture. According to the 2007 National Agricultural Statistical Service land survey data (NASS, 2007), approximately 57.6 percent of the watershed is cropland, 27.8 percent in grassland/pasture/shrub/forest, and 14.5 percent is in wetlands/open water. Less than 1 percent is developed space.


Cropland data from NASS for the years of 1997 and 2007 shows significant changes in cropping practices (Table 3). These changes are partially dictated by the changes in commodity markets and conservation programs. The NASS data from 1997 indicated that the Cottonwood Creek watershed was dominated by sunflower and spring wheat/winter wheat. In 2007, due to increased market prices, soybean acres were the most dominant with corn becoming the second most dominant crop.

1.4 Climate and Precipitation

The climate of the region varies significantly depending on the season. Precipitation data for the climate station near LaMoure, ND (324937) from the period of 1948 through 2009 were obtained from the High Plains Regional Climate Center (HPRCC). Precipitation occurs mainly in the form of rainfall with the majority occurring during the months of April through October (Figure 4).

Table 3. Dominant Crop Types in the Cottonwood Creek Watershed in 1997 and 2007 (NASS, 1997 and NASS, 2007).

Land Use/Land Cover	1997		2007	
	Acres	Percent	Acres	Percent
Corn	7,094	4.4	33,400	20.9
Soybean	9,243	5.8	40,970	25.6
Sunflower	14,963	9.3	216	0.1
Barley	7,708	4.8	267	0.2
Spring Wheat/Winter Wheat	43,308	27.1	11,721	7.3
Other Small Grains	7,833	4.9	29	<0.1
Dry Beans	5,561	3.5	325	0.2
Other Crops/Alfalfa	1,466	0.9	2,140	1.3
Fallow/Idle Cropland	20,427	12.8	2,987	2.0
Grassland/Pasture/Non-Ag	34,506	21.6	44,481	27.8
Urban/Developed	1,901	1.2	239	0.1
Wetlands/Open Water	5,999	3.7	23,234	14.5
Total	160,009	100.0	160,009	100.0

**Figure 4. Average Monthly Precipitation at LaMoure, North Dakota.**

1.5 Available Data

1.5.1 Fecal Coliform Bacteria Data

Fecal coliform bacteria samples (Appendix A) and stream discharge data (Appendix B) used for

this report were collected at one location, site 380276, as part of the pre-project assessment (1995-1996) and throughout the implementation of a Section 319 Nonpoint Source Pollution reduction project (1997-2009) (Figure 5). While the state of North Dakota has an *E. coli* bacteria standard (see Section 2.0), no *E. coli* data are available for the TMDL listed reach.

Table 4 provides a summary of monthly fecal coliform geometric mean concentrations, the percentage of samples exceeding 400 CFU/100mL for each month and the recreational use assessment by month. The geometric mean fecal coliform bacteria concentration and the percent of samples over 400 CFU/100ml was calculated for each month (May-September) using those samples collected during each month in 1995-2009. Based on the data collected, site 380276 would be classified as fully supporting, but threatened for recreational uses.




Figure 5. Location of Sampling Site 380276 in the Cottonwood Creek Watershed.

Table 4. Summary of Fecal Coliform Data for Site 380276 (1995-2009).

Month	N	Geometric Mean Concentration (CFU/100mL)	Percentage of Samples Exceeding 400 CFU/100mL	Recreational Use Assessment
May	69	60	10%	Fully Supporting but Threatened
June	55	193	35%	Fully Supporting but Threatened
July	42	170	38%	Fully Supporting but Threatened
August	20	84	25%	Fully Supporting but Threatened
September	11	183	27%	Fully Supporting but Threatened

1.5.2 Hydraulic Discharges

Based on stream flow and stage measurements collected by the Lamoure County Soil Conservation District from 1995 – 2009 at site 380276, a discharge record was constructed for the listed segment (Appendix B).

2.0 WATER QUALITY STANDARDS

The Clean Water Act requires that Total Maximum Daily Loads (TMDLs) be developed for waters on a state's Section 303(d) list. A TMDL is defined as “the sum of the individual wasteload allocations for point sources and load allocations for nonpoint sources and natural background” such that the capacity of the waterbody to assimilate pollutant loadings is not exceeded. The purpose of a TMDL is to identify the pollutant load reductions or other actions that should be taken so that impaired waters will be able to attain water quality standards. TMDLs are required to be developed with seasonal variations and must include a margin of safety that addresses the uncertainty in the analysis. Separate TMDLs are required to address each pollutant or cause of impairment (i.e., nutrients, fecal coliform bacteria).

2.1 Narrative Water Quality Standards

The North Dakota Department of Health has set narrative water quality standards that apply to all surface waters in the State. The narrative general water quality standards are listed below (NDDoH, 2008).

All waters of the State shall be free from substances attributable to municipal, industrial, or other discharges or agricultural practices in concentrations or combinations that are toxic or harmful to humans, animals, plants, or resident aquatic biota.

No discharge of pollutants, which alone or in combination with other substances, shall:

- 1) Cause a public health hazard or injury to environmental resources;
- 2) Impair existing or reasonable beneficial uses of the receiving waters; or
- 3) Directly or indirectly cause concentrations of pollutants to exceed applicable standards of the receiving waters.

In addition to the narrative standards, the NDDoH has set a biological goal for all surface waters in the State. The goal states that “the biological condition of surface waters shall be similar to that of sites or waterbodies determined by the department to be regional reference sites” (NDDoH, 2008).

2.2 Numeric Water Quality Standards

Cottonwood Creek is a Class III stream which carries the following definition:

Class III - The quality of the waters in this class shall be suitable for agricultural and industrial uses. Streams in this class generally have low average flows with prolonged periods of no flow. During periods of no flow, they are of limited value for recreation and fish and aquatic biota. The quality of these waters must be maintained to protect secondary contact recreation uses (e.g., wading), fish and aquatic biota, and wildlife uses.

Numeric criteria have been developed for Class III streams for both fecal coliform and E. coli

bacteria (Table 5). Both bacteria standards applies only during the recreation season, May 1 to September 30.

Table 5. North Dakota Fecal Coliform and E. coli Bacteria Standards for Class III Streams.

Parameter	Water Quality Standard	
	Geometric Mean ¹	Maximum ²
Fecal Coliform Bacteria	200 CFU/100 mL	400 CFU/100 mL
E. coli Bacteria	126 CFU/100 mL	409 CFU/100 mL

¹ Expressed as a geometric mean of representative samples collected during any consecutive 30-day period.

² No more than 10 percent of samples collected during any consecutive 30-day period shall individually exceed the standard.

3.0 TMDL TARGET

A TMDL target is the value that is measured to judge the success of the TMDL effort. TMDL targets must be based on state water quality standards, but can also include site-specific values when no numeric criteria are specified in the standard. The following TMDL target for Cottonwood Creek is based on the North Dakota water quality standard for fecal coliform bacteria.

3.1 Cottonwood Creek Fecal Coliform Bacteria TMDL Targets

Cottonwood Creek and its tributaries are fully supporting, but threatened for recreational beneficial uses because of fecal coliform bacteria counts exceeding the North Dakota water quality standard. The North Dakota water quality standard for fecal coliform bacteria is a 30-day geometric mean of 200 CFU/100 mL during the recreation season which is from May 1 to September 30. In addition, no more than 10 percent of the samples collected within the 30-day period may exceed 400 CFU/100 mL. Therefore, the TMDL target for this report is the fecal coliform bacteria standard expressed as the 30-day geometric mean of 200 CFU/100 mL. While the standard is intended to be expressed as the 30-day geometric mean, the target is expressed based on the 200 CFU/mL geometric mean standard. Expressing the target in this way will ensure the TMDL will result in both components of the standard being met and recreational uses are restored.

Currently, the state of North Dakota has both a fecal coliform bacteria standard and an E. coli bacteria standard. During the current triennial water quality standards review period, the Department will be eliminating the fecal coliform bacteria standard and will only have the E. coli standard for bacteria. This standards change is recommended by the US EPA as E. coli is believe to be a better indicator of recreational use risk (i.e., incidence of gastrointestinal disease). During this transition period to an E. coli only bacteria standard, the fecal coliform bacteria target for this TMDL and the resulting load allocation is believe to be protective of the E. coli standard as well. This conclusion is based on the assumption that the ratio of E. coli to fecal coliform in the environment is equal to or less that the ratio of the E. coli bacteria standard to the fecal coliform bacteria standard, which is 63% (126:200). If the ratio of E. coli to fecal coliform in the environment is greater than 63%, then it is unlikely that the current TMDL will result in attainment of the E. coli standard. The department will assess attainment of the E. coli standard through additional monitoring consistent with the state's water quality standards and beneficial

use assessment methodology.

4.0 SIGNIFICANT SOURCES

4.1 Point Source Pollution Sources

Within the Cottonwood Creek watershed, there are no permitted municipal wastewater treatment facilities. Berlin is the only municipality located in the watershed and residents utilize septic systems.

There are 10 (seven medium and three large) permitted Concentrated Animal Feeding Operations/Animal Feeding Operations (CAFOs/AFOs) in the watershed. However, they are zero discharge facilities and are not deemed a significant point source of fecal coliform bacteria loadings to Cottonwood Creek.

4.2 Nonpoint Source Pollution Sources

The data collected during the Lake LaMoure water quality assessment (NDDoH, 2004) and subsequent Cottonwood Creek watershed implementation project indicate that the primary nonpoint sources for fecal coliform bacteria in the Cottonwood Creek watershed are as follows:

- Runoff of manure from cropland and pastureland;
- Runoff of manure from unpermitted animal feeding areas;
- Direct deposit of manure into Cottonwood Creek by grazing livestock; and
- Background levels associated with wildlife.

Animal feeding areas within the Cottonwood Creek watershed were identified as part of data collection effort for the Lake LaMoure water quality assessment project (1995). The identified animal feeding areas contained almost exclusively beef or dairy cattle.

Septic system failure might contribute to the fecal coliform bacteria in the water quality samples. Failures can occur for several reasons, although the most common reason is improper maintenance (e.g. age, inadequate pumping). Other reasons for failure include improper installation, location, and choice of system. Harmful household chemicals can also cause failure by killing the bacteria that digest the waste. While the number of systems that are not functioning properly is unknown, it is estimated that 28 percent of the systems in North Dakota are failing (USEPA, 2002).

5.0 TECHNICAL ANALYSIS

In TMDL development, the goal is to define the linkage between the water quality target and the identified source or sources of the pollutant (i.e. fecal coliform bacteria) to determine the load reduction needed to meet the target. To determine the cause-and-effect relationship between the water quality target and the identified source, the “load duration curve” methodology was used. The loading capacity or TMDL is the amount of pollutant (e.g. fecal coliform bacteria) a waterbody can receive and still meet and maintain water quality standards and beneficial uses. The following technical analysis addresses the fecal coliform load allocation and the load allocation reductions necessary to achieve the water quality standards target for fecal coliform bacteria of 200 CFU/100 mL plus a margin of safety.

4.5.1 Mean Daily Stream Flows

Mean daily flows for the period December 31, 1994 through December 31, 2009 used in the development of the flow duration curves and load duration curves for site 380276 (above Lake LaMoure), were developed from stage and flow measurements taken by the LaMoure County Soil Conservation District (Appendix B).

In south-central North Dakota, rain events are variable, occurring during the months of April through October. Rain events can be sporadic and heavy or light, occurring over a short duration or over several days. Precipitation events of large magnitude, occurring at a faster rate than absorption, contribute to high runoff events. These events are represented by runoff in the high flow regime. The moist condition and dry condition flow regimes are represented by runoff that contributes to the stream over a longer duration. The low flow regime is characteristic of drought or precipitation events of small magnitude and do not contribute to runoff.

5.2 Flow Duration Curve Analysis

The flow duration curve serves as the foundation for the load duration curve used in the TMDL. Flow duration curve analysis looks at the cumulative frequency of historic flow data over a specified time period. A flow duration curve relates flow (expressed as mean daily discharge) to the percent of time those mean daily flow values have been met or exceeded. The use of “*percent of time exceeded*” (i.e., duration) provides a uniform scale ranging from 0 to 100 percent, thus accounting for the full range of stream flows for the period of record. Low flows are exceeded most of the time, while flood flows are exceeded infrequently (USEPA, 2007).

A basic flow duration curve runs from high to low (0 to 100 percent) along the x-axis with the corresponding flow value on the y-axis (Figure 6). Using this approach, flow duration intervals are expressed as a percentage, with zero corresponding to the highest flows in the record (i.e., flood conditions) and 100 to the lowest flows in the record (i.e., drought). Therefore, as depicted in Figure 6, a flow duration interval of forty-three (43) percent, associated with a stream flow of 7.4 cfs, implies that 43 percent of all observed mean daily discharge values equal or exceed 7.4 cfs.

Once the flow duration curve is developed for the stream site, flow duration intervals can be defined which can be used as a general indicator of hydrologic condition (i.e., wet vs dry conditions and to what degree). These intervals (or zones) provide additional insight about conditions and patterns associated with the impairment (fecal coliform bacteria in this case) (USEPA, 2007). As depicted in Figure 6, the flow duration curve was divided into four zones, one representing high flows (0-5 percent), another for moist condition flows (5-43 percent), one for dry condition flows (43-62 percent), and one for low flows (62-94 percent). Based on the flow duration curve analysis, no flow occurred six percent of the time (94-100 percent). These flow intervals were defined by examining the range of flows for the site for the period of record and then by looking for natural breaks in the flow record based on the flow duration curve plot (Figure 6). A secondary factor in determining the flow intervals used in the analysis is the number of fecal coliform bacteria observations available for each flow interval. For purposes of this TMDL the high flow regime was defined as flows that exceeded 105 cfs, moist condition regime were between 6.2-105 cfs, dry condition flows were 0.3-6.2 cfs, and low flows were defined as those between 0 and 0.3 cfs. Based on the flow duration curve analysis, no flow occurred 6 percent of the time at site 380276.




Figure 6. Flow Duration Curve for Cottonwood Creek Site 380276 (above Lake LaMoure).

5.3 Load Duration Curve Analysis

An important factor in determining NPS pollution loads is variability in stream flows and loads associated with high and moderate to low flow. To better correlate the relationship between the pollutant of concern and hydrology of the Section 303(d) TMDL listed segment, a load duration curve was developed for Cottonwood Creek. The load duration curve was derived using the state water quality standard of 200 CFU/100 mL and the flows generated as described in Section 5.1 and 5.2.

Observed in-stream total fecal coliform bacteria concentrations from monitoring site 380276 from 1995-2009 (Appendix A) were converted to pollutant loads by multiplying total fecal coliform bacteria concentrations by the mean daily flow and a conversion factor. These loads are plotted against the percent exceeded of the flow on the day of sample collection (Figure 7). Points plotted above the 200 CFU/100 mL target curve exceed the TMDL target. Points plotted below the curve are meeting the water quality target of 200 CFU/100 mL.

For each flow interval or zone, a regression relationship was developed between the samples which occur above the TMDL target (200 CFU/100 mL) curve and the corresponding percent exceeded flow. The load duration curve for site 380276 depicting the regression relationship for each flow interval is provided in Figure 7.

The regression line for each flow interval was then used with the midpoint of the percent exceeded flow for that interval to calculate the existing total fecal coliform bacteria load for that flow interval. For example, in the example provided in Figure 7, the regression relationship between observed fecal coliform bacteria loading and percent exceeded flow for the high flow

interval (0-5 percent) is:

Fecal coliform load (expressed as 10^7 CFUs/day) = antilog (Intercept + (Slope*Percent Exceeded Flow))

Where the midpoint of the high flow interval from 0 to 5 percent is 2.51 percent, the existing fecal coliform load is:

$$\begin{aligned}\text{Fecal coliform load (}10^7\text{ CFUs/day)} &= \text{antilog (}5.80 + (-15.31 * 0.0251)) \\ &= 258,883 \times 10^7 \text{ CFUs/day}\end{aligned}$$

The midpoint for the high flow interval is also used to estimate the TMDL target load. In the case of the previous example, the TMDL target load for the midpoint or 2.51 percent exceeded flow derived from the 200 CFU/100 mL TMDL target curve is $86,219 \times 10^7$ CFU/day (Figure 7).




Figure 7. Load Duration Curve for Cottonwood Creek Site 382076 (above Lake LaMoure).

5.4 Loading Sources

The load reductions needed for the Cottonwood Creek fecal coliform bacteria TMDL can be generally allotted to nonpoint sources. Based on the data available, the general focus of BMPs and load reductions for the listed segments should be on unpermitted animal feeding areas and critical pasture areas adjacent to or in close proximity to Cottonwood Creek.

Significant sources of fecal coliform bacteria loading were defined as nonpoint source pollution originating from livestock. One of the more important concerns regarding nonpoint sources is variability in stream flows. Variable stream flows often cause different source areas and loading mechanisms to dominate (Cleland, 2003). TMDLs were developed for four flow regimes (i.e.,

high, moist conditions, dry conditions, and low) for Cottonwood Creek.

By relating runoff characteristics to each flow regime one can infer which sources are most likely to contribute to fecal coliform bacteria loading. Animals grazing in the riparian area contribute fecal coliform bacteria by depositing manure where it has an immediate impact on water quality. Due to the close proximity of manure to the stream or by direct deposition in the stream, riparian grazing impacts water quality at high, moist and dry condition, and low flows (Table 6). In contrast, intensive grazing of livestock in the upland and not in the riparian area has a high potential to impact water quality at high flows and medium impact at moist condition flows (Table 6). Exclusion of livestock from the riparian area eliminates the potential of direct manure deposit and, therefore, is considered to be of high importance at all flows. However, intensive grazing in the upland creates the potential for manure accumulation and availability for runoff at high flows and a high potential for fecal coliform bacteria contamination.

Table 6. Nonpoint Sources of Pollution and Their Potential to Pollute at a Given Flow Regime.

Nonpoint Sources	Flow Regime			
	High Flow	Moist Conditions	Dry Conditions	Low Flow
Riparian Area Grazing (Livestock)	H	H	H	H
Animal Feeding Operations	H	M	L	L
Manure Application to Crop and Range Land	H	M	L	L
Intensive Upland Grazing (Livestock)	H	M	L	L

Note: Potential importance of nonpoint source area to contribute fecal coliform bacteria loads under a given flow regime (H: High; M: Medium; L: Low).

6.0 MARGIN OF SAFETY AND SEASONALITY

6.1 Margin of Safety

Section 303(d) of the Clean Water Act and the U.S. Environmental Protection Agency's (EPA) regulations require that "TMDLs shall be established at levels necessary to attain and maintain the applicable narrative and numerical water quality standards with seasonal variations and a margin of safety which takes into account any lack of knowledge concerning the relationship between effluent limitations and water quality." The margin of safety (MOS) can be either incorporated into conservative assumptions used to develop the TMDL (implicit) or added as a separate component of the TMDL (explicit).

To account for the uncertainty associated with known sources and the load reductions necessary to reach the TMDL target of 200 CFU/100 mL, a 10 percent explicit margin of safety was used for this TMDL. The MOS was calculated as 10 percent of the TMDL. In other words 10 percent of the TMDL is set aside from the load allocation as a MOS. The 10 percent MOS was derived by taking the difference between the points on the load duration curve using the 200 CFU/100 mL standard and the curve using the 180 CFU/100 mL.

6.2 Seasonality

Section 303(d)(1)(C) of the Clean Water Act and associated regulations require that a TMDL be established with seasonal variations. The Cottonwood Creek TMDL addresses seasonality because the flow duration curve was developed using fourteen (14) years of flow data encompassing twelve months of the year. Additionally, the water quality standard is seasonally based on the recreation season from May 1 to September 30 and controls will be designed to reduce coliform loads during the seasons covered by the standard.

7.0 TMDL

Table 7 provides an outline of the critical elements for the Cottonwood Creek fecal coliform bacteria TMDL. The TMDL for Cottonwood Creek (waterbody ND-10160003-003-S_00) is presented in Table 8. The TMDL summary provides an estimate of the existing daily load, an estimate of the average daily loads necessary to meet water quality target (i.e. TMDL load). This TMDL load includes a load allocation from known nonpoint sources and a 10 percent margin of safety. It should be noted that the TMDL loads, load allocations, and the MOS are estimated based on available data and reasonable assumptions and are to be used as a guide for implementation. The actual reduction needed to meet the applicable water quality standards may be higher or lower depending on the results of future monitoring.

Table 7. TMDL Summary for Cottonwood Creek .

Category	Description	Explanation
Beneficial Use Impaired	Recreation	Contact Recreation (i.e. swimming, fishing)
Pollutant	Fecal Coliform Bacteria	See Section 2.1
TMDL Target	200 CFU/100 mL	Based on North Dakota water quality standards
WLA	Point Source Contributions	There are no contributing point sources in the watershed.
LA	Nonpoint Source Contributions	Loads are a result of nonpoint sources (i.e., rangeland, pasture land, etc.)
Margin of Safety (MOS)	Explicit	10 percent

The TMDL can be described by the following equation: $TMDL = LC = WLA + LA + MOS$ where:

- LC = loading capacity, or the greatest loading a waterbody can receive without violating water quality standards;
- WLA = wasteload allocation, or the portion of the TMDL allocated to existing or future point sources;
- LA = load allocation, or the portion of the TMDL allocated to existing or future nonpoint sources; and
- MOS = margin of safety, or an accounting of uncertainty about the relationship between pollutant loads and receiving water quality. The margin of safety can be provided implicitly through analytical assumptions or explicitly by reserving a portion of loading capacity.

Table 8. Fecal Coliform Bacteria TMDL (10^7 CFU/day) for the Cottonwood Creek Waterbody ND 10160003-003-S_00 as represented by Site 380276.

	Flow Regime			
	High Flow	Moist Conditions	Dry Conditions	Low Flow
Existing Load	258,883	28,699	2,492	271
TMDL	86,219	8,410	781	169
WLA	0	0	0	0
LA	77,597	7,569	703	152
MOS	8,622	841	78	17

8.0 ALLOCATION

There are no known point sources impacting the watershed. Therefore the entire total fecal coliform load for this TMDL was allocated to non-point sources in the watershed. The entire nonpoint source load is allocated as a single load because there is not enough detailed source data to allocate the load to individual uses (e.g., animal feeding, septic systems, riparian grazing, upland grazing). To achieve the TMDL targets identified in the report will require the wide spread support and voluntary participation of landowners and residents in the watershed. The TMDL described in this report is a plan to improve water quality by implementing best management practices through non-regulatory approaches. “Best management practices” (BMPs) are methods, measures, or practices that are determined to be a reasonable and cost effective means for a land owner to meet nonpoint source pollution control needs,” (USEPA, 2001).). This TMDL plan is put forth as a recommendation for what needs to be accomplished for Cottonwood Creek and associated watersheds to restore and maintain its recreational uses. Water quality monitoring should continue in order to measure BMP effectiveness and determine through adaptive management if loading allocation recommendations need to be adjusted.

Non-point source pollution is the sole contributor to elevated total fecal coliform bacteria levels in the Cottonwood Creek watershed. The fecal coliform samples and load duration curve analysis of the impaired reach identified the high, moist condition, dry condition and low flow regimes as the time of fecal coliform bacteria exceedences of the 200 CFU/100 mL target. To reduce NPS pollution for these flow regimes, specific BMPs are described in Section 8.1 that will mitigate the effects of total fecal coliform bacteria loading to the impaired reach.

Table 9. Management Practices and Flow Regimes Affected by the Implementation of BMPs.

Management Practice	Flow Regime and Expected Reduction		
	High Flow-70%	Moderate Flow-80%	Low Flow-74%
Livestock Exclusion From Riparian Area	X	X	X
Water Well and Tank Development	X	X	X
Prescribed Grazing	X	X	X
Waste Management System	X	X	
Vegetative Filter Strip		X	
Septic System Repair		X	X

Controlling nonpoint sources is a difficult undertaking requiring extensive financial and technical support. Provided that technical and financial assistance is available to stakeholders, these BMPs have the potential to significantly reduce fecal coliform loading to the Cottonwood Creek. The following describe in detail those BMPs that will reduce fecal coliform bacteria levels in the Cottonwood Creek.

8.1 Livestock Management Recommendations

Livestock management BMPs are designed to promote healthy water quality and riparian areas through management of livestock and associated grazing land. Fecal matter from livestock and erosion from poorly managed grazing land and riparian areas can be a significant source of loading to surface water. Precipitation, plant cover, number of animals, and soils are factors that affect the amount of bacteria delivered to a waterbody as a result of livestock. These specific BMPs are known to reduce NPS pollution from livestock.

Livestock exclusion from riparian areas - This practice is established to remove livestock from grazing riparian areas and watering in the stream. Livestock exclusion is accomplished through fencing. A reduction in stream bank erosion can be expected by minimizing or eliminating hoof trampling. A stable stream bank will support vegetation that will hold banks in place and serve a secondary function as a filter from nonpoint source runoff. Added vegetation will create aquatic habitat and shading for macroinvertebrates and fish. Direct deposit of fecal matter into the stream and stream banks will be eliminated as a result of livestock exclusion by fencing.

Water well and tank development - Fencing animals from stream access requires an alternative water source, installing water wells and tanks satisfies this need. Installing water tanks provides a quality water source and keeps animals from wading and defecating in streams. This will reduce the probability of pathogenic infections to livestock and the environment.

Prescribed grazing – This practice provides increased ground cover and ground stability by rotating livestock throughout multiple fields. Grazing with a specified rotation minimizes overgrazing and resulting erosion. The Natural Resources Conservation Service (NRCS) recommends grazing systems to improve and maintain water quality and quantity. Duration, intensity, frequency, and season of grazing can be managed to enhance vegetation cover and litter, resulting in reduced runoff, improved infiltration, increased quantity of soil water for plant growth, and better manure distribution and increased rate of decomposition, (NRCS, 1998).

In a study by Tiedemann et al. (1998), as presented by USEPA, (1993), the effects of four grazing strategies on bacteria levels in thirteen watersheds in Oregon were studied during the summer of 1984. Results of the study show that when livestock are managed at a stocking rate of 19 acres per animal unit month with water developments and fencing, bacteria levels were reduced significantly.

Waste management system - Waste management systems can be effective in controlling up to 90 percent of the loading originating from confined animal feeding areas. A waste management system is made up of various components designed to control NPS pollution from concentrated animal feeding operations (CAFOs) and animal feeding operations (AFOs). Diverting clean water around the feeding area and detaining dirty water from the feeding area in a pond are typical practices of a waste management system. Manure handling and application procedures are also integral to the waste management system. The application of manure is designed to be adaptive to environmental, soil, and plant conditions to minimize the probability of

contamination of surface water.

9.0 PUBLIC PARTICIPATION

To satisfy the public participation requirement of this TMDL, a hard copy of the TMDL for Cottonwood Creek and request for comment was mailed to participating agencies, partners, and to those requesting a copy. Those included in the hard copy mailing were:

- Logan County Soil Conservation District;
- LaMoure County Soil Conservation District;
- Logan County Water Resource Board;
- LaMoure County Water Resource Board;
- US EPA - Region VIII; and
- USDA-NRCS (State Office).

In addition to the mailed copies, the TMDL for Cottonwood Creek was posted on the North Dakota Department of Health, Division of Water Quality web site at http://www.ndhealth.gov/WQ/SW/Z2_TMDL/TMDLs_Under_PublicComment/B_Under_Public_Comment.htm. A 30 day public notice soliciting comment and participation was also published in the following newspapers:

- LaMoure Chronicle and
- Napoleon Homestead.

Comments were only received from US EPA Region 8, which were provided as part of their normal public notice review (Appendix E). The NDDoH's response to these comments are provided in Appendix F.

10.0 MONITORING STRATEGY

As stated previously, it should be noted that the TMDL loads, load allocations, and the MOS are estimated based on available data and reasonable assumptions and are to be used as a guide for implementation. The actual reduction needed to meet the applicable water quality standards may be higher or lower depending on the results of future monitoring.

To insure that the best management practices (BMPs) and technical assistance that were implemented as part of the Section 319 Cottonwood Creek Watershed Restoration Project are successful in reducing fecal coliform bacteria, as well as *E. coli* loadings, to levels necessary to meet water quality standards prescribed in this TMDL, water quality monitoring is being conducted in accordance with an approved Quality Assurance Project Plan (NDDoH 2003).

Specifically, monitoring has been conducted for all variables that are currently causing impairments to the beneficial uses of the waterbody. These include, but are not limited to fecal coliform and *E. coli* bacteria.

11.0 TMDL IMPLEMENTATION STRATEGY

In response to the Cottonwood Creek Watershed Assessment, local sponsors successfully applied for and received Section 319 funding for the Cottonwood Creek Watershed Restoration Project. Beginning in 1997, local sponsors provided technical assistance and implemented BMPs designed

to reduce fecal coliform bacteria loadings and to help restore the beneficial uses of the Cottonwood Creek (i.e., recreation). Water quality data continues to be collected to monitor and track the effects of BMP implementation as well as to judge overall success of the project in reducing fecal coliform bacteria loadings. A QAPP (NDDoH, 2003) was developed as part of this watershed restoration project that detailed the how, when and where monitoring will be conducted to gather the data needed to document success in meeting the TMDL implementation goal(s). As the data are gathered and analyzed, watershed restoration tasks were adapted, if necessary, to place BMPs where they will have the greatest benefit to water quality and in meeting the TMDL goal(s).

Also, as part of the implementation plan for this TMDL, it is recommended that the permitted point sources (i.e., seven medium and 3 large AFOs) in the watershed be inspected to ensure that they are being operated in compliance with their permit conditions, and to verify that they aren't significant fecal coliform bacteria sources. Currently, all permitted CAFOs (greater than or equal to 1000 animal units) are inspected annually by the NDDoH. Permitted small and medium AFOs (<1000 animal units) in the Cottonwood Creek watershed are inspected on an as needed basis.

12.0 REFERENCES

- Cleland. 2003. *TMDL development from the "Bottom Up" - Part III: Duration Curves and Wet-Weather Assessments*. America's Clean Water Foundation, Washington, DC.
- HPRCC, 2009. *LaMoure, North Dakota Weather Station*. High Plains Regional Climate Center. Available at <http://www.hprcc.unl.edu/wrcc/states/nd.html>
- NASS. 1997. *National Agricultural Statistics Service*. Available at [http://www.nass.usda.gov/Statistics by State/North Dakota/index.asp](http://www.nass.usda.gov/Statistics_by_State/North_Dakota/index.asp).
- NASS. 2007. *National Agricultural Statistics Service*. Available at [http://www.nass.usda.gov/Statistics by State/North Dakota/index.asp](http://www.nass.usda.gov/Statistics_by_State/North_Dakota/index.asp).
- NDDoH. 1997. *Cottonwood Creek Watershed Assessment Report*. North Dakota Department of Health, Division of Water Quality, Bismarck, North Dakota.
- NDDoH. 2003. *Quality Assurance Project Plan for the Cottonwood Creek Watershed Implementation Project*. North Dakota Department of Health, Division of Water Quality, Bismarck, North Dakota.
- NDDoH. 2006. *Standards of Water Quality for the State of North Dakota*. Chapter 33-16-02 of the North Dakota Century Code. North Dakota Department of Health, Division of Water Quality, Bismarck, North Dakota.
- NDDoH. 2010. *North Dakota 2008 Total Maximum Daily Load List*. North Dakota Department of Health, Division of Water Quality, Bismarck, North Dakota.
- NRCS. 1998. *Natural Resource Conservation Service Practice Specification 528*. USDA - Natural Resources Conservation Service, North Dakota. Available at <http://efotg.nrcs.usda.gov>
- NRCS. 1999. *Natural Resource Conservation Service*. USDA – *Web Soil Survey*. Available at <http://websoilsurvey.nrcs.usda.gov>
- Tiedemann, A.R., D.A. Higgins, T.M. Quigley, H.R. Sanderson, and C.C. Bohn. 1998. *Bacterial Water Quality Responses to Four Grazing Strategies - Comparison with Oregon Standards*.

USEPA. 1993. *Guidance Specifying Management Measures for Sources of Nonpoint Pollution in Coastal Waters*. EPA 840-B-92-002. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2001. *Protocol for Developing Pathogen TMDLs*. EPA 841-R-00-002. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2007. *An Approach for Using Load Duration Curves in the Development of TMDLs*. EPA-841-B-07-006. U.S. Environmental Protection Agency, Office of Water, Washington, DC. Available at <http://www.epa.gov/owow/tmdl/techsupp.html>

USGS. 2006. *Ecoregions of North Dakota and South Dakota*. United States Geological Survey. Available at <http://www.npwrc.usgs.gov/resource/habitat/ndsdeco/nodak.htm>

Appendix A
Fecal Coliform Bacteria Data Collected
at Site 380276

380276 Cottonwood Creek above Lake LaMoure (Inlet Site)

Fecal Coliform Bacteria Samples Per Month of Recreational Season

May		June		July		August		September	
Date	Result	Date	Result	Date	Result	Date	Result	Date	Result
5/2/1995	5	6/1/1995	5	7/30/1998	10	8/16/2000	10	9/2/2002	10
5/16/1995	5	6/2/2009	5	7/30/2001	10	8/11/2003	10	9/9/2004	70
5/3/1995	10	6/7/2006	10	7/25/2002	10	8/12/2008	10	9/6/2005	90
5/24/1995	10	6/21/2006	20	7/14/2003	10	8/7/2001	20	9/14/2009	90
5/12/1997	10	6/9/2008	20	7/12/2006	10	8/22/2005	20	9/20/2005	130
5/14/1997	10	6/5/2000	30	7/19/2005	20	8/16/2001	30	9/2/1997	240
5/27/1997	10	6/5/2001	30	7/5/2006	30	8/1/2007	30	9/30/2009	310
5/3/1999	10	6/26/2001	30	7/26/1995	40	8/31/2009	30	9/22/1999	350
5/24/2001	10	6/18/2008	40	7/7/2008	50	8/1/2007	40	9/15/1999	630
5/31/2001	10	6/30/2008	40	7/13/1995	70	8/29/2007	40	9/29/1999	640
5/8/2002	10	6/9/1997	50	7/18/2007	70	8/18/2008	40	9/8/1999	1000
5/3/2005	10	6/14/2006	50	7/15/2009	70	8/3/2009	100		
5/17/2005	10	6/25/1997	90	7/28/1999	80	8/25/1999	190		
5/17/2006	10	6/2/1999	90	7/16/2001	80	8/24/2004	200		
5/24/2006	10	6/8/2009	90	7/6/2009	100	8/10/2004	300		
5/2/2007	10	6/2/2008	100	7/3/2001	110	8/15/2007	400		
5/5/2008	10	6/3/1997	110	7/11/2007	110	8/4/2008	560		
5/5/2009	10	6/21/2001	120	7/12/2005	120	8/19/1997	1100		
5/22/2001	20	6/28/2001	120	7/21/1999	130	8/4/2008	1100		
5/20/2008	20	6/10/1998	130	7/9/1997	150	8/17/2009	1600		
5/19/1997	30	6/25/2008	130	7/6/2004	170				
5/10/2001	30	6/30/2003	150	7/25/2000	180				
5/12/2008	30	6/21/2005	190	7/5/2005	210				
5/18/2009	30	6/3/1998	200	7/20/2009	260				
5/6/1998	40	6/13/2007	210	7/17/2000	280				
5/27/1998	40	6/14/1999	220	7/28/2009	330				
5/10/2006	40	6/19/2001	240	7/21/2008	400				
5/13/1998	50	6/15/2004	240	7/15/1997	430				
5/8/2000	50	6/28/2006	240	7/28/2008	430				
5/22/2000	50	6/3/1998	260	7/21/2008	530				
5/15/2002	50	6/9/1999	270	7/27/2004	580				
5/11/2009	50	6/8/2004	340	7/10/2000	610				
5/1/2000	60	6/30/2009	350	7/10/2002	680				
5/3/2006	60	6/28/2005	360	7/20/2004	680				
5/31/2006	60	6/20/2007	380	7/14/1997	730				
5/27/2008	60	6/14/2001	390	7/2/2007	900				
5/15/2000	70	6/2/2003	420	7/8/1998	1000				
5/14/2001	70	6/11/2001	450	7/15/1998	1400				
5/11/2004	70	6/23/2003	500	7/1/1998	1600				
5/26/2009	70	6/9/2003	530	7/22/1998	1600				
5/17/1999	90	6/24/2009	530	7/25/2007	1600				
5/21/2003	90	6/1/2004	570	7/15/2008	1600				
5/28/2003	90	6/24/1998	600						
5/7/1997	100	6/7/2001	620						
5/24/1999	100	6/21/2000	630						
5/5/1999	110	6/21/2004	660						

5/19/1999	120	6/26/2007	850						
5/1/2001	120	6/7/1999	920						
5/8/2003	160	6/14/2005	1000						
5/15/2007	160	6/21/1995	1100						
5/22/2007	180	6/7/2005	1100						
5/5/1997	210	6/17/1998	1600						
5/20/1998	220	6/27/1998	1600						
5/8/2001	220	6/30/1999	1600						
5/17/2001	240	6/28/2000	1600						
5/31/2000	250								
5/24/2005	250								
5/19/2003	290								
5/18/2004	290								
5/4/2004	300								
5/5/2003	330								
5/26/1999	380								
5/27/1998	430								
5/12/1999	440								
5/11/1995	500								
5/12/2003	600								
5/23/2002	620								
5/8/2007	770								
5/10/1999	1600								
N	69		55		42		20		11
GeoMean	60		193		170		84		183
% > 400	10%		35%		38%		25%		27%

Appendix B
Stream Discharge Measurements for Site 380276

Discharge Q	
Date	Q

12/31/94	0.00
01/01/95	0.00
01/02/95	0.00
01/03/95	0.00
01/04/95	0.00
01/05/95	0.00
01/06/95	0.00
01/07/95	0.00
01/08/95	0.00
01/09/95	0.00
01/10/95	0.00
01/11/95	0.00
01/12/95	0.00
01/13/95	0.00
01/14/95	0.00
01/15/95	0.00
01/16/95	0.00
01/17/95	0.00
01/18/95	0.00
01/19/95	0.00
01/20/95	0.00
01/21/95	0.00
01/22/95	0.00
01/23/95	0.00
01/24/95	0.00
01/25/95	0.00
01/26/95	0.00
01/27/95	0.00
01/28/95	0.00
01/29/95	0.00
01/30/95	0.00
01/31/95	0.00
02/01/95	0.00
02/02/95	0.00
02/03/95	0.00
02/04/95	0.00
02/05/95	0.00
02/06/95	0.00
02/07/95	0.00
02/08/95	0.00
02/09/95	0.00
02/10/95	0.00
02/11/95	0.00
02/12/95	0.00

02/13/95	0.00
02/14/95	0.00
02/15/95	0.00
02/16/95	0.00
02/17/95	0.00
02/18/95	0.00
02/19/95	0.00
02/20/95	0.00
02/21/95	0.00
02/22/95	0.00
02/23/95	0.00
02/24/95	0.00
02/25/95	0.00
02/26/95	0.00
02/27/95	0.00
02/28/95	0.05
03/01/95	0.10
03/02/95	0.15
03/03/95	0.30
03/04/95	0.70
03/05/95	1.30
03/06/95	2.50
03/07/95	5.00
03/08/95	10.00
03/09/95	25.00
03/10/95	50.00
03/11/95	100.00
03/12/95	200.00
03/13/95	302.06
03/14/95	163.58
03/15/95	120.40
03/16/95	84.20
03/17/95	101.43
03/18/95	101.43
03/19/95	101.43
03/20/95	101.43
03/21/95	163.58
03/22/95	120.40
03/23/95	101.43
03/24/95	334.99
03/25/95	274.36
03/26/95	244.05
03/27/95	213.74
03/28/95	101.43
03/29/95	54.98
03/30/95	54.98
03/31/95	42.99
04/01/95	206.33

04/02/95	288.00
04/03/95	369.67
04/04/95	270.87
04/05/95	68.72
04/06/95	32.74
04/07/95	27.74
04/08/95	22.74
04/09/95	17.74
04/10/95	12.47
04/11/95	68.72
04/12/95	32.74
04/13/95	54.98
04/14/95	7.90
04/15/95	8.55
04/16/95	9.20
04/17/95	9.20
04/18/95	180.34
04/19/95	180.34
04/20/95	143.28
04/21/95	94.33
04/22/95	75.30
04/23/95	75.30
04/24/95	56.28
04/25/95	29.13
04/26/95	22.03
04/27/95	9.72
04/28/95	9.00
04/29/95	8.50
04/30/95	8.20
05/01/95	8.08
05/02/95	10.16
05/03/95	8.31
05/04/95	36.63
05/05/95	32.00
05/06/95	27.00
05/07/95	22.00
05/08/95	17.81
05/09/95	23.15
05/10/95	20.34
05/11/95	220.62
05/12/95	196.00
05/13/95	166.00
05/14/95	136.00
05/15/95	106.09
05/16/95	92.60
05/17/95	84.20
05/18/95	80.97
05/19/95	75.00

05/20/95	67.00	07/07/95	10.80	08/30/95	7.57
05/21/95	60.00	07/08/95	11.50	08/31/95	8.16
05/22/95	52.44	07/09/95	13.00	09/01/95	11.68
05/23/95	24.24	07/10/95	14.05	09/02/95	19.00
05/24/95	17.48	07/11/95	14.05	09/03/95	27.00
05/25/95	11.68	07/12/95	13.58	09/04/95	35.00
05/26/95	9.72	07/13/95	7.58	09/05/95	42.99
05/27/95	9.72	07/14/95	9.20	09/06/95	42.99
05/28/95	9.72	07/15/95	20.00	09/07/95	42.99
05/29/95	9.72	07/16/95	32.00	09/08/95	42.99
05/30/95	9.72	07/17/95	52.44	09/09/95	120.00
05/31/95	8.22	07/18/95	24.24	09/10/95	240.00
06/01/95	7.58	07/19/95	7.56	09/11/95	369.67
06/02/95	7.60	07/20/95	7.56	09/12/95	444.25
06/03/95	7.50	07/21/95	8.02	09/13/95	484.16
06/04/95	7.40	07/22/95	8.00	09/14/95	406.09
06/05/95	8.16	07/23/95	8.00	09/15/95	187.79
06/06/95	13.33	07/24/95	8.16	09/16/95	170.00
06/07/95	11.68	07/25/95	10.16	09/17/95	155.00
06/08/95	7.68	07/26/95	13.58	09/18/95	141.12
06/09/95	7.56	07/27/95	13.58	09/19/95	101.43
06/10/95	7.50	07/28/95	19.04	09/20/95	84.20
06/11/95	7.55	07/29/95	19.04	09/21/95	101.43
06/12/95	7.57	07/30/95	19.04	09/22/95	84.20
06/13/95	7.58	07/31/95	19.04	09/23/95	95.00
06/14/95	7.72	08/01/95	35.19	09/24/95	105.00
06/15/95	7.80	08/02/95	30.00	09/25/95	120.40
06/16/95	7.90	08/03/95	35.00	09/26/95	163.58
06/17/95	7.90	08/04/95	20.00	09/27/95	101.43
06/18/95	7.90	08/05/95	15.00	09/28/95	101.43
06/19/95	7.90	08/06/95	14.80	09/29/95	141.12
06/20/95	8.16	08/07/95	14.53	09/30/95	369.67
06/21/95	9.87	08/08/95	19.04	10/01/95	336.00
06/22/95	10.47	08/09/95	19.04	10/02/95	303.00
06/23/95	11.51	08/10/95	12.70	10/03/95	270.87
06/24/95	11.55	08/11/95	7.90	10/04/95	213.74
06/25/95	11.60	08/12/95	8.20	10/05/95	163.58
06/26/95	11.70	08/13/95	8.70	10/06/95	120.40
06/27/95	11.89	08/14/95	9.20	10/07/95	115.00
06/28/95	13.58	08/15/95	8.67	10/08/95	110.00
06/29/95	15.03	08/16/95	8.67	10/09/95	105.00
06/30/95	19.04	08/17/95	8.67	10/10/95	101.43
07/01/95	19.04	08/18/95	8.67	10/11/95	101.43
07/02/95	19.04	08/19/95	8.67	10/12/95	84.20
07/03/95	19.04	08/20/95	8.67	10/13/95	54.98
07/04/95	16.00	08/21/95	8.67	10/14/95	54.98
07/05/95	13.58	08/22/95	8.67	10/15/95	54.98
07/06/95	13.58	08/23/95	9.87	10/16/95	54.98
		08/24/95	8.67	10/17/95	54.98
		08/25/95	8.67	10/18/95	42.99
		08/26/95	8.67	10/19/95	54.98
		08/27/95	8.67	10/20/95	54.98
		08/28/95	8.67	10/21/95	90.00
		08/29/95	7.68	10/22/95	130.00
				10/23/95	187.79
				10/24/95	369.67

10/25/95	302.06	12/20/95	4.00	02/14/97	0.34
10/26/95	270.87	12/21/95	3.90	02/15/97	0.34
10/27/95	241.43	12/22/95	3.80	02/16/97	0.34
10/28/95	230.00	12/23/95	3.70	02/17/97	0.34
10/29/95	220.00	12/24/95	3.60	02/18/97	0.34
10/30/95	213.74	12/25/95	3.50	02/19/97	0.34
10/31/95	101.43	12/26/95	3.40	02/20/97	0.34
11/01/95	68.72	12/27/95	3.30	02/21/97	0.34
11/02/95	68.72	12/28/95	3.20	02/22/97	0.34
11/03/95	68.72	12/29/95	3.10	02/23/97	0.34
11/04/95	68.72	12/30/95	3.00	02/24/97	0.34
11/05/95	68.72	12/31/95	2.90	02/25/97	0.34
11/06/95	68.72	01/01/97	0.34	02/26/97	0.34
11/07/95	60.00	01/02/97	0.34	02/27/97	0.34
11/08/95	50.00	01/03/97	0.34	02/28/97	0.34
11/09/95	42.99	01/04/97	0.34	03/01/97	0.34
11/10/95	40.00	01/05/97	0.34	03/02/97	0.34
11/11/95	35.00	01/06/97	0.34	03/03/97	0.34
11/12/95	30.00	01/07/97	0.34	03/04/97	0.34
11/13/95	24.24	01/08/97	0.34	03/05/97	0.34
11/14/95	40.00	01/09/97	0.34	03/06/97	0.34
11/15/95	54.98	01/10/97	0.34	03/07/97	0.34
11/16/95	52.00	01/11/97	0.34	03/08/97	0.34
11/17/95	50.00	01/12/97	0.34	03/09/97	0.34
11/18/95	48.00	01/13/97	0.34	03/10/97	0.34
11/19/95	45.00	01/14/97	0.34	03/11/97	0.34
11/20/95	42.99	01/15/97	0.34	03/12/97	0.34
11/21/95	40.00	01/16/97	0.34	03/13/97	0.34
11/22/95	35.00	01/17/97	0.34	03/14/97	0.34
11/23/95	30.00	01/18/97	0.34	03/15/97	0.34
11/24/95	25.00	01/19/97	0.34	03/16/97	0.34
11/25/95	20.00	01/20/97	0.34	03/17/97	0.34
11/26/95	15.00	01/21/97	0.34	03/18/97	0.34
11/27/95	10.00	01/22/97	0.34	03/19/97	0.34
11/28/95	8.00	01/23/97	0.34	03/20/97	0.34
11/29/95	7.00	01/24/97	0.34	03/21/97	0.34
11/30/95	6.00	01/25/97	0.34	03/22/97	6.18
12/01/95	5.90	01/26/97	0.34	03/23/97	6.18
12/02/95	5.80	01/27/97	0.34	03/24/97	6.18
12/03/95	5.70	01/28/97	0.34	03/25/97	6.18
12/04/95	5.60	01/29/97	0.34	03/26/97	6.18
12/05/95	5.50	01/30/97	0.34	03/27/97	6.18
12/06/95	5.40	01/31/97	0.34	03/28/97	8.69
12/07/95	5.30	02/01/97	0.34	03/29/97	11.64
12/08/95	5.20	02/02/97	0.34	03/30/97	15.04
12/09/95	5.10	02/03/97	0.34	03/31/97	18.89
12/10/95	5.00	02/04/97	0.34	04/01/97	23.17
12/11/95	4.90	02/05/97	0.34	04/02/97	27.90
12/12/95	4.80	02/06/97	0.34	04/03/97	33.08
12/13/95	4.70	02/07/97	0.34	04/04/97	38.69
12/14/95	4.60	02/08/97	0.34	04/05/97	44.75
12/15/95	4.50	02/09/97	0.34	04/06/97	51.26
12/16/95	4.40	02/10/97	0.34	04/07/97	58.21
12/17/95	4.30	02/11/97	0.34	04/08/97	65.60
12/18/95	4.20	02/12/97	0.34	04/09/97	73.43
12/19/95	4.10	02/13/97	0.34	04/10/97	81.71

04/11/97	90.43	06/06/97	35.43	08/01/97	7.20
04/12/97	99.60	06/07/97	34.64	08/02/97	6.18
04/13/97	109.21	06/08/97	33.85	08/03/97	6.18
04/14/97	119.26	06/09/97	31.55	08/04/97	6.18
04/15/97	129.76	06/10/97	30.80	08/05/97	6.18
04/16/97	140.70	06/11/97	30.07	08/06/97	6.18
04/17/97	152.08	06/12/97	29.34	08/07/97	6.18
04/18/97	163.91	06/13/97	28.61	08/08/97	6.18
04/19/97	176.18	06/14/97	27.90	08/09/97	6.51
04/20/97	188.90	06/15/97	27.20	08/10/97	1.64
04/21/97	227.67	06/16/97	26.51	08/11/97	1.69
04/22/97	227.67	06/17/97	25.82	08/12/97	1.74
04/23/97	227.67	06/18/97	25.15	08/13/97	1.79
04/24/97	223.63	06/19/97	24.48	08/14/97	1.84
04/25/97	215.66	06/20/97	23.82	08/15/97	1.89
04/26/97	207.83	06/21/97	23.17	08/16/97	1.94
04/27/97	200.15	06/22/97	22.53	08/17/97	1.99
04/28/97	196.36	06/23/97	21.90	08/18/97	2.05
04/29/97	196.36	06/24/97	21.28	08/19/97	2.10
04/30/97	196.36	06/25/97	20.07	08/20/97	2.16
05/01/97	187.05	06/26/97	20.37	08/21/97	2.21
05/02/97	177.97	06/27/97	20.67	08/22/97	2.27
05/03/97	169.11	06/28/97	20.97	08/23/97	2.33
05/04/97	160.49	06/29/97	21.28	08/24/97	2.39
05/05/97	152.08	06/30/97	21.59	08/25/97	2.44
05/06/97	131.29	07/01/97	21.90	08/26/97	2.50
05/07/97	113.46	07/02/97	22.22	08/27/97	2.57
05/08/97	106.42	07/03/97	22.53	08/28/97	2.63
05/09/97	99.60	07/04/97	22.85	08/29/97	2.69
05/10/97	93.01	07/05/97	23.17	08/30/97	2.75
05/11/97	86.64	07/06/97	23.50	08/31/97	2.82
05/12/97	80.50	07/07/97	23.82	09/01/97	2.88
05/13/97	75.75	07/08/97	24.15	09/02/97	3.36
05/14/97	70.02	07/09/97	25.15	09/03/97	3.22
05/15/97	66.69	07/10/97	36.23	09/04/97	3.08
05/16/97	63.44	07/11/97	49.35	09/05/97	2.95
05/17/97	60.27	07/12/97	64.51	09/06/97	2.82
05/18/97	57.19	07/13/97	81.71	09/07/97	2.69
05/19/97	53.20	07/14/97	100.94	09/08/97	2.57
05/20/97	52.22	07/15/97	90.43	09/09/97	2.44
05/21/97	51.26	07/16/97	82.93	09/10/97	2.33
05/22/97	50.30	07/17/97	75.75	09/11/97	2.21
05/23/97	49.35	07/18/97	68.90	09/12/97	2.10
05/24/97	48.42	07/19/97	62.37	09/13/97	1.99
05/25/97	47.49	07/20/97	56.18	09/14/97	1.89
05/26/97	46.57	07/21/97	50.30	09/15/97	1.79
05/27/97	44.75	07/22/97	44.75	09/16/97	1.69
05/28/97	43.86	07/23/97	39.53	09/17/97	1.60
05/29/97	42.10	07/24/97	34.64	09/18/97	1.50
05/30/97	41.24	07/25/97	30.07	09/19/97	1.42
05/31/97	39.53	07/26/97	25.82	09/20/97	1.33
06/01/97	38.69	07/27/97	21.90	09/21/97	1.25
06/02/97	37.86	07/28/97	18.31	09/22/97	1.17
06/03/97	37.86	07/29/97	15.04	09/23/97	1.10
06/04/97	37.04	07/30/97	12.10	09/24/97	1.02
06/05/97	36.23	07/31/97	9.49	09/25/97	0.64

09/26/97	0.60	11/21/97	0.34	01/16/98	0.34
09/27/97	0.57	11/22/97	0.34	01/17/98	0.34
09/28/97	0.53	11/23/97	0.34	01/18/98	0.34
09/29/97	0.50	11/24/97	0.34	01/19/98	0.34
09/30/97	0.47	11/25/97	0.34	01/20/98	0.34
10/01/97	0.44	11/26/97	0.34	01/21/98	0.34
10/02/97	0.41	11/27/97	0.34	01/22/98	0.34
10/03/97	0.39	11/28/97	0.34	01/23/98	0.34
10/04/97	0.36	11/29/97	0.34	01/24/98	0.34
10/05/97	0.34	11/30/97	0.34	01/25/98	0.34
10/06/97	0.34	12/01/97	0.34	01/26/98	0.34
10/07/97	0.34	12/02/97	0.34	01/27/98	0.34
10/08/97	0.34	12/03/97	0.34	01/28/98	0.34
10/09/97	0.34	12/04/97	0.34	01/29/98	0.34
10/10/97	0.34	12/05/97	0.34	01/30/98	0.34
10/11/97	0.34	12/06/97	0.34	01/31/98	0.34
10/12/97	0.34	12/07/97	0.34	02/01/98	0.34
10/13/97	0.34	12/08/97	0.34	02/02/98	0.34
10/14/97	0.34	12/09/97	0.34	02/03/98	0.34
10/15/97	0.34	12/10/97	0.34	02/04/98	0.34
10/16/97	0.34	12/11/97	0.34	02/05/98	0.34
10/17/97	0.34	12/12/97	0.34	02/06/98	0.34
10/18/97	0.34	12/13/97	0.34	02/07/98	0.34
10/19/97	0.34	12/14/97	0.34	02/08/98	0.34
10/20/97	0.34	12/15/97	0.34	02/09/98	0.34
10/21/97	0.34	12/16/97	0.34	02/10/98	0.34
10/22/97	0.34	12/17/97	0.34	02/11/98	0.34
10/23/97	0.34	12/18/97	0.34	02/12/98	0.34
10/24/97	0.34	12/19/97	0.34	02/13/98	0.34
10/25/97	0.34	12/20/97	0.34	02/14/98	0.34
10/26/97	0.34	12/21/97	0.34	02/15/98	0.34
10/27/97	0.34	12/22/97	0.34	02/16/98	0.34
10/28/97	0.34	12/23/97	0.34	02/17/98	0.34
10/29/97	0.34	12/24/97	0.34	02/18/98	0.34
10/30/97	0.34	12/25/97	0.34	02/19/98	0.34
10/31/97	0.34	12/26/97	0.34	02/20/98	0.34
11/01/97	0.34	12/27/97	0.34	02/21/98	0.34
11/02/97	0.34	12/28/97	0.34	02/22/98	0.34
11/03/97	0.34	12/29/97	0.34	02/23/98	0.34
11/04/97	0.34	12/30/97	0.34	02/24/98	0.34
11/05/97	0.34	12/31/97	0.34	02/25/98	0.34
11/06/97	0.34	01/01/98	0.34	02/26/98	0.34
11/07/97	0.34	01/02/98	0.34	02/27/98	0.34
11/08/97	0.34	01/03/98	0.34	02/28/98	0.34
11/09/97	0.34	01/04/98	0.34	03/01/98	0.34
11/10/97	0.34	01/05/98	0.34	03/02/98	0.34
11/11/97	0.34	01/06/98	0.34	03/03/98	0.34
11/12/97	0.34	01/07/98	0.34	03/04/98	0.34
11/13/97	0.34	01/08/98	0.34	03/05/98	0.34
11/14/97	0.34	01/09/98	0.34	03/06/98	0.34
11/15/97	0.34	01/10/98	0.34	03/07/98	0.34
11/16/97	0.34	01/11/98	0.34	03/08/98	0.34
11/17/97	0.34	01/12/98	0.34	03/09/98	0.34
11/18/97	0.34	01/13/98	0.34	03/10/98	0.34
11/19/97	0.34	01/14/98	0.34	03/11/98	0.34
11/20/97	0.34	01/15/98	0.34	03/12/98	0.34

03/13/98	0.34	05/08/98	30.80	07/03/98	54.18
03/14/98	0.34	05/09/98	31.55	07/04/98	45.66
03/15/98	0.34	05/10/98	32.31	07/05/98	37.86
03/16/98	0.34	05/11/98	33.08	07/06/98	31.55
03/17/98	0.34	05/12/98	30.80	07/07/98	31.55
03/18/98	0.34	05/13/98	28.61	07/08/98	32.31
03/19/98	0.34	05/14/98	27.90	07/09/98	29.34
03/20/98	0.34	05/15/98	27.20	07/10/98	26.51
03/21/98	0.34	05/16/98	27.20	07/11/98	26.51
03/22/98	0.34	05/17/98	27.20	07/12/98	25.82
03/23/98	0.34	05/18/98	27.20	07/13/98	25.82
03/24/98	0.34	05/19/98	26.51	07/14/98	23.17
03/25/98	0.34	05/20/98	25.82	07/15/98	20.07
03/26/98	0.34	05/21/98	25.15	07/16/98	17.19
03/27/98	0.34	05/22/98	24.48	07/17/98	15.04
03/28/98	11.64	05/23/98	23.82	07/18/98	15.04
03/29/98	45.66	05/24/98	23.17	07/19/98	15.04
03/30/98	150.43	05/25/98	21.90	07/20/98	15.04
03/31/98	142.30	05/26/98	20.67	07/21/98	12.57
04/01/98	139.11	05/27/98	19.47	07/22/98	10.32
04/02/98	123.71	05/28/98	17.74	07/23/98	10.32
04/03/98	109.21	05/29/98	17.19	07/24/98	10.32
04/04/98	95.62	05/30/98	16.64	07/25/98	10.32
04/05/98	82.93	05/31/98	15.57	07/26/98	10.32
04/06/98	73.43	06/01/98	15.04	07/27/98	8.69
04/07/98	67.79	06/02/98	14.03	07/28/98	6.18
04/08/98	62.37	06/03/98	13.53	07/29/98	6.18
04/09/98	57.19	06/04/98	13.53	07/30/98	6.18
04/10/98	52.22	06/05/98	12.57	07/31/98	6.18
04/11/98	51.26	06/06/98	11.64	08/01/98	6.51
04/12/98	51.26	06/07/98	10.76	08/02/98	10.32
04/13/98	50.30	06/08/98	10.32	08/03/98	14.03
04/14/98	44.75	06/09/98	10.32	08/04/98	13.53
04/15/98	44.75	06/10/98	10.32	08/05/98	105.04
04/16/98	41.24	06/11/98	12.57	08/06/98	102.30
04/17/98	38.69	06/12/98	15.04	08/07/98	100.94
04/18/98	37.04	06/13/98	15.04	08/08/98	99.60
04/19/98	35.43	06/14/98	15.04	08/09/98	10.32
04/20/98	33.08	06/15/98	15.04	08/10/98	10.32
04/21/98	31.55	06/16/98	16.64	08/11/98	10.32
04/22/98	30.07	06/17/98	18.89	08/12/98	10.32
04/23/98	27.90	06/18/98	16.64	08/13/98	10.32
04/24/98	25.82	06/19/98	14.53	08/14/98	10.32
04/25/98	34.64	06/20/98	14.53	08/15/98	10.32
04/26/98	42.98	06/21/98	14.53	08/16/98	10.32
04/27/98	54.18	06/22/98	14.53	08/17/98	10.32
04/28/98	52.22	06/23/98	14.53	08/18/98	10.32
04/29/98	50.30	06/24/98	14.53	08/19/98	10.32
04/30/98	46.57	06/25/98	14.53	08/20/98	10.32
05/01/98	42.98	06/26/98	15.04	08/21/98	10.32
05/02/98	39.53	06/27/98	33.08	08/22/98	10.32
05/03/98	36.23	06/28/98	42.98	08/23/98	10.32
05/04/98	34.64	06/29/98	109.21	08/24/98	10.32
05/05/98	33.08	06/30/98	90.43	08/25/98	10.32
05/06/98	31.55	07/01/98	73.43	08/26/98	10.32
05/07/98	30.80	07/02/98	63.44	08/27/98	10.41

08/28/98	10.50	10/23/98	38.69	12/18/98	23.17
08/29/98	10.58	10/24/98	34.64	12/19/98	21.90
08/30/98	10.67	10/25/98	27.20	12/20/98	20.67
08/31/98	10.76	10/26/98	23.82	12/21/98	19.47
09/01/98	10.84	10/27/98	23.82	12/22/98	18.31
09/02/98	10.93	10/28/98	23.82	12/23/98	17.19
09/03/98	11.02	10/29/98	23.82	12/24/98	16.10
09/04/98	11.11	10/30/98	23.82	12/25/98	15.04
09/05/98	11.20	10/31/98	23.82	12/26/98	14.03
09/06/98	11.28	11/01/98	23.82	12/27/98	13.05
09/07/98	11.37	11/02/98	23.82	12/28/98	12.10
09/08/98	11.46	11/03/98	23.82	12/29/98	11.20
09/09/98	11.55	11/04/98	23.82	12/30/98	10.32
09/10/98	11.64	11/05/98	23.17	12/31/98	9.49
09/11/98	11.74	11/06/98	22.53	01/01/99	8.69
09/12/98	11.83	11/07/98	21.90	01/02/99	7.93
09/13/98	11.92	11/08/98	21.28	01/03/99	7.20
09/14/98	12.01	11/09/98	21.40	01/04/99	6.51
09/15/98	12.10	11/10/98	21.53	01/05/99	5.85
09/16/98	12.20	11/11/98	21.65	01/06/99	5.24
09/17/98	12.29	11/12/98	21.78	01/07/99	4.66
09/18/98	12.38	11/13/98	21.90	01/08/99	4.11
09/19/98	12.48	11/14/98	22.03	01/09/99	3.60
09/20/98	12.57	11/15/98	22.15	01/10/99	3.13
09/21/98	12.67	11/16/98	22.28	01/11/99	2.69
09/22/98	12.76	11/17/98	22.41	01/12/99	2.29
09/23/98	12.86	11/18/98	22.53	01/13/99	1.92
09/24/98	12.95	11/19/98	22.66	01/14/99	1.60
09/25/98	13.05	11/20/98	22.79	01/15/99	1.30
09/26/98	13.14	11/21/98	22.92	01/16/99	1.05
09/27/98	13.24	11/22/98	23.04	01/17/99	0.83
09/28/98	13.34	11/23/98	23.17	01/18/99	0.64
09/29/98	13.43	11/24/98	23.30	01/19/99	0.50
09/30/98	13.53	11/25/98	23.82	01/20/99	0.39
10/01/98	13.63	11/26/98	27.20	01/21/99	0.34
10/02/98	13.73	11/27/98	30.80	01/22/99	0.34
10/03/98	13.83	11/28/98	34.64	01/23/99	0.34
10/04/98	13.93	11/29/98	34.64	01/24/99	0.34
10/05/98	16.10	11/30/98	34.64	01/25/99	0.34
10/06/98	16.64	12/01/98	34.24	01/26/99	0.34
10/07/98	17.19	12/02/98	33.85	01/27/99	0.34
10/08/98	17.74	12/03/98	33.46	01/28/99	0.34
10/09/98	18.31	12/04/98	33.08	01/29/99	0.34
10/10/98	18.89	12/05/98	32.69	01/30/99	0.34
10/11/98	19.47	12/06/98	32.31	01/31/99	0.34
10/12/98	20.07	12/07/98	31.93	02/01/99	0.34
10/13/98	20.67	12/08/98	31.55	02/02/99	0.34
10/14/98	21.28	12/09/98	31.18	02/03/99	0.34
10/15/98	21.90	12/10/98	30.80	02/04/99	0.34
10/16/98	22.53	12/11/98	30.07	02/05/99	0.34
10/17/98	23.17	12/12/98	29.34	02/06/99	0.34
10/18/98	23.82	12/13/98	28.61	02/07/99	0.34
10/19/98	27.20	12/14/98	27.90	02/08/99	0.34
10/20/98	30.80	12/15/98	27.20	02/09/99	0.34
10/21/98	38.69	12/16/98	25.82	02/10/99	0.34
10/22/98	42.98	12/17/98	24.48	02/11/99	0.34

02/12/99	0.34	04/09/99	194.48	06/04/99	33.85
02/13/99	0.34	04/10/99	158.79	06/05/99	34.64
02/14/99	0.34	04/11/99	126.71	06/06/99	34.64
02/15/99	0.34	04/12/99	95.62	06/07/99	34.64
02/16/99	0.34	04/13/99	87.90	06/08/99	32.31
02/17/99	0.34	04/14/99	79.30	06/09/99	30.80
02/18/99	0.34	04/15/99	73.43	06/10/99	29.34
02/19/99	0.34	04/16/99	67.79	06/11/99	27.90
02/20/99	0.34	04/17/99	213.69	06/12/99	26.51
02/21/99	0.34	04/18/99	203.97	06/13/99	25.15
02/22/99	0.34	04/19/99	52.22	06/14/99	25.82
02/23/99	0.34	04/20/99	50.30	06/15/99	25.82
02/24/99	0.39	04/21/99	47.49	06/16/99	24.48
02/25/99	1.30	04/22/99	49.35	06/17/99	23.17
02/26/99	50.30	04/23/99	51.26	06/18/99	23.17
02/27/99	55.17	04/24/99	43.86	06/19/99	21.90
02/28/99	71.15	04/25/99	38.69	06/20/99	20.67
03/01/99	98.26	04/26/99	34.64	06/21/99	20.07
03/02/99	98.26	04/27/99	37.04	06/22/99	18.89
03/03/99	98.26	04/28/99	30.80	06/23/99	18.31
03/04/99	98.26	04/29/99	30.07	06/24/99	17.19
03/05/99	98.26	04/30/99	29.34	06/25/99	17.19
03/06/99	98.26	05/01/99	28.61	06/26/99	17.19
03/07/99	98.26	05/02/99	27.90	06/27/99	17.74
03/08/99	98.26	05/03/99	26.51	06/28/99	17.74
03/09/99	98.26	05/04/99	26.51	06/29/99	14.03
03/10/99	98.26	05/05/99	27.20	06/30/99	10.32
03/11/99	52.22	05/06/99	42.98	07/01/99	11.20
03/12/99	52.22	05/07/99	145.52	07/02/99	12.10
03/13/99	52.22	05/08/99	169.11	07/03/99	13.05
03/14/99	50.30	05/09/99	194.48	07/04/99	14.03
03/15/99	50.30	05/10/99	223.63	07/05/99	15.57
03/16/99	56.18	05/11/99	154.58	07/06/99	17.19
03/17/99	62.37	05/12/99	399.92	07/07/99	17.74
03/18/99	61.32	05/13/99	373.47	07/08/99	18.89
03/19/99	61.32	05/14/99	441.29	07/09/99	18.89
03/20/99	65.60	05/15/99	355.50	07/10/99	19.47
03/21/99	70.02	05/16/99	278.97	07/11/99	19.47
03/22/99	79.30	05/17/99	213.69	07/12/99	20.07
03/23/99	79.30	05/18/99	158.79	07/13/99	20.67
03/24/99	73.43	05/19/99	142.30	07/14/99	20.07
03/25/99	72.29	05/20/99	116.34	07/15/99	19.47
03/26/99	71.15	05/21/99	98.26	07/16/99	18.89
03/27/99	72.29	05/22/99	85.39	07/17/99	18.31
03/28/99	72.29	05/23/99	73.43	07/18/99	17.74
03/29/99	73.43	05/24/99	62.37	07/19/99	17.19
03/30/99	73.43	05/25/99	57.19	07/20/99	16.10
03/31/99	73.43	05/26/99	52.22	07/21/99	17.19
04/01/99	84.16	05/27/99	47.49	07/22/99	17.74
04/02/99	95.62	05/28/99	44.75	07/23/99	18.89
04/03/99	95.62	05/29/99	42.10	07/24/99	20.07
04/04/99	119.26	05/30/99	39.53	07/25/99	18.31
04/05/99	112.04	05/31/99	37.04	07/26/99	16.64
04/06/99	112.04	06/01/99	34.64	07/27/99	15.04
04/07/99	134.39	06/02/99	32.31	07/28/99	14.03
04/08/99	126.71	06/03/99	33.08	07/29/99	13.05

07/30/99	12.10	09/24/99	42.98	11/19/99	14.23
07/31/99	11.20	09/25/99	42.98	11/20/99	14.13
08/01/99	10.32	09/26/99	42.10	11/21/99	14.03
08/02/99	9.49	09/27/99	41.24	11/22/99	13.93
08/03/99	8.69	09/28/99	37.04	11/23/99	14.03
08/04/99	7.93	09/29/99	32.31	11/24/99	13.93
08/05/99	7.20	09/30/99	31.55	11/25/99	13.83
08/06/99	6.51	10/01/99	30.80	11/26/99	13.73
08/07/99	6.51	10/02/99	30.07	11/27/99	13.63
08/08/99	4.94	10/03/99	29.34	11/28/99	13.53
08/09/99	4.94	10/04/99	28.61	11/29/99	13.43
08/10/99	3.60	10/05/99	25.82	11/30/99	13.34
08/11/99	3.36	10/06/99	25.15	12/01/99	13.24
08/12/99	6.51	10/07/99	24.48	12/02/99	13.14
08/13/99	10.32	10/08/99	24.48	12/03/99	13.05
08/14/99	9.57	10/09/99	23.82	12/04/99	12.95
08/15/99	8.85	10/10/99	23.17	12/05/99	12.86
08/16/99	8.15	10/11/99	23.17	12/06/99	12.76
08/17/99	7.49	10/12/99	22.53	12/07/99	12.67
08/18/99	6.85	10/13/99	24.48	12/08/99	12.57
08/19/99	6.24	10/14/99	23.82	12/09/99	12.48
08/20/99	3.85	10/15/99	23.17	12/10/99	12.38
08/21/99	3.85	10/16/99	23.17	12/11/99	12.29
08/22/99	3.85	10/17/99	22.53	12/12/99	12.20
08/23/99	4.11	10/18/99	21.90	12/13/99	12.10
08/24/99	4.11	10/19/99	21.28	12/14/99	12.01
08/25/99	4.11	10/20/99	20.67	12/15/99	11.92
08/26/99	5.54	10/21/99	20.67	12/16/99	11.83
08/27/99	6.51	10/22/99	20.67	12/17/99	11.74
08/28/99	7.56	10/23/99	20.07	12/18/99	11.64
08/29/99	8.69	10/24/99	20.07	12/19/99	11.55
08/30/99	10.32	10/25/99	19.47	12/20/99	11.46
08/31/99	12.10	10/26/99	19.47	12/21/99	11.37
09/01/99	13.05	10/27/99	19.47	12/22/99	11.28
09/02/99	14.03	10/28/99	19.47	12/23/99	11.20
09/03/99	15.04	10/29/99	18.89	12/24/99	11.11
09/04/99	17.19	10/30/99	18.31	12/25/99	11.02
09/05/99	19.47	10/31/99	17.19	12/26/99	10.93
09/06/99	21.90	11/01/99	16.10	12/27/99	10.84
09/07/99	23.82	11/02/99	15.99	12/28/99	10.76
09/08/99	51.26	11/03/99	15.88	12/29/99	9.49
09/09/99	51.26	11/04/99	15.78	12/30/99	8.69
09/10/99	51.26	11/05/99	15.67	12/31/99	7.93
09/11/99	52.22	11/06/99	15.57	01/01/00	7.20
09/12/99	52.22	11/07/99	15.46	01/02/00	6.51
09/13/99	52.22	11/08/99	15.36	01/03/00	5.85
09/14/99	47.49	11/09/99	15.25	01/04/00	5.24
09/15/99	42.98	11/10/99	15.15	01/05/00	4.66
09/16/99	43.86	11/11/99	15.04	01/06/00	4.11
09/17/99	44.75	11/12/99	14.94	01/07/00	3.60
09/18/99	45.66	11/13/99	14.84	01/08/00	3.13
09/19/99	46.57	11/14/99	14.74	01/09/00	2.69
09/20/99	47.49	11/15/99	14.63	01/10/00	2.29
09/21/99	45.66	11/16/99	14.53	01/11/00	1.92
09/22/99	43.86	11/17/99	14.43	01/12/00	1.60
09/23/99	43.86	11/18/99	14.33	01/13/00	1.30

01/14/00	1.05	03/10/00	449.80	05/05/00	4.94
01/15/00	0.83	03/11/00	194.48	05/06/00	10.32
01/16/00	0.64	03/12/00	98.26	05/07/00	17.74
01/17/00	0.50	03/13/00	44.75	05/08/00	18.31
01/18/00	0.39	03/14/00	43.86	05/09/00	17.74
01/19/00	0.34	03/15/00	43.86	05/10/00	17.74
01/20/00	0.34	03/16/00	43.86	05/11/00	17.74
01/21/00	0.34	03/17/00	43.86	05/12/00	17.74
01/22/00	0.34	03/18/00	43.86	05/13/00	17.74
01/23/00	0.34	03/19/00	42.98	05/14/00	17.74
01/24/00	0.34	03/20/00	67.79	05/15/00	17.19
01/25/00	0.34	03/21/00	65.60	05/16/00	11.20
01/26/00	0.34	03/22/00	64.51	05/17/00	6.51
01/27/00	0.34	03/23/00	66.69	05/18/00	6.18
01/28/00	0.34	03/24/00	66.69	05/19/00	6.85
01/29/00	0.34	03/25/00	66.69	05/20/00	9.08
01/30/00	0.34	03/26/00	66.69	05/21/00	11.64
01/31/00	0.34	03/27/00	68.90	05/22/00	12.10
02/01/00	0.34	03/28/00	62.37	05/23/00	11.64
02/02/00	0.34	03/29/00	59.23	05/24/00	11.20
02/03/00	0.34	03/30/00	57.19	05/25/00	10.76
02/04/00	0.34	03/31/00	52.22	05/26/00	10.32
02/05/00	0.34	04/01/00	50.30	05/27/00	11.20
02/06/00	0.34	04/02/00	48.42	05/28/00	11.20
02/07/00	0.34	04/03/00	46.57	05/29/00	11.20
02/08/00	0.34	04/04/00	42.98	05/30/00	11.20
02/09/00	0.34	04/05/00	41.24	05/31/00	12.10
02/10/00	0.34	04/06/00	39.53	06/01/00	11.20
02/11/00	0.34	04/07/00	37.86	06/02/00	10.32
02/12/00	0.34	04/08/00	36.23	06/03/00	9.90
02/13/00	0.34	04/09/00	33.08	06/04/00	9.90
02/14/00	0.34	04/10/00	30.80	06/05/00	9.49
02/15/00	0.34	04/11/00	30.80	06/06/00	7.93
02/16/00	0.34	04/12/00	31.55	06/07/00	6.51
02/17/00	0.34	04/13/00	30.80	06/08/00	6.18
02/18/00	0.34	04/14/00	30.07	06/09/00	6.18
02/19/00	0.34	04/15/00	28.61	06/10/00	6.18
02/20/00	0.34	04/16/00	27.20	06/11/00	6.18
02/21/00	0.34	04/17/00	25.82	06/12/00	6.18
02/22/00	0.34	04/18/00	26.51	06/13/00	6.18
02/23/00	0.34	04/19/00	26.51	06/14/00	6.51
02/24/00	0.34	04/20/00	27.20	06/15/00	6.51
02/25/00	0.34	04/21/00	26.51	06/16/00	6.51
02/26/00	0.34	04/22/00	26.51	06/17/00	10.32
02/27/00	0.34	04/23/00	25.82	06/18/00	15.04
02/28/00	34.64	04/24/00	25.15	06/19/00	27.20
02/29/00	52.22	04/25/00	23.82	06/20/00	8.69
03/01/00	73.43	04/26/00	23.17	06/21/00	8.30
03/02/00	85.39	04/27/00	22.53	06/22/00	7.93
03/03/00	105.04	04/28/00	21.90	06/23/00	7.20
03/04/00	119.26	04/29/00	21.90	06/24/00	6.51
03/05/00	100.94	04/30/00	21.28	06/25/00	6.18
03/06/00	85.39	05/01/00	21.28	06/26/00	6.18
03/07/00	142.30	05/02/00	15.04	06/27/00	6.18
03/08/00	67.79	05/03/00	10.32	06/28/00	6.18
03/09/00	52.22	05/04/00	6.51	06/29/00	6.18

06/30/00	6.18	08/25/00	6.18	10/20/00	6.18
07/01/00	6.18	08/26/00	6.18	10/21/00	6.18
07/02/00	6.18	08/27/00	6.18	10/22/00	6.18
07/03/00	6.18	08/28/00	6.18	10/23/00	6.18
07/04/00	6.18	08/29/00	6.18	10/24/00	6.18
07/05/00	25.82	08/30/00	6.18	10/25/00	6.18
07/06/00	17.19	08/31/00	6.18	10/26/00	6.18
07/07/00	18.31	09/01/00	6.18	10/27/00	6.18
07/08/00	30.80	09/02/00	6.18	10/28/00	6.18
07/09/00	42.98	09/03/00	6.18	10/29/00	6.18
07/10/00	56.18	09/04/00	6.18	10/30/00	6.18
07/11/00	73.43	09/05/00	6.18	10/31/00	6.18
07/12/00	90.43	09/06/00	6.18	11/01/00	6.18
07/13/00	79.30	09/07/00	6.18	11/02/00	6.18
07/14/00	68.90	09/08/00	6.18	11/03/00	6.18
07/15/00	61.32	09/09/00	6.18	11/04/00	6.18
07/16/00	56.18	09/10/00	6.18	11/05/00	6.18
07/17/00	51.26	09/11/00	6.18	11/06/00	6.18
07/18/00	50.30	09/12/00	6.18	11/07/00	6.18
07/19/00	47.49	09/13/00	6.18	11/08/00	6.18
07/20/00	44.75	09/14/00	6.18	11/09/00	5.85
07/21/00	42.10	09/15/00	6.18	11/10/00	5.54
07/22/00	39.53	09/16/00	6.18	11/11/00	5.24
07/23/00	37.04	09/17/00	6.18	11/12/00	4.94
07/24/00	34.64	09/18/00	6.18	11/13/00	4.66
07/25/00	33.08	09/19/00	6.18	11/14/00	4.38
07/26/00	31.55	09/20/00	6.18	11/15/00	4.11
07/27/00	30.07	09/21/00	6.18	11/16/00	3.85
07/28/00	28.61	09/22/00	6.18	11/17/00	3.60
07/29/00	27.20	09/23/00	6.18	11/18/00	3.36
07/30/00	25.82	09/24/00	6.18	11/19/00	3.13
07/31/00	24.48	09/25/00	6.18	11/20/00	2.90
08/01/00	23.17	09/26/00	6.18	11/21/00	2.69
08/02/00	21.90	09/27/00	6.18	11/22/00	2.48
08/03/00	20.67	09/28/00	6.18	11/23/00	2.29
08/04/00	19.47	09/29/00	6.18	11/24/00	2.10
08/05/00	18.31	09/30/00	6.18	11/25/00	1.92
08/06/00	17.19	10/01/00	6.18	11/26/00	1.76
08/07/00	15.04	10/02/00	6.18	11/27/00	1.60
08/08/00	14.03	10/03/00	6.18	11/28/00	1.45
08/09/00	13.05	10/04/00	6.18	11/29/00	1.30
08/10/00	12.10	10/05/00	6.18	11/30/00	1.17
08/11/00	11.20	10/06/00	6.18	12/01/00	1.05
08/12/00	10.32	10/07/00	6.18	12/02/00	0.93
08/13/00	9.49	10/08/00	6.18	12/03/00	0.83
08/14/00	8.69	10/09/00	6.18	12/04/00	0.73
08/15/00	7.93	10/10/00	6.18	12/05/00	0.64
08/16/00	6.18	10/11/00	6.18	12/06/00	0.57
08/17/00	6.18	10/12/00	6.18	12/07/00	0.50
08/18/00	6.18	10/13/00	6.18	12/08/00	0.44
08/19/00	6.18	10/14/00	6.18	12/09/00	0.39
08/20/00	6.18	10/15/00	6.18	12/10/00	0.34
08/21/00	6.18	10/16/00	6.18	12/11/00	0.34
08/22/00	6.18	10/17/00	6.18	12/12/00	0.34
08/23/00	6.18	10/18/00	6.18	12/13/00	0.34
08/24/00	6.18	10/19/00	6.18	12/14/00	0.34

12/15/00	0.34	02/09/01	0.34	04/06/01	82.93
12/16/00	0.34	02/10/01	0.34	04/07/01	139.11
12/17/00	0.34	02/11/01	0.34	04/08/01	137.53
12/18/00	0.34	02/12/01	0.34	04/09/01	335.50
12/19/00	0.34	02/13/01	0.34	04/10/01	276.73
12/20/00	0.34	02/14/01	0.34	04/11/01	254.81
12/21/00	0.34	02/15/01	0.34	04/12/01	244.19
12/22/00	0.34	02/16/01	0.34	04/13/01	254.81
12/23/00	0.34	02/17/01	0.34	04/14/01	219.62
12/24/00	0.34	02/18/01	0.34	04/15/01	187.05
12/25/00	0.34	02/19/01	0.34	04/16/01	155.42
12/26/00	0.34	02/20/01	0.34	04/17/01	119.26
12/27/00	0.34	02/21/01	0.34	04/18/01	85.39
12/28/00	0.34	02/22/01	0.34	04/19/01	85.39
12/29/00	0.34	02/23/01	0.34	04/20/01	73.43
12/30/00	0.34	02/24/01	0.34	04/21/01	73.43
12/31/00	0.34	02/25/01	0.34	04/22/01	73.43
01/01/01	0.34	02/26/01	0.34	04/23/01	62.37
01/02/01	0.34	02/27/01	0.34	04/24/01	62.37
01/03/01	0.34	02/28/01	0.34	04/25/01	52.22
01/04/01	0.34	03/01/01	0.34	04/26/01	47.95
01/05/01	0.34	03/02/01	0.34	04/27/01	43.86
01/06/01	0.34	03/03/01	0.34	04/28/01	39.95
01/07/01	0.34	03/04/01	0.34	04/29/01	36.23
01/08/01	0.34	03/05/01	0.34	04/30/01	33.08
01/09/01	0.34	03/06/01	0.34	05/01/01	30.80
01/10/01	0.34	03/07/01	0.34	05/02/01	27.20
01/11/01	0.34	03/08/01	0.34	05/03/01	27.20
01/12/01	0.34	03/09/01	0.34	05/04/01	27.20
01/13/01	0.34	03/10/01	0.34	05/05/01	27.20
01/14/01	0.34	03/11/01	0.34	05/06/01	34.64
01/15/01	0.34	03/12/01	0.34	05/07/01	34.64
01/16/01	0.34	03/13/01	0.34	05/08/01	30.80
01/17/01	0.34	03/14/01	0.34	05/09/01	30.80
01/18/01	0.34	03/15/01	0.34	05/10/01	30.80
01/19/01	0.34	03/16/01	0.34	05/11/01	27.90
01/20/01	0.34	03/17/01	0.34	05/12/01	25.15
01/21/01	0.34	03/18/01	0.34	05/13/01	21.90
01/22/01	0.34	03/19/01	0.34	05/14/01	20.67
01/23/01	0.34	03/20/01	0.34	05/15/01	19.47
01/24/01	0.34	03/21/01	3.85	05/16/01	17.74
01/25/01	0.34	03/22/01	21.90	05/17/01	15.04
01/26/01	0.34	03/23/01	55.17	05/18/01	15.04
01/27/01	0.34	03/24/01	103.66	05/19/01	15.04
01/28/01	0.34	03/25/01	167.37	05/20/01	10.32
01/29/01	0.34	03/26/01	254.81	05/21/01	10.32
01/30/01	0.34	03/27/01	233.80	05/22/01	10.32
01/31/01	0.34	03/28/01	194.48	05/23/01	10.32
02/01/01	0.34	03/29/01	158.79	05/24/01	10.32
02/02/01	0.34	03/30/01	145.52	05/25/01	10.32
02/03/01	0.34	03/31/01	135.96	05/26/01	10.32
02/04/01	0.34	04/01/01	131.29	05/27/01	10.32
02/05/01	0.34	04/02/01	126.71	05/28/01	6.51
02/06/01	0.34	04/03/01	112.04	05/29/01	6.51
02/07/01	0.34	04/04/01	85.39	05/30/01	6.51
02/08/01	0.34	04/05/01	85.39	05/31/01	6.51

06/01/01	6.51	07/27/01	1.60	09/21/01	0.43
06/02/01	6.51	07/28/01	1.60	09/22/01	0.43
06/03/01	6.51	07/29/01	1.60	09/23/01	0.43
06/04/01	4.94	07/30/01	1.60	09/24/01	0.43
06/05/01	4.94	07/31/01	1.60	09/25/01	0.43
06/06/01	4.94	08/01/01	1.60	09/26/01	0.34
06/07/01	6.51	08/02/01	1.60	09/27/01	0.34
06/08/01	8.69	08/03/01	1.60	09/28/01	0.34
06/09/01	11.20	08/04/01	0.93	09/29/01	0.34
06/10/01	14.03	08/05/01	0.93	09/30/01	0.34
06/11/01	17.74	08/06/01	0.93	10/01/01	0.34
06/12/01	17.74	08/07/01	0.93	10/02/01	0.34
06/13/01	17.74	08/08/01	0.84	10/03/01	0.34
06/14/01	17.74	08/09/01	0.84	10/04/01	0.34
06/15/01	16.64	08/10/01	0.84	10/05/01	0.34
06/16/01	15.57	08/11/01	0.84	10/06/01	0.34
06/17/01	14.53	08/12/01	0.84	10/07/01	0.34
06/18/01	13.53	08/13/01	0.84	10/08/01	0.34
06/19/01	12.57	08/14/01	0.84	10/09/01	0.34
06/20/01	11.20	08/15/01	0.84	10/10/01	0.34
06/21/01	10.32	08/16/01	0.84	10/11/01	0.34
06/22/01	8.30	08/17/01	0.84	10/12/01	0.34
06/23/01	6.51	08/18/01	0.84	10/13/01	0.34
06/24/01	6.51	08/19/01	0.84	10/14/01	0.34
06/25/01	4.94	08/20/01	0.84	10/15/01	0.34
06/26/01	4.94	08/21/01	0.84	10/16/01	0.34
06/27/01	4.11	08/22/01	0.63	10/17/01	0.34
06/28/01	3.60	08/23/01	0.63	10/18/01	0.34
06/29/01	3.13	08/24/01	0.63	10/19/01	0.34
06/30/01	2.69	08/25/01	0.63	10/20/01	0.34
07/01/01	2.29	08/26/01	0.63	10/21/01	0.34
07/02/01	1.92	08/27/01	0.63	10/22/01	0.34
07/03/01	1.60	08/28/01	0.63	10/23/01	0.34
07/04/01	1.60	08/29/01	0.63	10/24/01	0.34
07/05/01	1.60	08/30/01	0.63	10/25/01	0.34
07/06/01	1.60	08/31/01	0.63	10/26/01	0.34
07/07/01	1.60	09/01/01	0.63	10/27/01	0.34
07/08/01	1.60	09/02/01	0.63	10/28/01	0.34
07/09/01	1.60	09/03/01	0.63	10/29/01	0.34
07/10/01	1.60	09/04/01	0.43	10/30/01	0.34
07/11/01	1.60	09/05/01	0.43	10/31/01	0.34
07/12/01	1.30	09/06/01	0.43	11/01/01	0.34
07/13/01	0.84	09/07/01	0.43	11/02/01	0.34
07/14/01	0.73	09/08/01	0.43	11/03/01	0.34
07/15/01	0.64	09/09/01	0.43	11/04/01	0.34
07/16/01	0.50	09/10/01	0.43	11/05/01	0.34
07/17/01	0.57	09/11/01	0.43	11/06/01	0.34
07/18/01	0.64	09/12/01	0.43	11/07/01	0.34
07/19/01	0.83	09/13/01	0.43	11/08/01	0.34
07/20/01	1.05	09/14/01	0.43	11/09/01	0.34
07/21/01	1.30	09/15/01	0.43	11/10/01	0.34
07/22/01	1.60	09/16/01	0.43	11/11/01	0.34
07/23/01	1.60	09/17/01	0.43	11/12/01	0.34
07/24/01	1.60	09/18/01	0.43	11/13/01	0.34
07/25/01	1.60	09/19/01	0.43	11/14/01	0.34
07/26/01	1.60	09/20/01	0.43	11/15/01	0.34

11/16/01	0.34	01/11/02	0.34	03/08/02	0.34
11/17/01	0.34	01/12/02	0.34	03/09/02	0.34
11/18/01	0.34	01/13/02	0.34	03/10/02	0.34
11/19/01	0.34	01/14/02	0.34	03/11/02	0.34
11/20/01	0.34	01/15/02	0.34	03/12/02	0.34
11/21/01	0.34	01/16/02	0.34	03/13/02	0.34
11/22/01	0.34	01/17/02	0.34	03/14/02	0.34
11/23/01	0.34	01/18/02	0.34	03/15/02	0.34
11/24/01	0.34	01/19/02	0.34	03/16/02	0.34
11/25/01	0.34	01/20/02	0.34	03/17/02	0.34
11/26/01	0.34	01/21/02	0.34	03/18/02	0.34
11/27/01	0.34	01/22/02	0.34	03/19/02	0.34
11/28/01	0.34	01/23/02	0.34	03/20/02	3.13
11/29/01	0.34	01/24/02	0.34	03/21/02	3.13
11/30/01	0.34	01/25/02	0.34	03/22/02	3.13
12/01/01	0.34	01/26/02	0.34	03/23/02	3.13
12/02/01	0.34	01/27/02	0.34	03/24/02	3.13
12/03/01	0.34	01/28/02	0.34	03/25/02	3.13
12/04/01	0.34	01/29/02	0.34	03/26/02	3.13
12/05/01	0.34	01/30/02	0.34	03/27/02	3.13
12/06/01	0.34	01/31/02	0.34	03/28/02	3.13
12/07/01	0.34	02/01/02	0.34	03/29/02	3.13
12/08/01	0.34	02/02/02	0.34	03/30/02	3.13
12/09/01	0.34	02/03/02	0.34	03/31/02	3.13
12/10/01	0.34	02/04/02	0.34	04/01/02	3.13
12/11/01	0.34	02/05/02	0.34	04/02/02	3.13
12/12/01	0.34	02/06/02	0.34	04/03/02	3.13
12/13/01	0.34	02/07/02	0.34	04/04/02	3.13
12/14/01	0.34	02/08/02	0.34	04/05/02	3.13
12/15/01	0.34	02/09/02	0.34	04/06/02	3.13
12/16/01	0.34	02/10/02	0.34	04/07/02	3.13
12/17/01	0.34	02/11/02	0.34	04/08/02	3.13
12/18/01	0.34	02/12/02	0.34	04/09/02	3.13
12/19/01	0.34	02/13/02	0.34	04/10/02	3.13
12/20/01	0.34	02/14/02	0.34	04/11/02	3.13
12/21/01	0.34	02/15/02	0.34	04/12/02	3.13
12/22/01	0.34	02/16/02	0.34	04/13/02	3.13
12/23/01	0.34	02/17/02	0.34	04/14/02	3.13
12/24/01	0.34	02/18/02	0.34	04/15/02	3.13
12/25/01	0.34	02/19/02	0.34	04/16/02	3.13
12/26/01	0.34	02/20/02	0.34	04/17/02	3.13
12/27/01	0.34	02/21/02	0.34	04/18/02	2.48
12/28/01	0.34	02/22/02	0.34	04/19/02	2.48
12/29/01	0.34	02/23/02	0.34	04/20/02	2.48
12/30/01	0.34	02/24/02	0.34	04/21/02	2.48
12/31/01	0.34	02/25/02	0.34	04/22/02	2.48
01/01/02	0.34	02/26/02	0.34	04/23/02	2.48
01/02/02	0.34	02/27/02	0.34	04/24/02	2.48
01/03/02	0.34	02/28/02	0.34	04/25/02	2.48
01/04/02	0.34	03/01/02	0.34	04/26/02	2.48
01/05/02	0.34	03/02/02	0.34	04/27/02	2.48
01/06/02	0.34	03/03/02	0.34	04/28/02	2.48
01/07/02	0.34	03/04/02	0.34	04/29/02	4.94
01/08/02	0.34	03/05/02	0.34	04/30/02	4.94
01/09/02	0.34	03/06/02	0.34	05/01/02	4.94
01/10/02	0.34	03/07/02	0.34	05/02/02	4.94

05/03/02	4.94	06/28/02	0.34	08/23/02	1.60
05/04/02	4.94	06/29/02	0.34	08/24/02	1.60
05/05/02	4.94	06/30/02	0.34	08/25/02	1.60
05/06/02	4.94	07/01/02	0.34	08/26/02	1.60
05/07/02	4.94	07/02/02	0.34	08/27/02	1.60
05/08/02	4.94	07/03/02	0.34	08/28/02	1.60
05/09/02	4.66	07/04/02	0.34	08/29/02	1.60
05/10/02	4.38	07/05/02	0.50	08/30/02	1.60
05/11/02	4.11	07/06/02	0.83	08/31/02	1.60
05/12/02	3.85	07/07/02	1.30	09/01/02	1.60
05/13/02	3.60	07/08/02	1.92	09/02/02	1.60
05/14/02	3.36	07/09/02	2.69	09/03/02	1.45
05/15/02	3.13	07/10/02	6.51	09/04/02	1.30
05/16/02	2.90	07/11/02	73.43	09/05/02	1.17
05/17/02	2.69	07/12/02	158.79	09/06/02	1.05
05/18/02	2.48	07/13/02	176.18	09/07/02	0.93
05/19/02	2.29	07/14/02	158.79	09/08/02	0.83
05/20/02	2.10	07/15/02	176.18	09/09/02	0.73
05/21/02	1.92	07/16/02	194.48	09/10/02	0.64
05/22/02	1.76	07/17/02	176.18	09/11/02	0.57
05/23/02	1.60	07/18/02	119.26	09/12/02	0.50
05/24/02	1.45	07/19/02	158.79	09/13/02	0.44
05/25/02	1.30	07/20/02	142.30	09/14/02	0.39
05/26/02	1.17	07/21/02	126.71	09/15/02	0.34
05/27/02	1.05	07/22/02	62.37	09/16/02	0.34
05/28/02	0.93	07/23/02	42.98	09/17/02	0.34
05/29/02	0.83	07/24/02	27.20	09/18/02	0.34
05/30/02	0.73	07/25/02	15.04	09/19/02	0.34
05/31/02	0.64	07/26/02	14.03	09/20/02	0.34
06/01/02	0.57	07/27/02	13.05	09/21/02	0.34
06/02/02	0.50	07/28/02	12.10	09/22/02	0.34
06/03/02	0.44	07/29/02	11.20	09/23/02	0.34
06/04/02	0.39	07/30/02	10.32	09/24/02	0.34
06/05/02	0.34	07/31/02	9.49	09/25/02	0.34
06/06/02	0.34	08/01/02	8.69	09/26/02	0.34
06/07/02	0.34	08/02/02	7.93	09/27/02	0.34
06/08/02	0.34	08/03/02	7.20	09/28/02	0.34
06/09/02	0.34	08/04/02	6.51	09/29/02	0.34
06/10/02	0.34	08/05/02	5.85	09/30/02	0.34
06/11/02	0.34	08/06/02	5.24	10/01/02	0.34
06/12/02	0.34	08/07/02	4.66	10/02/02	0.34
06/13/02	0.34	08/08/02	4.11	10/03/02	0.34
06/14/02	0.34	08/09/02	3.60	10/04/02	0.34
06/15/02	0.34	08/10/02	3.13	10/05/02	0.34
06/16/02	0.34	08/11/02	2.69	10/06/02	0.34
06/17/02	0.34	08/12/02	2.29	10/07/02	0.34
06/18/02	0.34	08/13/02	1.92	10/08/02	0.34
06/19/02	0.34	08/14/02	1.60	10/09/02	0.34
06/20/02	0.34	08/15/02	1.60	10/10/02	0.34
06/21/02	0.34	08/16/02	1.60	10/11/02	0.34
06/22/02	0.34	08/17/02	1.60	10/12/02	0.34
06/23/02	0.34	08/18/02	1.60	10/13/02	0.34
06/24/02	0.34	08/19/02	1.60	10/14/02	0.34
06/25/02	0.34	08/20/02	1.60	10/15/02	0.34
06/26/02	0.34	08/21/02	1.60	10/16/02	0.34
06/27/02	0.34	08/22/02	1.60	10/17/02	0.34

10/18/02	0.34	12/13/02	0.34	02/07/03	0.34
10/19/02	0.34	12/14/02	0.34	02/08/03	0.34
10/20/02	0.34	12/15/02	0.34	02/09/03	0.34
10/21/02	0.34	12/16/02	0.34	02/10/03	0.34
10/22/02	0.34	12/17/02	0.34	02/11/03	0.34
10/23/02	0.34	12/18/02	0.34	02/12/03	0.34
10/24/02	0.34	12/19/02	0.34	02/13/03	0.34
10/25/02	0.34	12/20/02	0.34	02/14/03	0.34
10/26/02	0.34	12/21/02	0.34	02/15/03	0.34
10/27/02	0.34	12/22/02	0.34	02/16/03	0.34
10/28/02	0.34	12/23/02	0.34	02/17/03	0.34
10/29/02	0.34	12/24/02	0.34	02/18/03	0.34
10/30/02	0.34	12/25/02	0.34	02/19/03	0.34
10/31/02	0.34	12/26/02	0.34	02/20/03	0.34
11/01/02	0.34	12/27/02	0.34	02/21/03	0.34
11/02/02	0.34	12/28/02	0.34	02/22/03	0.34
11/03/02	0.34	12/29/02	0.34	02/23/03	0.34
11/04/02	0.34	12/30/02	0.34	02/24/03	0.34
11/05/02	0.34	12/31/02	0.34	02/25/03	0.34
11/06/02	0.34	01/01/03	0.34	02/26/03	0.34
11/07/02	0.34	01/02/03	0.34	02/27/03	0.34
11/08/02	0.34	01/03/03	0.34	02/28/03	0.34
11/09/02	0.34	01/04/03	0.34	03/01/03	0.34
11/10/02	0.34	01/05/03	0.34	03/02/03	0.34
11/11/02	0.34	01/06/03	0.34	03/03/03	0.34
11/12/02	0.34	01/07/03	0.34	03/04/03	0.34
11/13/02	0.34	01/08/03	0.34	03/05/03	0.34
11/14/02	0.34	01/09/03	0.34	03/06/03	0.34
11/15/02	0.34	01/10/03	0.34	03/07/03	0.34
11/16/02	0.34	01/11/03	0.34	03/08/03	0.34
11/17/02	0.34	01/12/03	0.34	03/09/03	0.34
11/18/02	0.34	01/13/03	0.34	03/10/03	0.34
11/19/02	0.34	01/14/03	0.34	03/11/03	0.34
11/20/02	0.34	01/15/03	0.34	03/12/03	0.34
11/21/02	0.34	01/16/03	0.34	03/13/03	0.34
11/22/02	0.34	01/17/03	0.34	03/14/03	0.34
11/23/02	0.34	01/18/03	0.34	03/15/03	0.34
11/24/02	0.34	01/19/03	0.34	03/16/03	0.34
11/25/02	0.34	01/20/03	0.34	03/17/03	0.34
11/26/02	0.34	01/21/03	0.34	03/18/03	0.34
11/27/02	0.34	01/22/03	0.34	03/19/03	0.34
11/28/02	0.34	01/23/03	0.34	03/20/03	3.60
11/29/02	0.34	01/24/03	0.34	03/21/03	3.60
11/30/02	0.34	01/25/03	0.34	03/22/03	3.60
12/01/02	0.34	01/26/03	0.34	03/23/03	3.60
12/02/02	0.34	01/27/03	0.34	03/24/03	3.60
12/03/02	0.34	01/28/03	0.34	03/25/03	3.60
12/04/02	0.34	01/29/03	0.34	03/26/03	3.60
12/05/02	0.34	01/30/03	0.34	03/27/03	3.60
12/06/02	0.34	01/31/03	0.34	03/28/03	3.36
12/07/02	0.34	02/01/03	0.34	03/29/03	3.13
12/08/02	0.34	02/02/03	0.34	03/30/03	2.90
12/09/02	0.34	02/03/03	0.34	03/31/03	2.69
12/10/02	0.34	02/04/03	0.34	04/01/03	2.69
12/11/02	0.34	02/05/03	0.34	04/02/03	2.69
12/12/02	0.34	02/06/03	0.34	04/03/03	2.29

04/04/03	1.92	05/30/03	15.04	07/25/03	9.90
04/05/03	1.60	05/31/03	15.04	07/26/03	9.49
04/06/03	1.30	06/01/03	12.57	07/27/03	9.08
04/07/03	1.05	06/02/03	10.32	07/28/03	8.69
04/08/03	1.60	06/03/03	10.32	07/29/03	8.30
04/09/03	2.29	06/04/03	10.32	07/30/03	7.93
04/10/03	1.92	06/05/03	10.32	07/31/03	7.56
04/11/03	1.60	06/06/03	10.32	08/01/03	7.20
04/12/03	1.60	06/07/03	10.32	08/02/03	6.85
04/13/03	1.60	06/08/03	10.32	08/03/03	6.51
04/14/03	1.30	06/09/03	10.32	08/04/03	3.60
04/15/03	2.29	06/10/03	12.57	08/05/03	1.60
04/16/03	3.60	06/11/03	15.04	08/06/03	0.50
04/17/03	3.85	06/12/03	17.74	08/07/03	0.50
04/18/03	4.11	06/13/03	20.67	08/08/03	0.50
04/19/03	4.11	06/14/03	23.82	08/09/03	0.50
04/20/03	4.38	06/15/03	27.20	08/10/03	0.50
04/21/03	4.66	06/16/03	34.64	08/11/03	0.50
04/22/03	5.54	06/17/03	34.64	08/12/03	0.49
04/23/03	6.51	06/18/03	34.64	08/13/03	0.48
04/24/03	3.60	06/19/03	34.64	08/14/03	0.47
04/25/03	3.36	06/20/03	27.20	08/15/03	0.46
04/26/03	3.13	06/21/03	27.20	08/16/03	0.45
04/27/03	2.90	06/22/03	27.20	08/17/03	0.44
04/28/03	2.69	06/23/03	27.20	08/18/03	0.43
04/29/03	2.69	06/24/03	37.86	08/19/03	0.43
04/30/03	2.69	06/25/03	50.30	08/20/03	0.42
05/01/03	3.13	06/26/03	64.51	08/21/03	0.41
05/02/03	3.60	06/27/03	80.50	08/22/03	0.40
05/03/03	10.32	06/28/03	98.26	08/23/03	0.39
05/04/03	15.04	06/29/03	117.80	08/24/03	0.39
05/05/03	15.04	06/30/03	135.96	08/25/03	0.38
05/06/03	16.64	07/01/03	123.71	08/26/03	0.37
05/07/03	18.31	07/02/03	112.04	08/27/03	0.36
05/08/03	20.67	07/03/03	100.94	08/28/03	0.36
05/09/03	21.90	07/04/03	90.43	08/29/03	0.35
05/10/03	23.17	07/05/03	80.50	08/30/03	0.34
05/11/03	25.82	07/06/03	71.15	08/31/03	0.34
05/12/03	28.61	07/07/03	62.37	09/01/03	0.39
05/13/03	27.20	07/08/03	54.18	09/02/03	0.39
05/14/03	25.82	07/09/03	46.57	09/03/03	0.39
05/15/03	42.98	07/10/03	39.53	09/04/03	0.39
05/16/03	64.51	07/11/03	33.08	09/05/03	0.39
05/17/03	90.43	07/12/03	27.20	09/06/03	0.39
05/18/03	120.73	07/13/03	21.90	09/07/03	0.39
05/19/03	152.08	07/14/03	15.04	09/08/03	0.39
05/20/03	106.42	07/15/03	14.53	09/09/03	0.39
05/21/03	68.90	07/16/03	14.03	09/10/03	0.39
05/22/03	60.27	07/17/03	13.53	09/11/03	0.39
05/23/03	52.22	07/18/03	13.05	09/12/03	0.39
05/24/03	44.75	07/19/03	12.57	09/13/03	0.39
05/25/03	37.86	07/20/03	12.10	09/14/03	0.39
05/26/03	31.55	07/21/03	11.64	09/15/03	0.39
05/27/03	25.82	07/22/03	11.20	09/16/03	0.39
05/28/03	20.67	07/23/03	10.76	09/17/03	0.39
05/29/03	27.20	07/24/03	10.32	09/18/03	0.39

09/19/03	0.39	11/14/03	0.39	01/09/04	0.39
09/20/03	0.39	11/15/03	0.39	01/10/04	0.39
09/21/03	0.39	11/16/03	0.39	01/11/04	0.39
09/22/03	0.39	11/17/03	0.39	01/12/04	0.39
09/23/03	0.39	11/18/03	0.39	01/13/04	0.39
09/24/03	0.39	11/19/03	0.39	01/14/04	0.39
09/25/03	0.39	11/20/03	0.39	01/15/04	0.39
09/26/03	0.39	11/21/03	0.39	01/16/04	0.39
09/27/03	0.39	11/22/03	0.39	01/17/04	0.39
09/28/03	0.39	11/23/03	0.39	01/18/04	0.39
09/29/03	0.39	11/24/03	0.39	01/19/04	0.39
09/30/03	0.39	11/25/03	0.39	01/20/04	0.39
10/01/03	0.39	11/26/03	0.39	01/21/04	0.39
10/02/03	0.39	11/27/03	0.39	01/22/04	0.39
10/03/03	0.39	11/28/03	0.39	01/23/04	0.39
10/04/03	0.39	11/29/03	0.39	01/24/04	0.39
10/05/03	0.39	11/30/03	0.39	01/25/04	0.39
10/06/03	0.39	12/01/03	0.39	01/26/04	0.39
10/07/03	0.39	12/02/03	0.39	01/27/04	0.39
10/08/03	0.39	12/03/03	0.39	01/28/04	0.39
10/09/03	0.39	12/04/03	0.39	01/29/04	0.39
10/10/03	0.39	12/05/03	0.39	01/30/04	0.39
10/11/03	0.39	12/06/03	0.39	01/31/04	0.39
10/12/03	0.39	12/07/03	0.39	02/01/04	0.39
10/13/03	0.39	12/08/03	0.39	02/02/04	0.39
10/14/03	0.39	12/09/03	0.39	02/03/04	0.39
10/15/03	0.39	12/10/03	0.39	02/04/04	0.39
10/16/03	0.39	12/11/03	0.39	02/05/04	0.39
10/17/03	0.39	12/12/03	0.39	02/06/04	0.39
10/18/03	0.39	12/13/03	0.39	02/07/04	0.39
10/19/03	0.39	12/14/03	0.39	02/08/04	0.39
10/20/03	0.39	12/15/03	0.39	02/09/04	0.39
10/21/03	0.39	12/16/03	0.39	02/10/04	0.39
10/22/03	0.39	12/17/03	0.39	02/11/04	0.39
10/23/03	0.39	12/18/03	0.39	02/12/04	0.39
10/24/03	0.39	12/19/03	0.39	02/13/04	0.39
10/25/03	0.39	12/20/03	0.39	02/14/04	0.39
10/26/03	0.39	12/21/03	0.39	02/15/04	0.39
10/27/03	0.39	12/22/03	0.39	02/16/04	0.39
10/28/03	0.39	12/23/03	0.39	02/17/04	0.39
10/29/03	0.39	12/24/03	0.39	02/18/04	0.39
10/30/03	0.39	12/25/03	0.39	02/19/04	0.39
10/31/03	0.39	12/26/03	0.39	02/20/04	0.39
11/01/03	0.39	12/27/03	0.39	02/21/04	0.39
11/02/03	0.39	12/28/03	0.39	02/22/04	0.39
11/03/03	0.39	12/29/03	0.39	02/23/04	0.39
11/04/03	0.39	12/30/03	0.39	02/24/04	0.39
11/05/03	0.39	12/31/03	0.39	02/25/04	0.39
11/06/03	0.39	01/01/04	0.39	02/26/04	0.39
11/07/03	0.39	01/02/04	0.39	02/27/04	0.39
11/08/03	0.39	01/03/04	0.39	02/28/04	0.39
11/09/03	0.39	01/04/04	0.39	02/29/04	0.39
11/10/03	0.39	01/05/04	0.39	03/01/04	0.39
11/11/03	0.39	01/06/04	0.39	03/02/04	0.39
11/12/03	0.39	01/07/04	0.39	03/03/04	0.39
11/13/03	0.39	01/08/04	0.39	03/04/04	0.39

03/05/04	0.39	04/30/04	5.85	06/25/04	15.04
03/06/04	0.39	05/01/04	5.24	06/26/04	14.03
03/07/04	0.39	05/02/04	4.66	06/27/04	13.05
03/08/04	0.39	05/03/04	4.11	06/28/04	12.10
03/09/04	0.39	05/04/04	3.60	06/29/04	10.32
03/10/04	0.39	05/05/04	3.13	06/30/04	10.32
03/11/04	0.39	05/06/04	2.69	07/01/04	10.32
03/12/04	0.39	05/07/04	2.29	07/02/04	10.76
03/13/04	0.39	05/08/04	1.92	07/03/04	10.76
03/14/04	0.39	05/09/04	1.60	07/04/04	11.20
03/15/04	3.13	05/10/04	1.30	07/05/04	11.20
03/16/04	5.18	05/11/04	1.30	07/06/04	11.20
03/17/04	7.78	05/12/04	1.60	07/07/04	10.54
03/18/04	10.93	05/13/04	4.11	07/08/04	9.90
03/19/04	14.63	05/14/04	4.66	07/09/04	9.29
03/20/04	40.38	05/15/04	5.24	07/10/04	8.69
03/21/04	23.69	05/16/04	5.54	07/11/04	8.11
03/22/04	29.05	05/17/04	5.85	07/12/04	7.56
03/23/04	34.64	05/18/04	5.85	07/13/04	7.02
03/24/04	49.35	05/19/04	5.24	07/14/04	6.51
03/25/04	66.69	05/20/04	4.66	07/15/04	6.02
03/26/04	86.64	05/21/04	4.11	07/16/04	5.54
03/27/04	109.21	05/22/04	3.60	07/17/04	5.09
03/28/04	134.39	05/23/04	3.13	07/18/04	4.66
03/29/04	162.19	05/24/04	2.69	07/19/04	4.24
03/30/04	246.30	05/25/04	2.69	07/20/04	3.60
03/31/04	160.48	05/26/04	4.38	07/21/04	3.36
04/01/04	135.96	05/27/04	6.51	07/22/04	3.13
04/02/04	113.46	05/28/04	9.08	07/23/04	2.69
04/03/04	93.01	05/29/04	12.10	07/24/04	2.90
04/04/04	74.59	05/30/04	15.57	07/25/04	2.69
04/05/04	58.21	05/31/04	19.47	07/26/04	2.48
04/06/04	41.24	06/01/04	21.90	07/27/04	2.29
04/07/04	37.04	06/02/04	24.48	07/28/04	2.10
04/08/04	33.08	06/03/04	27.20	07/29/04	1.92
04/09/04	29.34	06/04/04	20.67	07/30/04	1.76
04/10/04	25.82	06/05/04	15.04	07/31/04	1.60
04/11/04	22.53	06/06/04	15.04	08/01/04	1.45
04/12/04	19.47	06/07/04	14.53	08/02/04	1.30
04/13/04	17.19	06/08/04	14.03	08/03/04	1.17
04/14/04	16.10	06/09/04	16.64	08/04/04	1.05
04/15/04	15.04	06/10/04	19.47	08/05/04	0.93
04/16/04	14.03	06/11/04	22.53	08/06/04	0.83
04/17/04	13.05	06/12/04	25.82	08/07/04	0.73
04/18/04	12.10	06/13/04	29.34	08/08/04	0.64
04/19/04	11.20	06/14/04	33.08	08/09/04	0.64
04/20/04	10.32	06/15/04	37.86	08/10/04	0.64
04/21/04	9.90	06/16/04	34.64	08/11/04	0.57
04/22/04	9.49	06/17/04	31.55	08/12/04	0.50
04/23/04	9.08	06/18/04	28.61	08/13/04	0.44
04/24/04	8.69	06/19/04	25.82	08/14/04	0.39
04/25/04	8.30	06/20/04	23.17	08/15/04	0.34
04/26/04	7.93	06/21/04	19.47	08/16/04	0.34
04/27/04	7.20	06/22/04	18.31	08/17/04	0.34
04/28/04	6.85	06/23/04	17.19	08/18/04	0.34
04/29/04	6.51	06/24/04	16.10	08/19/04	0.34

08/20/04	0.34	10/15/04	0.83	12/10/04	0.34
08/21/04	0.34	10/16/04	0.83	12/11/04	0.34
08/22/04	0.34	10/17/04	0.83	12/12/04	0.34
08/23/04	0.34	10/18/04	0.83	12/13/04	0.34
08/24/04	0.34	10/19/04	0.83	12/14/04	0.34
08/25/04	0.34	10/20/04	0.82	12/15/04	0.34
08/26/04	0.34	10/21/04	0.81	12/16/04	0.34
08/27/04	0.34	10/22/04	0.79	12/17/04	0.34
08/28/04	0.34	10/23/04	0.78	12/18/04	0.34
08/29/04	0.34	10/24/04	0.77	12/19/04	0.34
08/30/04	0.34	10/25/04	0.76	12/20/04	0.34
08/31/04	0.34	10/26/04	0.75	12/21/04	0.34
09/01/04	0.39	10/27/04	0.74	12/22/04	0.34
09/02/04	0.44	10/28/04	0.73	12/23/04	0.34
09/03/04	0.50	10/29/04	0.72	12/24/04	0.34
09/04/04	0.50	10/30/04	0.71	12/25/04	0.34
09/05/04	0.50	10/31/04	0.70	12/26/04	0.34
09/06/04	0.50	11/01/04	0.69	12/27/04	0.34
09/07/04	0.50	11/02/04	0.67	12/28/04	0.34
09/08/04	0.50	11/03/04	0.66	12/29/04	0.34
09/09/04	0.50	11/04/04	0.65	12/30/04	0.34
09/10/04	0.50	11/05/04	0.64	12/31/04	0.34
09/11/04	0.50	11/06/04	0.63	01/01/05	0.34
09/12/04	0.50	11/07/04	0.62	01/02/05	0.34
09/13/04	0.50	11/08/04	0.61	01/03/05	0.34
09/14/04	0.50	11/09/04	0.60	01/04/05	0.34
09/15/04	0.39	11/10/04	0.59	01/05/05	0.34
09/16/04	0.39	11/11/04	0.58	01/06/05	0.34
09/17/04	0.39	11/12/04	0.57	01/07/05	0.34
09/18/04	0.39	11/13/04	0.56	01/08/05	0.34
09/19/04	0.39	11/14/04	0.55	01/09/05	0.34
09/20/04	0.39	11/15/04	0.54	01/10/05	0.34
09/21/04	0.39	11/16/04	0.53	01/11/05	0.34
09/22/04	0.39	11/17/04	0.52	01/12/05	0.34
09/23/04	0.39	11/18/04	0.51	01/13/05	0.34
09/24/04	0.39	11/19/04	0.50	01/14/05	0.34
09/25/04	0.39	11/20/04	0.49	01/15/05	0.34
09/26/04	0.39	11/21/04	0.48	01/16/05	0.34
09/27/04	0.39	11/22/04	0.47	01/17/05	0.34
09/28/04	0.39	11/23/04	0.47	01/18/05	0.34
09/29/04	0.39	11/24/04	0.46	01/19/05	0.34
09/30/04	0.39	11/25/04	0.45	01/20/05	0.34
10/01/04	0.39	11/26/04	0.44	01/21/05	0.34
10/02/04	0.39	11/27/04	0.43	01/22/05	0.34
10/03/04	0.39	11/28/04	0.42	01/23/05	0.34
10/04/04	0.39	11/29/04	0.41	01/24/05	0.34
10/05/04	0.39	11/30/04	0.41	01/25/05	0.34
10/06/04	0.39	12/01/04	0.40	01/26/05	0.34
10/07/04	0.39	12/02/04	0.39	01/27/05	0.34
10/08/04	0.39	12/03/04	0.38	01/28/05	0.34
10/09/04	0.44	12/04/04	0.37	01/29/05	0.34
10/10/04	0.50	12/05/04	0.37	01/30/05	0.34
10/11/04	0.57	12/06/04	0.36	01/31/05	0.34
10/12/04	0.64	12/07/04	0.35	02/01/05	0.34
10/13/04	0.83	12/08/04	0.35	02/02/05	0.34
10/14/04	0.83	12/09/04	0.34	02/03/05	0.34

02/04/05	0.34	04/01/05	0.34	05/27/05	2.61
02/05/05	0.34	04/02/05	0.38	05/28/05	2.48
02/06/05	0.34	04/03/05	0.39	05/29/05	2.36
02/07/05	0.34	04/04/05	2.39	05/30/05	2.24
02/08/05	0.34	04/05/05	2.01	05/31/05	2.01
02/09/05	0.34	04/06/05	2.01	06/01/05	4.58
02/10/05	0.34	04/07/05	2.01	06/02/05	8.30
02/11/05	0.34	04/08/05	2.24	06/03/05	13.17
02/12/05	0.34	04/09/05	2.24	06/04/05	19.18
02/13/05	0.34	04/10/05	2.48	06/05/05	26.33
02/14/05	0.34	04/11/05	2.48	06/06/05	34.64
02/15/05	0.34	04/12/05	2.48	06/07/05	40.81
02/16/05	0.34	04/13/05	2.48	06/08/05	45.20
02/17/05	0.34	04/14/05	2.48	06/09/05	49.83
02/18/05	0.34	04/15/05	2.48	06/10/05	335.50
02/19/05	0.34	04/16/05	2.48	06/11/05	545.74
02/20/05	0.34	04/17/05	2.48	06/12/05	470.00
02/21/05	0.34	04/18/05	2.48	06/13/05	434.25
02/22/05	0.34	04/19/05	2.48	06/14/05	367.00
02/23/05	0.34	04/20/05	2.48	06/15/05	339.20
02/24/05	0.34	04/21/05	2.48	06/16/05	312.50
02/25/05	0.34	04/22/05	2.48	06/17/05	286.89
02/26/05	0.34	04/23/05	2.48	06/18/05	262.38
02/27/05	0.34	04/24/05	2.48	06/19/05	238.97
02/28/05	0.34	04/25/05	2.48	06/20/05	216.64
03/01/05	0.34	04/26/05	2.48	06/21/05	194.48
03/02/05	0.34	04/27/05	2.48	06/22/05	171.75
03/03/05	0.34	04/28/05	2.48	06/23/05	150.43
03/04/05	0.34	04/29/05	2.48	06/24/05	130.52
03/05/05	0.34	04/30/05	0.69	06/25/05	112.04
03/06/05	0.34	05/01/05	0.69	06/26/05	94.96
03/07/05	0.34	05/02/05	0.69	06/27/05	79.30
03/08/05	0.34	05/03/05	0.69	06/28/05	67.79
03/09/05	0.34	05/04/05	1.41	06/29/05	63.71
03/10/05	0.34	05/05/05	2.48	06/30/05	59.75
03/11/05	0.34	05/06/05	3.91	07/01/05	55.92
03/12/05	0.34	05/07/05	5.70	07/02/05	52.22
03/13/05	0.34	05/08/05	7.83	07/03/05	48.65
03/14/05	0.34	05/09/05	10.32	07/04/05	45.20
03/15/05	0.34	05/10/05	13.78	07/05/05	40.81
03/16/05	0.34	05/11/05	12.57	07/06/05	38.17
03/17/05	0.34	05/12/05	11.42	07/07/05	35.63
03/18/05	0.34	05/13/05	10.32	07/08/05	33.17
03/19/05	0.34	05/14/05	9.29	07/09/05	30.80
03/20/05	0.34	05/15/05	8.30	07/10/05	28.52
03/21/05	0.34	05/16/05	7.38	07/11/05	26.33
03/22/05	0.34	05/17/05	6.51	07/12/05	23.82
03/23/05	0.34	05/18/05	5.93	07/13/05	21.59
03/24/05	0.34	05/19/05	5.39	07/14/05	19.47
03/25/05	0.34	05/20/05	4.87	07/15/05	17.46
03/26/05	0.34	05/21/05	4.38	07/16/05	15.57
03/27/05	0.34	05/22/05	3.91	07/17/05	13.78
03/28/05	0.34	05/23/05	3.48	07/18/05	12.10
03/29/05	0.34	05/24/05	3.01	07/19/05	10.32
03/30/05	0.34	05/25/05	2.88	07/20/05	10.06
03/31/05	0.34	05/26/05	2.74	07/21/05	9.80

07/22/05	9.54	09/16/05	10.86	11/11/05	0.34
07/23/05	9.29	09/17/05	9.44	11/12/05	0.34
07/24/05	9.03	09/18/05	8.11	11/13/05	0.34
07/25/05	8.79	09/19/05	6.89	11/14/05	0.34
07/26/05	8.54	09/20/05	5.70	11/15/05	0.34
07/27/05	8.30	09/21/05	5.13	11/16/05	0.34
07/28/05	8.07	09/22/05	4.58	11/17/05	0.34
07/29/05	7.83	09/23/05	4.08	11/18/05	0.34
07/30/05	7.60	09/24/05	3.60	11/19/05	0.34
07/31/05	7.38	09/25/05	3.16	11/20/05	0.34
08/01/05	7.16	09/26/05	2.74	11/21/05	0.34
08/02/05	6.94	09/27/05	2.36	11/22/05	0.34
08/03/05	6.72	09/28/05	2.01	11/23/05	0.34
08/04/05	6.51	09/29/05	1.69	11/24/05	0.34
08/05/05	6.30	09/30/05	1.41	11/25/05	0.34
08/06/05	6.10	10/01/05	1.16	11/26/05	0.34
08/07/05	5.89	10/02/05	0.93	11/27/05	0.34
08/08/05	2.48	10/03/05	0.74	11/28/05	0.34
08/09/05	2.66	10/04/05	0.50	11/29/05	0.34
08/10/05	2.85	10/05/05	0.50	11/30/05	0.34
08/11/05	3.04	10/06/05	0.30	12/01/05	0.34
08/12/05	3.24	10/07/05	0.50	12/02/05	0.34
08/13/05	3.45	10/08/05	0.34	12/03/05	0.34
08/14/05	3.66	10/09/05	0.34	12/04/05	0.34
08/15/05	3.88	10/10/05	0.34	12/05/05	0.34
08/16/05	4.11	10/11/05	0.34	12/06/05	0.34
08/17/05	4.34	10/12/05	0.34	12/07/05	0.34
08/18/05	4.58	10/13/05	0.34	12/08/05	0.34
08/19/05	4.83	10/14/05	0.34	12/09/05	0.34
08/20/05	5.09	10/15/05	0.34	12/10/05	0.34
08/21/05	5.35	10/16/05	0.34	12/11/05	0.34
08/22/05	5.70	10/17/05	0.34	12/12/05	0.34
08/23/05	6.81	10/18/05	0.34	12/13/05	0.34
08/24/05	8.02	10/19/05	0.34	12/14/05	0.34
08/25/05	9.34	10/20/05	0.34	12/15/05	0.34
08/26/05	10.76	10/21/05	0.34	12/16/05	0.34
08/27/05	12.28	10/22/05	0.34	12/17/05	0.34
08/28/05	13.90	10/23/05	0.34	12/18/05	0.34
08/29/05	15.63	10/24/05	0.34	12/19/05	0.34
08/30/05	17.46	10/25/05	0.34	12/20/05	0.34
08/31/05	19.40	10/26/05	0.34	12/21/05	0.34
09/01/05	21.44	10/27/05	0.34	12/22/05	0.34
09/02/05	23.58	10/28/05	0.34	12/23/05	0.34
09/03/05	25.82	10/29/05	0.34	12/24/05	0.34
09/04/05	28.17	10/30/05	0.34	12/25/05	0.34
09/05/05	30.62	10/31/05	0.34	12/26/05	0.34
09/06/05	30.80	11/01/05	0.34	12/27/05	0.34
09/07/05	28.35	11/02/05	0.34	12/28/05	0.34
09/08/05	25.99	11/03/05	0.34	12/29/05	0.34
09/09/05	23.74	11/04/05	0.34	12/30/05	0.34
09/10/05	21.59	11/05/05	0.34	12/31/05	0.34
09/11/05	19.55	11/06/05	0.34	01/01/06	0.34
09/12/05	17.60	11/07/05	0.34	01/02/06	0.34
09/13/05	15.76	11/08/05	0.34	01/03/06	0.34
09/14/05	14.03	11/09/05	0.34	01/04/06	0.34
09/15/05	12.39	11/10/05	0.34	01/05/06	0.34

01/06/06	0.34	03/03/06	0.34	04/28/06	6.18
01/07/06	0.34	03/04/06	0.34	04/29/06	6.18
01/08/06	0.34	03/05/06	0.34	04/30/06	6.51
01/09/06	0.34	03/06/06	0.34	05/01/06	6.51
01/10/06	0.34	03/07/06	0.34	05/02/06	7.20
01/11/06	0.34	03/08/06	0.34	05/03/06	7.20
01/12/06	0.34	03/09/06	0.34	05/04/06	6.51
01/13/06	0.34	03/10/06	0.34	05/05/06	3.60
01/14/06	0.34	03/11/06	0.34	05/06/06	19.31
01/15/06	0.34	03/12/06	0.34	05/07/06	19.90
01/16/06	0.34	03/13/06	0.34	05/08/06	20.50
01/17/06	0.34	03/14/06	0.34	05/09/06	21.11
01/18/06	0.34	03/15/06	0.34	05/10/06	4.66
01/19/06	0.34	03/16/06	0.34	05/11/06	4.38
01/20/06	0.34	03/17/06	0.34	05/12/06	4.38
01/21/06	0.34	03/18/06	0.34	05/13/06	4.11
01/22/06	0.34	03/19/06	0.34	05/14/06	4.11
01/23/06	0.34	03/20/06	0.34	05/15/06	3.85
01/24/06	0.34	03/21/06	0.34	05/16/06	3.85
01/25/06	0.34	03/22/06	0.34	05/17/06	3.60
01/26/06	0.34	03/23/06	0.50	05/18/06	3.13
01/27/06	0.34	03/24/06	1.60	05/19/06	2.69
01/28/06	0.34	03/25/06	3.60	05/20/06	2.29
01/29/06	0.34	03/26/06	6.51	05/21/06	1.92
01/30/06	0.34	03/27/06	10.32	05/22/06	1.60
01/31/06	0.34	03/28/06	15.04	05/23/06	1.45
02/01/06	0.34	03/29/06	15.04	05/24/06	1.30
02/02/06	0.34	03/30/06	15.04	05/25/06	1.05
02/03/06	0.34	03/31/06	15.04	05/26/06	0.83
02/04/06	0.34	04/01/06	14.53	05/27/06	0.64
02/05/06	0.34	04/02/06	14.03	05/28/06	0.50
02/06/06	0.34	04/03/06	14.03	05/29/06	0.39
02/07/06	0.34	04/04/06	13.53	05/30/06	0.31
02/08/06	0.34	04/05/06	13.05	05/31/06	0.27
02/09/06	0.34	04/06/06	12.57	06/01/06	0.29
02/10/06	0.34	04/07/06	12.10	06/02/06	0.29
02/11/06	0.34	04/08/06	11.64	06/03/06	0.27
02/12/06	0.34	04/09/06	11.64	06/04/06	0.27
02/13/06	0.34	04/10/06	11.20	06/05/06	0.27
02/14/06	0.34	04/11/06	10.81	06/06/06	0.27
02/15/06	0.34	04/12/06	10.43	06/07/06	0.27
02/16/06	0.34	04/13/06	10.05	06/08/06	0.27
02/17/06	0.34	04/14/06	9.69	06/09/06	0.27
02/18/06	0.34	04/15/06	9.33	06/10/06	0.27
02/19/06	0.34	04/16/06	8.97	06/11/06	0.27
02/20/06	0.34	04/17/06	8.63	06/12/06	0.27
02/21/06	0.34	04/18/06	8.29	06/13/06	0.27
02/22/06	0.34	04/19/06	7.93	06/14/06	0.27
02/23/06	0.34	04/20/06	7.56	06/15/06	0.27
02/24/06	0.34	04/21/06	7.20	06/16/06	0.27
02/25/06	0.34	04/22/06	6.85	06/17/06	0.27
02/26/06	0.34	04/23/06	6.51	06/18/06	0.27
02/27/06	0.34	04/24/06	3.60	06/19/06	0.27
02/28/06	0.34	04/25/06	6.18	06/20/06	0.27
03/01/06	0.34	04/26/06	5.85	06/21/06	0.27
03/02/06	0.34	04/27/06	5.85	06/22/06	0.27

06/23/06	0.27	08/18/06	0.00	10/13/06	0.00
06/24/06	0.27	08/19/06	0.00	10/14/06	0.00
06/25/06	0.27	08/20/06	0.00	10/15/06	0.00
06/26/06	0.27	08/21/06	0.00	10/16/06	0.00
06/27/06	0.27	08/22/06	0.00	10/17/06	0.00
06/28/06	0.27	08/23/06	0.00	10/18/06	0.00
06/29/06	0.27	08/24/06	0.00	10/19/06	0.00
06/30/06	0.27	08/25/06	0.00	10/20/06	0.00
07/01/06	0.27	08/26/06	0.00	10/21/06	0.00
07/02/06	0.27	08/27/06	0.00	10/22/06	0.00
07/03/06	0.27	08/28/06	0.00	10/23/06	0.00
07/04/06	0.27	08/29/06	0.00	10/24/06	0.00
07/05/06	0.27	08/30/06	0.00	10/25/06	0.00
07/06/06	0.27	08/31/06	0.00	10/26/06	0.00
07/07/06	0.27	09/01/06	0.00	10/27/06	0.00
07/08/06	0.27	09/02/06	0.00	10/28/06	0.00
07/09/06	0.27	09/03/06	0.00	10/29/06	0.00
07/10/06	0.27	09/04/06	0.00	10/30/06	0.00
07/11/06	0.27	09/05/06	0.00	10/31/06	0.00
07/12/06	0.27	09/06/06	0.00	11/01/06	0.00
07/13/06	0.27	09/07/06	0.00	11/02/06	0.00
07/14/06	0.27	09/08/06	0.00	11/03/06	0.00
07/15/06	0.27	09/09/06	0.00	11/04/06	0.00
07/16/06	0.27	09/10/06	0.00	11/05/06	0.00
07/17/06	0.27	09/11/06	0.00	11/06/06	0.00
07/18/06	0.27	09/12/06	0.00	11/07/06	0.00
07/19/06	0.00	09/13/06	0.00	11/08/06	0.00
07/20/06	0.00	09/14/06	0.00	11/09/06	0.00
07/21/06	0.00	09/15/06	0.00	11/10/06	0.00
07/22/06	0.00	09/16/06	0.00	11/11/06	0.00
07/23/06	0.00	09/17/06	0.00	11/12/06	0.00
07/24/06	0.00	09/18/06	0.00	11/13/06	0.00
07/25/06	0.00	09/19/06	0.00	11/14/06	0.00
07/26/06	0.00	09/20/06	0.00	11/15/06	0.00
07/27/06	0.00	09/21/06	0.00	11/16/06	0.00
07/28/06	0.00	09/22/06	0.00	11/17/06	0.00
07/29/06	0.00	09/23/06	0.00	11/18/06	0.00
07/30/06	0.00	09/24/06	0.00	11/19/06	0.00
07/31/06	0.00	09/25/06	0.00	11/20/06	0.00
08/01/06	0.00	09/26/06	0.00	11/21/06	0.00
08/02/06	0.00	09/27/06	0.00	11/22/06	0.00
08/03/06	0.00	09/28/06	0.00	11/23/06	0.00
08/04/06	0.00	09/29/06	0.00	11/24/06	0.00
08/05/06	0.00	09/30/06	0.00	11/25/06	0.00
08/06/06	0.00	10/01/06	0.00	11/26/06	0.00
08/07/06	0.00	10/02/06	0.00	11/27/06	0.00
08/08/06	0.00	10/03/06	0.00	11/28/06	0.00
08/09/06	0.00	10/04/06	0.00	11/29/06	0.00
08/10/06	0.00	10/05/06	0.00	11/30/06	0.00
08/11/06	0.00	10/06/06	0.00	12/01/06	0.00
08/12/06	0.00	10/07/06	0.00	12/02/06	0.00
08/13/06	0.00	10/08/06	0.00	12/03/06	0.00
08/14/06	0.00	10/09/06	0.00	12/04/06	0.00
08/15/06	0.00	10/10/06	0.00	12/05/06	0.00
08/16/06	0.00	10/11/06	0.00	12/06/06	0.00
08/17/06	0.00	10/12/06	0.00	12/07/06	0.00

12/08/06	0.00	02/02/07	0.00	03/30/07	75.75
12/09/06	0.00	02/03/07	0.00	03/31/07	74.59
12/10/06	0.00	02/04/07	0.00	04/01/07	74.59
12/11/06	0.00	02/05/07	0.00	04/02/07	74.59
12/12/06	0.00	02/06/07	0.00	04/03/07	74.59
12/13/06	0.00	02/07/07	0.00	04/04/07	74.59
12/14/06	0.00	02/08/07	0.00	04/05/07	74.59
12/15/06	0.00	02/09/07	0.00	04/06/07	74.59
12/16/06	0.00	02/10/07	0.00	04/07/07	74.59
12/17/06	0.00	02/11/07	0.00	04/08/07	73.43
12/18/06	0.00	02/12/07	0.00	04/09/07	73.43
12/19/06	0.00	02/13/07	0.00	04/10/07	73.43
12/20/06	0.00	02/14/07	0.00	04/11/07	72.29
12/21/06	0.00	02/15/07	0.00	04/12/07	72.29
12/22/06	0.00	02/16/07	0.00	04/13/07	71.15
12/23/06	0.00	02/17/07	0.00	04/14/07	71.15
12/24/06	0.00	02/18/07	0.00	04/15/07	70.02
12/25/06	0.00	02/19/07	0.00	04/16/07	68.90
12/26/06	0.00	02/20/07	0.00	04/17/07	67.79
12/27/06	0.00	02/21/07	0.00	04/18/07	67.79
12/28/06	0.00	02/22/07	0.00	04/19/07	68.90
12/29/06	0.00	02/23/07	0.00	04/20/07	72.29
12/30/06	0.00	02/24/07	0.00	04/21/07	85.39
12/31/06	0.00	02/25/07	0.00	04/22/07	98.26
01/01/07	0.00	02/26/07	0.00	04/23/07	112.04
01/02/07	0.00	02/27/07	0.00	04/24/07	126.71
01/03/07	0.00	02/28/07	0.00	04/25/07	142.30
01/04/07	0.00	03/01/07	0.00	04/26/07	126.71
01/05/07	0.00	03/02/07	0.00	04/27/07	112.04
01/06/07	0.00	03/03/07	0.00	04/28/07	98.26
01/07/07	0.00	03/04/07	0.00	04/29/07	73.43
01/08/07	0.00	03/05/07	0.00	04/30/07	62.37
01/09/07	0.00	03/06/07	0.00	05/01/07	46.57
01/10/07	0.00	03/07/07	0.00	05/02/07	33.08
01/11/07	0.00	03/08/07	0.00	05/03/07	37.95
01/12/07	0.00	03/09/07	0.00	05/04/07	43.15
01/13/07	0.00	03/10/07	0.30	05/05/07	48.70
01/14/07	0.00	03/11/07	1.60	05/06/07	54.58
01/15/07	0.00	03/12/07	6.51	05/07/07	60.79
01/16/07	0.00	03/13/07	15.04	05/08/07	67.79
01/17/07	0.00	03/14/07	27.20	05/09/07	62.37
01/18/07	0.00	03/15/07	42.98	05/10/07	57.19
01/19/07	0.00	03/16/07	62.37	05/11/07	52.22
01/20/07	0.00	03/17/07	85.39	05/12/07	47.49
01/21/07	0.00	03/18/07	112.04	05/13/07	42.98
01/22/07	0.00	03/19/07	142.30	05/14/07	38.69
01/23/07	0.00	03/20/07	176.18	05/15/07	34.64
01/24/07	0.00	03/21/07	213.69	05/16/07	31.93
01/25/07	0.00	03/22/07	194.48	05/17/07	29.34
01/26/07	0.00	03/23/07	176.18	05/18/07	26.85
01/27/07	0.00	03/24/07	158.79	05/19/07	24.48
01/28/07	0.00	03/25/07	142.30	05/20/07	22.22
01/29/07	0.00	03/26/07	126.71	05/21/07	20.07
01/30/07	0.00	03/27/07	98.26	05/22/07	18.03
01/31/07	0.00	03/28/07	79.30	05/23/07	16.10
02/01/07	0.00	03/29/07	78.11	05/24/07	14.28

05/25/07	12.57	07/20/07	7.20	09/14/07	0.30
05/26/07	12.10	07/21/07	6.51	09/15/07	0.30
05/27/07	11.64	07/22/07	5.85	09/16/07	0.30
05/28/07	11.20	07/23/07	5.24	09/17/07	0.30
05/29/07	10.76	07/24/07	4.66	09/18/07	0.30
05/30/07	10.32	07/25/07	3.60	09/19/07	0.30
05/31/07	10.32	07/26/07	2.75	09/20/07	0.30
06/01/07	29.34	07/27/07	2.03	09/21/07	0.30
06/02/07	58.21	07/28/07	1.43	09/22/07	0.30
06/03/07	96.93	07/29/07	0.96	09/23/07	0.30
06/04/07	145.52	07/30/07	0.60	09/24/07	0.30
06/05/07	203.97	07/31/07	0.38	09/25/07	0.30
06/06/07	272.28	08/01/07	3.60	09/26/07	0.30
06/07/07	347.93	08/02/07	2.48	09/27/07	0.30
06/08/07	347.93	08/03/07	1.60	09/28/07	0.30
06/09/07	323.29	08/04/07	0.93	09/29/07	0.30
06/10/07	299.56	08/05/07	0.50	09/30/07	0.30
06/11/07	276.73	08/06/07	0.30	10/01/07	0.30
06/12/07	254.81	08/07/07	0.30	10/02/07	0.30
06/13/07	233.80	08/08/07	0.30	10/03/07	0.30
06/14/07	213.69	08/09/07	0.30	10/04/07	0.30
06/15/07	194.48	08/10/07	0.30	10/05/07	0.30
06/16/07	176.18	08/11/07	0.30	10/06/07	0.30
06/17/07	158.79	08/12/07	0.30	10/07/07	0.30
06/18/07	142.30	08/13/07	0.30	10/08/07	0.30
06/19/07	142.30	08/14/07	0.30	10/09/07	0.30
06/20/07	126.71	08/15/07	0.30	10/10/07	0.30
06/21/07	126.71	08/16/07	0.30	10/11/07	0.30
06/22/07	126.71	08/17/07	0.30	10/12/07	0.30
06/23/07	126.71	08/18/07	0.30	10/13/07	0.30
06/24/07	126.71	08/19/07	0.30	10/14/07	0.30
06/25/07	126.71	08/20/07	0.30	10/15/07	0.30
06/26/07	98.26	08/21/07	0.30	10/16/07	0.30
06/27/07	85.39	08/22/07	0.30	10/17/07	0.30
06/28/07	73.43	08/23/07	0.30	10/18/07	0.30
06/29/07	62.37	08/24/07	0.30	10/19/07	0.30
06/30/07	52.22	08/25/07	0.30	10/20/07	0.30
07/01/07	42.98	08/26/07	0.30	10/21/07	0.30
07/02/07	34.64	08/27/07	0.30	10/22/07	0.30
07/03/07	32.31	08/28/07	0.30	10/23/07	0.30
07/04/07	30.07	08/29/07	0.30	10/24/07	0.30
07/05/07	27.90	08/30/07	0.30	10/25/07	0.30
07/06/07	25.82	08/31/07	0.30	10/26/07	0.30
07/07/07	23.82	09/01/07	0.30	10/27/07	0.30
07/08/07	21.90	09/02/07	0.30	10/28/07	0.30
07/09/07	20.07	09/03/07	0.30	10/29/07	0.30
07/10/07	18.31	09/04/07	0.30	10/30/07	0.30
07/11/07	15.04	09/05/07	0.30	10/31/07	0.30
07/12/07	14.03	09/06/07	0.30	11/01/07	0.30
07/13/07	13.05	09/07/07	0.30	11/02/07	0.30
07/14/07	12.10	09/08/07	0.30	11/03/07	0.30
07/15/07	11.20	09/09/07	0.30	11/04/07	0.30
07/16/07	10.32	09/10/07	0.30	11/05/07	0.30
07/17/07	9.49	09/11/07	0.30	11/06/07	0.30
07/18/07	8.69	09/12/07	0.30	11/07/07	0.30
07/19/07	7.93	09/13/07	0.30	11/08/07	0.30

11/09/07	0.30	01/04/08	0.30	02/29/08	0.30
11/10/07	0.30	01/05/08	0.30	03/01/08	0.30
11/11/07	0.30	01/06/08	0.30	03/02/08	0.30
11/12/07	0.30	01/07/08	0.30	03/03/08	0.30
11/13/07	0.30	01/08/08	0.30	03/04/08	0.30
11/14/07	0.30	01/09/08	0.30	03/05/08	0.30
11/15/07	0.30	01/10/08	0.30	03/06/08	0.30
11/16/07	0.30	01/11/08	0.30	03/07/08	0.30
11/17/07	0.30	01/12/08	0.30	03/08/08	0.30
11/18/07	0.30	01/13/08	0.30	03/09/08	0.30
11/19/07	0.30	01/14/08	0.30	03/10/08	0.30
11/20/07	0.30	01/15/08	0.30	03/11/08	0.30
11/21/07	0.30	01/16/08	0.30	03/12/08	0.30
11/22/07	0.30	01/17/08	0.30	03/13/08	0.30
11/23/07	0.30	01/18/08	0.30	03/14/08	0.30
11/24/07	0.30	01/19/08	0.30	03/15/08	0.30
11/25/07	0.30	01/20/08	0.30	03/16/08	0.30
11/26/07	0.30	01/21/08	0.30	03/17/08	0.30
11/27/07	0.30	01/22/08	0.30	03/18/08	0.30
11/28/07	0.30	01/23/08	0.30	03/19/08	0.30
11/29/07	0.30	01/24/08	0.30	03/20/08	0.30
11/30/07	0.30	01/25/08	0.30	03/21/08	0.30
12/01/07	0.30	01/26/08	0.30	03/22/08	0.30
12/02/07	0.30	01/27/08	0.30	03/23/08	0.30
12/03/07	0.30	01/28/08	0.30	03/24/08	0.30
12/04/07	0.30	01/29/08	0.30	03/25/08	0.44
12/05/07	0.30	01/30/08	0.30	03/26/08	1.17
12/06/07	0.30	01/31/08	0.30	03/27/08	2.10
12/07/07	0.30	02/01/08	0.30	03/28/08	1.92
12/08/07	0.30	02/02/08	0.30	03/29/08	1.60
12/09/07	0.30	02/03/08	0.30	03/30/08	1.30
12/10/07	0.30	02/04/08	0.30	03/31/08	1.05
12/11/07	0.30	02/05/08	0.30	04/01/08	0.93
12/12/07	0.30	02/06/08	0.30	04/02/08	0.50
12/13/07	0.30	02/07/08	0.30	04/03/08	0.39
12/14/07	0.30	02/08/08	0.30	04/04/08	0.50
12/15/07	0.30	02/09/08	0.30	04/05/08	0.64
12/16/07	0.30	02/10/08	0.30	04/06/08	0.83
12/17/07	0.30	02/11/08	0.30	04/07/08	1.05
12/18/07	0.30	02/12/08	0.30	04/08/08	1.30
12/19/07	0.30	02/13/08	0.30	04/09/08	1.46
12/20/07	0.30	02/14/08	0.30	04/10/08	1.63
12/21/07	0.30	02/15/08	0.30	04/11/08	1.81
12/22/07	0.30	02/16/08	0.30	04/12/08	1.99
12/23/07	0.30	02/17/08	0.30	04/13/08	2.19
12/24/07	0.30	02/18/08	0.30	04/14/08	2.41
12/25/07	0.30	02/19/08	0.30	04/15/08	13.05
12/26/07	0.30	02/20/08	0.30	04/16/08	2.69
12/27/07	0.30	02/21/08	0.30	04/17/08	2.69
12/28/07	0.30	02/22/08	0.30	04/18/08	2.69
12/29/07	0.30	02/23/08	0.30	04/19/08	2.69
12/30/07	0.30	02/24/08	0.30	04/20/08	2.69
12/31/07	0.30	02/25/08	0.30	04/21/08	2.69
01/01/08	0.30	02/26/08	0.30	04/22/08	2.69
01/02/08	0.30	02/27/08	0.30	04/23/08	2.48
01/03/08	0.30	02/28/08	0.30	04/24/08	2.29

04/25/08	2.10	06/20/08	10.32	08/15/08	1.41
04/26/08	1.92	06/21/08	12.57	08/16/08	1.41
04/27/08	1.76	06/22/08	15.04	08/17/08	1.41
04/28/08	1.60	06/23/08	17.74	08/18/08	1.41
04/29/08	1.67	06/24/08	20.67	08/19/08	8.58
04/30/08	1.76	06/25/08	24.48	08/20/08	8.58
05/01/08	1.92	06/26/08	20.67	08/21/08	8.58
05/02/08	1.92	06/27/08	17.74	08/22/08	8.58
05/03/08	2.10	06/28/08	105.04	08/23/08	8.58
05/04/08	2.29	06/29/08	95.62	08/24/08	8.58
05/05/08	2.29	06/30/08	6.51	08/25/08	8.58
05/06/08	2.10	07/01/08	5.24	08/26/08	8.58
05/07/08	1.92	07/02/08	4.11	08/27/08	8.58
05/08/08	1.76	07/03/08	3.13	08/28/08	8.58
05/09/08	1.60	07/04/08	2.29	08/29/08	8.58
05/10/08	1.45	07/05/08	1.60	08/30/08	8.58
05/11/08	1.30	07/06/08	1.05	08/31/08	8.58
05/12/08	1.60	07/07/08	0.93	09/01/08	8.58
05/13/08	1.30	07/08/08	0.93	09/02/08	8.58
05/14/08	1.05	07/09/08	0.83	09/03/08	8.58
05/15/08	0.83	07/10/08	0.83	09/04/08	8.58
05/16/08	0.64	07/11/08	0.73	09/05/08	8.58
05/17/08	0.50	07/12/08	0.73	09/06/08	8.58
05/18/08	0.39	07/13/08	0.64	09/07/08	8.58
05/19/08	0.31	07/14/08	0.57	09/08/08	8.58
05/20/08	0.27	07/15/08	0.57	09/09/08	8.58
05/21/08	0.28	07/16/08	0.57	09/10/08	8.58
05/22/08	0.29	07/17/08	0.57	09/11/08	8.58
05/23/08	0.31	07/18/08	0.57	09/12/08	8.58
05/24/08	0.33	07/19/08	0.57	09/13/08	8.58
05/25/08	0.35	07/20/08	0.57	09/14/08	8.58
05/26/08	0.38	07/21/08	0.57	09/15/08	8.58
05/27/08	0.42	07/22/08	0.37	09/16/08	8.58
05/28/08	0.48	07/23/08	0.28	09/17/08	8.58
05/29/08	0.55	07/24/08	0.29	09/18/08	8.58
05/30/08	0.62	07/25/08	0.40	09/19/08	8.58
05/31/08	0.71	07/26/08	0.62	09/20/08	8.58
06/01/08	0.71	07/27/08	0.95	09/21/08	8.58
06/02/08	0.71	07/28/08	1.02	09/22/08	8.58
06/03/08	0.43	07/29/08	1.02	09/23/08	8.58
06/04/08	0.29	07/30/08	1.02	09/24/08	8.58
06/05/08	0.28	07/31/08	1.02	09/25/08	8.58
06/06/08	0.40	08/01/08	1.14	09/26/08	8.58
06/07/08	0.64	08/02/08	1.14	09/27/08	8.58
06/08/08	1.02	08/03/08	1.27	09/28/08	8.58
06/09/08	1.60	08/04/08	1.27	09/29/08	8.58
06/10/08	1.92	08/05/08	1.27	09/30/08	8.58
06/11/08	2.29	08/06/08	1.27	10/01/08	8.58
06/12/08	2.69	08/07/08	1.27	10/02/08	8.58
06/13/08	3.13	08/08/08	1.27	10/03/08	8.58
06/14/08	3.60	08/09/08	1.27	10/04/08	8.58
06/15/08	4.11	08/10/08	1.27	10/05/08	8.58
06/16/08	5.24	08/11/08	1.27	10/06/08	8.58
06/17/08	5.85	08/12/08	1.27	10/07/08	8.58
06/18/08	6.51	08/13/08	1.41	10/08/08	8.58
06/19/08	8.30	08/14/08	1.41	10/09/08	8.58


10/10/08	8.58	12/05/08	8.58	01/30/09	8.58
10/11/08	8.58	12/06/08	8.58	01/31/09	8.58
10/12/08	8.58	12/07/08	8.58	02/01/09	8.58
10/13/08	8.58	12/08/08	8.58	02/02/09	8.58
10/14/08	8.58	12/09/08	8.58	02/03/09	8.58
10/15/08	8.58	12/10/08	8.58	02/04/09	8.58
10/16/08	8.58	12/11/08	8.58	02/05/09	8.58
10/17/08	8.58	12/12/08	8.58	02/06/09	8.58
10/18/08	8.58	12/13/08	8.58	02/07/09	8.58
10/19/08	8.58	12/14/08	8.58	02/08/09	8.58
10/20/08	8.58	12/15/08	8.58	02/09/09	8.58
10/21/08	8.58	12/16/08	8.58	02/10/09	8.58
10/22/08	8.58	12/17/08	8.58	02/11/09	8.58
10/23/08	8.58	12/18/08	8.58	02/12/09	8.58
10/24/08	8.58	12/19/08	8.58	02/13/09	8.58
10/25/08	8.58	12/20/08	8.58	02/14/09	8.58
10/26/08	8.58	12/21/08	8.58	02/15/09	8.58
10/27/08	8.58	12/22/08	8.58	02/16/09	8.58
10/28/08	8.58	12/23/08	8.58	02/17/09	8.58
10/29/08	8.58	12/24/08	8.58	02/18/09	8.58
10/30/08	8.58	12/25/08	8.58	02/19/09	8.58
10/31/08	8.58	12/26/08	8.58	02/20/09	8.58
11/01/08	8.58	12/27/08	8.58	02/21/09	8.58
11/02/08	8.58	12/28/08	8.58	02/22/09	8.58
11/03/08	8.58	12/29/08	8.58	02/23/09	8.58
11/04/08	8.58	12/30/08	8.58	02/24/09	8.58
11/05/08	8.58	12/31/08	8.58	02/25/09	8.58
11/06/08	8.58	01/01/09	8.58	02/26/09	8.58
11/07/08	8.58	01/02/09	8.58	02/27/09	8.58
11/08/08	8.58	01/03/09	8.58	02/28/09	8.58
11/09/08	8.58	01/04/09	8.58	03/01/09	8.58
11/10/08	8.58	01/05/09	8.58	03/02/09	8.58
11/11/08	8.58	01/06/09	8.58	03/03/09	8.58
11/12/08	8.58	01/07/09	8.58	03/04/09	0.29
11/13/08	8.58	01/08/09	8.58	03/05/09	0.33
11/14/08	8.58	01/09/09	8.58	03/06/09	0.39
11/15/08	8.58	01/10/09	8.58	03/07/09	0.47
11/16/08	8.58	01/11/09	8.58	03/08/09	0.57
11/17/08	8.58	01/12/09	8.58	03/09/09	0.69
11/18/08	8.58	01/13/09	8.58	03/10/09	0.83
11/19/08	8.58	01/14/09	8.58	03/11/09	0.99
11/20/08	8.58	01/15/09	8.58	03/12/09	1.17
11/21/08	8.58	01/16/09	8.58	03/13/09	1.37
11/22/08	8.58	01/17/09	8.58	03/14/09	1.60
11/23/08	8.58	01/18/09	8.58	03/15/09	3.13
11/24/08	8.58	01/19/09	8.58	03/16/09	5.24
11/25/08	8.58	01/20/09	8.58	03/17/09	7.93
11/26/08	8.58	01/21/09	8.58	03/18/09	11.20
11/27/08	8.58	01/22/09	8.58	03/19/09	15.04
11/28/08	8.58	01/23/09	8.58	03/20/09	19.47
11/29/08	8.58	01/24/09	8.58	03/21/09	24.48
11/30/08	8.58	01/25/09	8.58	03/22/09	30.07
12/01/08	8.58	01/26/09	8.58	03/23/09	36.23
12/02/08	8.58	01/27/09	8.58	03/24/09	42.98
12/03/08	8.58	01/28/09	8.58	03/25/09	52.22
12/04/08	8.58	01/29/09	8.58	03/26/09	59.23

03/27/09	66.69	05/22/09	60.27	07/17/09	24.61
03/28/09	74.59	05/23/09	58.21	07/18/09	23.37
03/29/09	82.93	05/24/09	56.18	07/19/09	22.15
03/30/09	91.72	05/25/09	54.18	07/20/09	20.97
03/31/09	100.94	05/26/09	52.22	07/21/09	19.83
04/01/09	110.62	05/27/09	48.42	07/22/09	18.71
04/02/09	120.73	05/28/09	44.75	07/23/09	17.63
04/03/09	131.29	05/29/09	41.24	07/24/09	16.58
04/04/09	142.30	05/30/09	37.86	07/25/09	15.57
04/05/09	153.74	05/31/09	34.64	07/26/09	14.58
04/06/09	165.64	06/01/09	31.55	07/27/09	13.63
04/07/09	177.97	06/02/09	28.61	07/28/09	12.57
04/08/09	194.48	06/03/09	28.61	07/29/09	12.57
04/09/09	254.81	06/04/09	27.90	07/30/09	13.05
04/10/09	323.29	06/05/09	27.90	07/31/09	13.05
04/11/09	399.92	06/06/09	27.90	08/01/09	13.53
04/12/09	484.69	06/07/09	27.20	08/02/09	14.03
04/13/09	577.61	06/08/09	27.20	08/03/09	14.03
04/14/09	678.68	06/09/09	28.83	08/04/09	14.03
04/15/09	787.90	06/10/09	30.29	08/05/09	14.03
04/16/09	905.27	06/11/09	31.78	08/06/09	14.03
04/17/09	946.20	06/12/09	33.31	08/07/09	14.03
04/18/09	795.47	06/13/09	34.87	08/08/09	14.03
04/19/09	657.82	06/14/09	36.47	08/09/09	14.03
04/20/09	533.24	06/15/09	38.11	08/10/09	14.03
04/21/09	427.27	06/16/09	39.78	08/11/09	14.03
04/22/09	397.23	06/17/09	41.49	08/12/09	14.03
04/23/09	368.29	06/18/09	43.24	08/13/09	14.03
04/24/09	340.44	06/19/09	45.02	08/14/09	14.03
04/25/09	313.69	06/20/09	46.84	08/15/09	14.03
04/26/09	288.03	06/21/09	48.70	08/16/09	14.03
04/27/09	263.47	06/22/09	50.59	08/17/09	14.03
04/28/09	233.80	06/23/09	52.51	08/18/09	13.73
04/29/09	221.62	06/24/09	54.48	08/19/09	13.43
04/30/09	209.77	06/25/09	56.48	08/20/09	13.14
05/01/09	198.25	06/26/09	58.51	08/21/09	12.86
05/02/09	187.05	06/27/09	60.59	08/22/09	12.57
05/03/09	176.18	06/28/09	62.69	08/23/09	12.29
05/04/09	165.64	06/29/09	64.84	08/24/09	12.01
05/05/09	142.30	06/30/09	74.59	08/25/09	11.74
05/06/09	158.79	07/01/09	70.02	08/26/09	11.46
05/07/09	176.18	07/02/09	65.60	08/27/09	11.20
05/08/09	194.48	07/03/09	61.32	08/28/09	10.93
05/09/09	213.69	07/04/09	57.19	08/29/09	10.67
05/10/09	233.80	07/05/09	53.20	08/30/09	10.41
05/11/09	254.81	07/06/09	49.35	08/31/09	10.32
05/12/09	221.62	07/07/09	46.57	09/01/09	10.24
05/13/09	190.75	07/08/09	43.86	09/02/09	10.15
05/14/09	162.19	07/09/09	41.24	09/03/09	10.07
05/15/09	135.96	07/10/09	38.69	09/04/09	9.99
05/16/09	112.04	07/11/09	36.23	09/05/09	9.90
05/17/09	90.43	07/12/09	33.85	09/06/09	9.82
05/18/09	68.90	07/13/09	31.55	09/07/09	9.74
05/19/09	66.69	07/14/09	29.34	09/08/09	9.65
05/20/09	64.51	07/15/09	27.20	09/09/09	9.57
05/21/09	62.37	07/16/09	25.89	09/10/09	9.49

09/11/09	9.41	11/06/09	0.50
09/12/09	9.33	11/07/09	0.50
09/13/09	9.24	11/08/09	0.50
09/14/09	8.69	11/09/09	0.50
09/15/09	8.69	11/10/09	0.50
09/16/09	8.69	11/11/09	0.50
09/17/09	8.69	11/12/09	0.50
09/18/09	8.69	11/13/09	0.50
09/19/09	8.69	11/14/09	0.50
09/20/09	8.69	11/15/09	0.50
09/21/09	8.69	11/16/09	0.50
09/22/09	8.69	11/17/09	0.50
09/23/09	8.69	11/18/09	0.50
09/24/09	8.69	11/19/09	0.50
09/25/09	8.69	11/20/09	0.50
09/26/09	8.69	11/21/09	0.50
09/27/09	8.69	11/22/09	0.50
09/28/09	8.69	11/23/09	0.50
09/29/09	8.69	11/24/09	0.50
09/30/09	8.69	11/25/09	0.50
10/01/09	8.30	11/26/09	0.50
10/02/09	7.93	11/27/09	0.50
10/03/09	7.56	11/28/09	0.50
10/04/09	7.20	11/29/09	0.50
10/05/09	6.85	11/30/09	0.50
10/06/09	6.51	12/01/09	0.50
10/07/09	6.18	12/02/09	0.50
10/08/09	5.85	12/03/09	0.50
10/09/09	5.54	12/04/09	0.50
10/10/09	5.24	12/05/09	0.50
10/11/09	4.94	12/06/09	0.50
10/12/09	4.66	12/07/09	0.50
10/13/09	4.38	12/08/09	0.50
10/14/09	4.11	12/09/09	0.50
10/15/09	3.85	12/10/09	0.50
10/16/09	3.60	12/11/09	0.50
10/17/09	3.36	12/12/09	0.50
10/18/09	3.13	12/13/09	0.50
10/19/09	2.90	12/14/09	0.50
10/20/09	2.69	12/15/09	0.50
10/21/09	2.48	12/16/09	0.50
10/22/09	2.29	12/17/09	0.50
10/23/09	2.10	12/18/09	0.50
10/24/09	1.92	12/19/09	0.50
10/25/09	1.76	12/20/09	0.50
10/26/09	1.60	12/21/09	0.50
10/27/09	1.45	12/22/09	0.50
10/28/09	1.30	12/23/09	0.50
10/29/09	1.17	12/24/09	0.50
10/30/09	0.93	12/25/09	0.50
10/31/09	0.83	12/26/09	0.50
11/01/09	0.73	12/27/09	0.50
11/02/09	0.64	12/28/09	0.50
11/03/09	0.57	12/29/09	0.50
11/04/09	0.50	12/30/09	0.50
11/05/09	0.50	12/31/09	0.50


Appendix C
Flow Duration Curve for Site 380267

Flow Duration Curve for Site 380276



Appendix D
Estimated Load, TMDL Target, Percentage of Reduction Required and
Load Duration Curve for Site 380276

	Load (Million CFU/Day)				Load (Million CFU/Period)		
	Median Percentile	Existing	TMDL	Days	Existing	TMDL	Percent Reduction
High Moist Dry Low	2.51%	258883.15	86219.39	18.21	4715168.33	1570356.79	66.70%
	24.00%	28699.34	8410.08	138.70	3980598.92	1166478.65	70.70%
	52.50%	2492.66	781.08	69.35	172866.23	54167.89	68.66%
	78.00%	270.93	168.54	116.80	31644.33	19685.26	37.79%
Total				343	8900278	2810689	68.42%



Appendix E
US EPA Region 8 Public Notice Review and Comments

EPA REGION VIII TMDL REVIEW

TMDL Document Info:

Document Name:	Fecal Coliform Bacteria TMDL for Cottonwood Creek and its Tributaries in LaMoure and Logan Counties, North Dakota
Submitted by:	Mike Ell, North Dakota Department of Health
Date Received:	August 11, 2010
Review Date:	August 30, 2010
Reviewer:	Vern Berry, EPA
Rough Draft / Public Notice / Final?	Public Notice
Notes:	

Reviewers Final Recommendation(s) to EPA Administrator (used for final review only):

- ☐ Approve
- ☐ Partial Approval
- ☐ Disapprove
- ☐ Insufficient Information

Approval Notes to Administrator:

This document provides a standard format for EPA Region 8 to provide comments to state TMDL programs on TMDL documents submitted to EPA for either formal or informal review. All TMDL documents are evaluated against the minimum submission requirements and TMDL elements identified in the following 8 sections:

1. Problem Description
 - 1.1. TMDL Document Submittal Letter
 - 1.2. Identification of the Waterbody, Impairments, and Study Boundaries
 - 1.3. Water Quality Standards
2. Water Quality Target
3. Pollutant Source Analysis
4. TMDL Technical Analysis
 - 4.1. Data Set Description
 - 4.2. Waste Load Allocations (WLA)
 - 4.3. Load Allocations (LA)
 - 4.4. Margin of Safety (MOS)
 - 4.5. Seasonality and variations in assimilative capacity
5. Public Participation
6. Monitoring Strategy
7. Restoration Strategy
8. Daily Loading Expression

Under Section 303(d) of the Clean Water Act, waterbodies that are not attaining one or more water quality standard (WQS) are considered “impaired.” When the cause of the impairment is determined to be a pollutant, a TMDL analysis is required to assess the appropriate maximum allowable pollutant loading rate. A TMDL document consists of a technical analysis conducted to: (1) assess the maximum pollutant loading rate that a waterbody is able to assimilate while maintaining water quality standards; and (2) allocate that assimilative capacity among the known sources of that pollutant. A well written TMDL document will describe a path forward that may be used by those who implement the TMDL recommendations to attain and maintain WQS.

Each of the following eight sections describes the factors that EPA Region 8 staff considers when reviewing TMDL documents. Also included in each section is a list of EPA's minimum submission requirements relative to that section, a brief summary of the EPA reviewer's findings, and the reviewer's comments and/or suggestions. Use of the verb "must" in the minimum submission requirements denotes information that is required to be submitted because it relates to elements of the TMDL required by the CWA and by regulation. Use of the term "should" below denotes information that is generally necessary for EPA to determine if a submitted TMDL is approvable.

This review template is intended to ensure compliance with the Clean Water Act and that the reviewed documents are technically sound and the conclusions are technically defensible.

1. Problem Description

A TMDL document needs to provide a clear explanation of the problem it is intended to address. Included in that description should be a definitive portrayal of the physical boundaries to which the TMDL applies, as well as a clear description of the impairments that the TMDL intends to address and the associated pollutant(s) causing those impairments. While the existence of one or more impairment and stressor may be known, it is important that a comprehensive evaluation of the water quality be conducted prior to development of the TMDL to ensure that all water quality problems and associated stressors are identified. Typically, this step is conducted prior to the 303(d) listing of a waterbody through the monitoring and assessment program. The designated uses and water quality criteria for the waterbody should be examined against available data to provide an evaluation of the water quality relative to all applicable water quality standards. If, as part of this exercise, additional WQS problems are discovered and additional stressor pollutants are identified, consideration should be given to concurrently evaluating TMDLs for those additional pollutants. If it is determined that insufficient data is available to make such an evaluation, this should be noted in the TMDL document.

1.1 TMDL Document Submittal Letter

When a TMDL document is submitted to EPA requesting formal comments or a final review and approval, the submittal package should include a letter identifying the document being submitted and the purpose of the submission.

Minimum Submission Requirements.

- ☒ A TMDL submittal letter should be included with each TMDL document submitted to EPA requesting a formal review.
- ☒ The submittal letter should specify whether the TMDL document is being submitted for initial review and comments, public review and comments, or final review and approval.
- ☐ Each TMDL document submitted to EPA for final review and approval should be accompanied by a submittal letter that explicitly states that the submittal is a final TMDL submitted under Section 303(d) of the Clean Water Act for EPA review and approval. This clearly establishes the State's/Tribe's intent to submit, and EPA's duty to review, the TMDL under the statute. The submittal letter should contain such identifying information as the name and location of the waterbody and the pollutant(s) of concern, which matches similar identifying information in the TMDL document for which a review is being requested.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The public notice draft Cottonwood Creek fecal coliform TMDL was submitted to EPA for review via an email from Mike Ell, NDDoH on August 11, 2010. The email included the draft TMDL document and a request to review and comment on the TMDL document.

COMMENTS: None.

1.2 Identification of the Waterbody, Impairments, and Study Boundaries

The TMDL document should provide an unambiguous description of the waterbody to which the TMDL is intended to apply and the impairments the TMDL is intended to address. The document should also clearly delineate the physical boundaries of the waterbody and the geographical extent of the watershed area studied. Any additional information needed to tie the TMDL document back to a current 303(d) listing should also be included.

Minimum Submission Requirements:

- ☒ The TMDL document should clearly identify the pollutant and waterbody segment(s) for which the TMDL is being established. If the TMDL document is submitted to fulfill a TMDL development requirement for a waterbody on the state's current EPA approved 303(d) list, the TMDL document submittal should clearly identify the waterbody and associated impairment(s) as they appear on the State's/Tribe's current EPA approved 303(d) list, including a full waterbody description, assessment unit/waterbody ID, and the priority ranking of the waterbody. This information is necessary to ensure that the administrative record and the national TMDL tracking database properly link the TMDL document to the 303(d) listed waterbody and impairment(s).
- ☒ One or more maps should be included in the TMDL document showing the general location of the waterbody and, to the maximum extent practical, any other features necessary and/or relevant to the understanding of the TMDL analysis, including but not limited to: watershed boundaries, locations of major pollutant sources, major tributaries included in the analysis, location of sampling points, location of discharge gauges, land use patterns, and the location of nearby waterbodies used to provide surrogate information or reference conditions. Clear and concise descriptions of all key features and their relationship to the waterbody and water quality data should be provided for all key and/or relevant features not represented on the map
- ☒ If information is available, the waterbody segment to which the TMDL applies should be identified/geo-referenced using the National Hydrography Dataset (NHD). If the boundaries of the TMDL do not correspond to the Waterbody ID(s) (WBID), Entity_ID information or reach code (RCH_Code) information should be provided. If NHD data is not available for the waterbody, an alternative geographical referencing system that unambiguously identifies the physical boundaries to which the TMDL applies may be substituted.

Recommendation:

☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The Cottonwood Creek watershed is a 160,009 acre watershed located in LaMoure and Logan Counties, in south eastern North Dakota. The listed segment of Cottonwood Creek flows from its headwaters in Logan County, downstream to Lake LaMoure (67.67 miles; ND-10160003-003-S_00). It is part of the larger James River basin in the Upper James sub-basin (HUC 10160003). This segment is listed as impaired for fecal coliform bacteria and is a high priority for TMDL development.

The designated uses for Cottonwood Creek are based on the Class III stream classification in the ND water quality standards (NDCC 33-15-02.1-09).

COMMENTS: None.

1.3 Water Quality Standards

TMDL documents should provide a complete description of the water quality standards for the waterbodies addressed, including a listing of the designated uses and an indication of whether the uses are being met, not being met, or not assessed. If a designated use was not assessed as part of the TMDL analysis (or not otherwise recently assessed), the documents should provide a reason for the lack of assessment (e.g., sufficient data was not available at this time to assess whether or not this designated use was being met).

Water quality criteria (WQC) are established as a component of water quality standard at levels considered necessary to protect the designated uses assigned to that waterbody. WQC identify quantifiable targets and/or qualitative water quality goals which, if attained and maintained, are intended to ensure that the designated uses for the waterbody are protected. TMDLs result in maintaining and attaining water quality standards by determining the appropriate maximum pollutant loading rate to meet water quality criteria, either directly, or through a surrogate measurable target. The TMDL document should include a description of all applicable water quality criteria for the impaired designated uses and address whether or not the criteria are being attained, not attained, or not evaluated as part of the analysis. If the criteria were not evaluated as part of the analysis, a reason should be cited (e.g. insufficient data were available to determine if this water quality criterion is being attained).

Minimum Submission Requirements:

- ☒ The TMDL must include a description of the applicable State/Tribal water quality standard, including the designated use(s) of the waterbody, the applicable numeric or narrative water quality criterion, and the anti-degradation policy. (40 C.F.R. §130.7(c)(1)).
- ☒ The purpose of a TMDL analysis is to determine the assimilative capacity of the waterbody that corresponds to the existing water quality standards for that waterbody, and to allocate that assimilative capacity between the significant sources. Therefore, all TMDL documents must be written to meet the existing water quality standards for that waterbody (CWA §303(d)(1)(C)).

Note: In some circumstances, the load reductions determined to be necessary by the TMDL analysis may prove to be infeasible and may possibly indicate that the existing water quality standards and/or assessment methodologies may be erroneous. However, the TMDL must still be determined based on existing water quality standards. Adjustments to water quality standards and/or assessment methodologies may be evaluated separately, from the TMDL.

- ☒ The TMDL document should describe the relationship between the pollutant of concern and the water quality standard the pollutant load is intended to meet. This information is necessary for EPA to evaluate whether or not attainment of the prescribed pollutant loadings will result in attainment of the water quality standard in question.
- ☒ If a standard includes multiple criteria for the pollutant of concern, the document should demonstrate that the TMDL value will result in attainment of all related criteria for the pollutant. For example, both acute and chronic values (if present in the WQS) should be addressed in the document, including consideration of magnitude, frequency and duration requirements.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The Cottonwood Creek segment addressed by this TMDL document is impaired based on fecal coliform concentrations impacting the recreational uses. Cottonwood Creek is a Class III stream. The quality of the waters in this class shall be suitable for agricultural and industrial uses. Streams in this class generally have low average flows with prolonged periods of no flow. During periods of no flow, they are of limited value for recreation and fish and aquatic biota. Also, the quality of these waters must be maintained to protect secondary contact recreation uses (e.g., wading), fish and aquatic biota, and wildlife uses. Numeric criteria for fecal coliforms and E. coli in North Dakota, Class III streams have been established and are presented in the excerpted Table 5 shown below. Discussion of additional applicable water quality standards for Cottonwood Creek can be found on pages 7 – 8 of the TMDL.

Table 5. North Dakota Fecal Coliform and E. coli Bacteria Standards for Class III Streams.

Parameter	Water Quality Standard	
	Geometric Mean ¹	Maximum ²
Fecal Coliform Bacteria	200 CFU/100 mL	400 CFU/100 mL
E. coli Bacteria	126 CFU/100 mL	409 CFU/100 mL

¹ Expressed as a geometric mean of representative samples collected during any consecutive 30-day period.

² No more than 10 percent of samples collected during any consecutive 30-day period shall individually exceed the standard.

COMMENTS: None.

2. Water Quality Targets

TMDL analyses establish numeric targets that are used to determine whether water quality standards are being achieved. Quantified water quality targets or endpoints should be provided to evaluate each listed pollutant/water body combination addressed by the TMDL, and should represent achievement of applicable water quality standards and support of associated beneficial uses. For pollutants with numeric water quality standards, the numeric criteria are generally used as the water quality target. For pollutants with narrative standards, the narrative standard should be translated into a measurable value. At a minimum, one target is required for each pollutant/water body combination. It is generally desirable, however, to include several targets that represent achievement of the standard and support of beneficial uses (e.g., for a sediment impairment issue it may be appropriate to include a variety of targets representing water column sediment such as TSS, embeddeness, stream morphology, up-slope conditions and a measure of biota).

Minimum Submission Requirements:

- ☒ The TMDL should identify a numeric water quality target(s) for each waterbody pollutant combination. The TMDL target is a quantitative value used to measure whether or not the applicable water quality standard is attained.

Generally, the pollutant of concern and the numeric water quality target are, respectively, the chemical causing the impairment and the numeric criteria for that chemical (e.g., chromium) contained in the water quality standard. Occasionally, the pollutant of concern is different from the parameter that is the subject of the numeric water quality target (e.g., when the pollutant of concern is phosphorus and the numeric water quality target is expressed as a numerical dissolved oxygen criterion). In such cases, the TMDL should explain the linkage between the pollutant(s) of concern, and express the quantitative relationship between the TMDL target and pollutant of concern. In all cases, TMDL targets must represent the attainment of current water quality standards.

- ☐ When a numeric TMDL target is established to ensure the attainment of a narrative water quality criterion, the numeric target, the methodology used to determine the numeric target, and the link between the pollutant of concern and the narrative water quality criterion should all be described in the TMDL document. Any additional information supporting the numeric target and linkage should also be included in the document.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The water quality target for this TMDL is based on the numeric water quality standards for fecal coliform bacteria based on the recreational beneficial use for Cottonwood Creek. The target for Cottonwood Creek is the fecal coliform standard expressed as the 30-day geometric mean of 200 CFU/100 mL during the recreation season from May 1 to September 30. While the standard is intended to be expressed as the 30-day geometric mean, the target was used to compare to values from single grab samples. This ensures that the reductions necessary to achieve the target will be protective of both the acute (single sample value) and chronic (geometric mean of 5 samples) standard.

North Dakota currently has both a fecal coliform bacteria standard and an E. coli bacteria standard. During the next triennial water quality standards review period, the Department will be eliminating the fecal coliform bacteria standard and will only have the E. coli standard for bacteria. During this transition period to an E. coli only bacteria standard, the fecal coliform bacteria target for this TMDL and the resulting load allocation is believed to be protective of the E. coli standard as well. The department will assess attainment of the E. coli standard through additional monitoring consistent with the state's water quality standards and beneficial use assessment methodology.

COMMENTS: None.

3. Pollutant Source Analysis

A TMDL analysis is conducted when a pollutant load is known or suspected to be exceeding the loading capacity of the waterbody. Logically then, a TMDL analysis should consider all sources of the pollutant of concern in some manner. The detail provided in the source assessment step drives the rigor of the pollutant load allocation. In other words, it is only possible to specifically allocate quantifiable loads or load reductions to each significant source (or source category) when the relative load contribution from each source has been estimated. Therefore, the pollutant load from each significant source (or source category) should be identified and quantified to the maximum practical extent. This may be accomplished using site-specific monitoring data, modeling, or application of other assessment techniques. If insufficient time or resources are available to accomplish this step, a phased/adaptive management approach may be appropriate. The approach should be clearly defined in the document.

Minimum Submission Requirements:

- ☒ The TMDL should include an identification of all potentially significant point and nonpoint sources of the pollutant of concern, including the geographical location of the source(s) and the quantity of the loading, e.g., lbs/per day. This information is necessary for EPA to evaluate the WLA, LA and MOS components of the TMDL.
- ☒ The level of detail provided in the source assessment should be commensurate with the nature of the watershed and the nature of the pollutant being studied. Where it is possible to separate natural background from nonpoint sources, the TMDL should include a description of both the natural background loads and the nonpoint source loads.
- ☒ Natural background loads should not be assumed to be the difference between the sum of known and quantified anthropogenic sources and the existing *in situ* loads (e.g. measured in stream) unless it can be demonstrated that all significant anthropogenic sources of the pollutant of concern have been identified, characterized, and properly quantified.
- ☒ The sampling data relied upon to discover, characterize, and quantify the pollutant sources should be included in the document (e.g. a data appendix) along with a description of how the data were analyzed to characterize and quantify the pollutant sources. A discussion of the known deficiencies and/or gaps in the data set and their potential implications should also be included.

Recommendation:

☐ Approve ☒ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The TMDL document includes the cropland landuse breakdown for the watershed based on the 2007 National Agricultural Statistics Service data. Other landuses are not provided.

Within the Cottonwood Creek watershed there are no point sources permitted through the North Dakota Pollutant Discharge Elimination System (NDPDES) Program. There are 10 (seven medium and three large) permitted Concentrated Animal Feeding Operations/Animal Feeding Operations (CAFOs/AFOs) in the watershed. However, they are zero discharge facilities and are not deemed a significant point source of fecal coliform bacteria loadings to Cottonwood Creek.

The listed segment of Cottonwood Creek is experiencing fecal coliform bacteria pollution from non point sources in the watershed. The data collected during the Lake LaMoure water quality assessment (NDDoH, 2004) and

subsequent Cottonwood Creek watershed implementation project indicate that the primary nonpoint sources for fecal coliform bacteria in the Cottonwood Creek watershed are as follows:

- Runoff of manure from cropland and pastureland;
- Runoff of manure from unpermitted animal feeding areas;
- Direct deposit of manure into Cottonwood Creek by grazing livestock; and
- Background levels associated with wildlife.

COMMENTS: The landuse information in Section 1.3 includes a comparison of dominant crop types in 1997 and 2007. However, there is no information provided on the other landuses in the watershed. Typically, the most recent NASS data is used to describe the current landuse for all categories in the watershed. The comparison between 1997 and 2007 is interesting, but the most recent landuse is the most relevant. We recommend deleting the comparison and including the full landuse breakdown for 2007.

Also, Section 4.0 mentions that municipalities in the watershed utilize septic systems for domestic wastewater treatment, but no mention is made of septic systems being a potential source of fecal contamination. We recommend adding a paragraph on septic systems in the Significant Sources section.

4. TMDL Technical Analysis

TMDL determinations should be supported by a robust data set and an appropriate level of technical analysis. This applies to all of the components of a TMDL document. It is vitally important that the technical basis for all conclusions be articulated in a manner that is easily understandable and readily apparent to the reader.

A TMDL analysis determines the maximum pollutant loading rate that may be allowed to a waterbody without violating water quality standards. The TMDL analysis should demonstrate an understanding of the relationship between the rate of pollutant loading into the waterbody and the resultant water quality impacts. This stressor → response relationship between the pollutant and impairment and between the selected targets, sources, TMDLs, and load allocations needs to be clearly articulated and supported by an appropriate level of technical analysis. Every effort should be made to be as detailed as possible, and to base all conclusions on the best available scientific principles.

The pollutant loading allocation is at the heart of the TMDL analysis. TMDLs apportion responsibility for taking actions by allocating the available assimilative capacity among the various point, nonpoint, and natural pollutant sources. Allocations may be expressed in a variety of ways, such as by individual discharger, by tributary watershed, by source or land use category, by land parcel, or other appropriate scale or division of responsibility.

The pollutant loading allocation that will result in achievement of the water quality target is expressed in the form of the standard TMDL equation:

$$TMDL = \sum LAs + \sum WLAs + MOS$$

Where:

TMDL = Total Pollutant Loading Capacity of the waterbody

LAs = Pollutant Load Allocations

WLAs = Pollutant Wasteload Allocations

MOS = The portion of the Load Capacity allocated to the Margin of safety.

Minimum Submission Requirements:

- ☒ A TMDL must identify the loading capacity of a waterbody for the applicable pollutant, taking into consideration temporal variations in that capacity. EPA regulations define loading capacity as the greatest amount of a pollutant that a water can receive without violating water quality standards (40 C.F.R. §130.2(f)).
- ☒ The total loading capacity of the waterbody should be clearly demonstrated to equate back to the pollutant load allocations through a balanced TMDL equation. In instances where numerous LA, WLA and seasonal TMDL capacities make expression in the form of an equation cumbersome, a table may be substituted as long as it is clear that the total TMDL capacity equates to the sum of the allocations.
- ☒ The TMDL document should describe the methodology and technical analysis used to establish and quantify the cause-and-effect relationship between the numeric target and the identified pollutant sources. In many instances, this method will be a water quality model.
- ☒ It is necessary for EPA staff to be aware of any assumptions used in the technical analysis to understand and evaluate the methodology used to derive the TMDL value and associated loading allocations. Therefore, the TMDL document should contain a description of any important assumptions (including the basis for those assumptions) made in developing the TMDL, including but not limited to:
 - (1) the spatial extent of the watershed in which the impaired waterbody is located and the spatial extent of the TMDL technical analysis;
 - (2) the distribution of land use in the watershed (e.g., urban, forested, agriculture);
 - (3) a presentation of relevant information affecting the characterization of the pollutant of concern and its allocation to sources such as population characteristics, wildlife resources, industrial activities etc...;
 - (4) present and future growth trends, if taken into consideration in determining the TMDL and preparing the TMDL document (e.g., the TMDL could include the design capacity of an existing or planned wastewater treatment facility);
 - (5) an explanation and analytical basis for expressing the TMDL through surrogate measures, if applicable. Surrogate measures are parameters such as percent fines and turbidity for sediment impairments; chlorophyll *a* and phosphorus loadings for excess algae; length of riparian buffer; or number of acres of best management practices.
- ☒ The TMDL document should contain documentation supporting the TMDL analysis, including an inventory of the data set used, a description of the methodology used to analyze the data, a discussion of strengths and weaknesses in the analytical process, and the results from any water quality modeling used. This information is necessary for EPA to review the loading capacity determination, and the associated load, wasteload, and margin of safety allocations.
- ☒ TMDLs must take critical conditions (e.g., stream flow, loading, and water quality parameters, seasonality, etc...) into account as part of the analysis of loading capacity (40 C.F.R. §130.7(c)(1)). TMDLs should define applicable critical conditions and describe the approach used to determine both point and nonpoint source loadings under such critical conditions. In particular, the document should discuss the approach used to compute and allocate nonpoint source loadings, e.g., meteorological conditions and land use distribution.
- ☐ Where both nonpoint sources and NPDES permitted point sources are included in the TMDL loading allocation, and attainment of the TMDL target depends on reductions in the nonpoint source loads, the TMDL document must include a demonstration that nonpoint source loading reductions needed to implement the load allocations are actually practicable [40 CFR 130.2(i) and 122.44(d)].

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The technical analysis should describe the cause and effect relationship between the identified pollutant sources, the numeric targets, and achievement of water quality standards. It should also include a description of the analytical processes used, results from water quality modeling, assumptions and other pertinent information. The technical analysis for the Cottonwood Creek watershed TMDL describes how the fecal coliform loads were derived in order to meet the applicable water quality standards for the 303(d) impaired stream segments.

The TMDL loads and loading capacities were derived using the load duration curve (LDC) approach. To better correlate the relationship between the pollutant of concern and the hydrology of the Section 303(d) listed waterbody, a LDC was developed for monitoring site 380276. The LDC was derived using the 200 CFU/100 mL TMDL target (i.e., state water quality standard), the daily flow record, and the observed fecal coliform data collected from the site (see Figure 6 of the TMDL document) from 1995-1996 and 1997-2009.

Mean daily flows for the period December 31, 1994 through December 31, 2009 used in the development of the flow duration curves and load duration curves for site 380276 (above Lake LaMoure), were developed from stage and flow measurements taken by the LaMoure County Soil Conservation District. The load duration curve plots the allowable fecal coliform load (using the 200 CFU/100 mL standard) across the four flow regimes. Single grab sample fecal coliform concentrations were converted to loads by multiplying by flow and a conversion factor to produce CFU/day values. Each value was plotted individually on the load duration curve. Values falling above the curve indicate exceedance of the TMDL at that flow value while values falling below the curve indicate attainment of the TMDL at that flow.

To estimate the required percent reductions in loading needed to achieve the TMDL, a linear regression line through the fecal coliform load data above the TMDL curve in each flow regime was plotted. The required percent reductions needed under the three four regimes were determined using the linear regression line.

The LDC represents flow-variable TMDL targets across the flow regimes shown in the TMDL document. For the Cottonwood Creek segment covered by the TMDL document, the LDC is a dynamic expression of the allowable load for any given daily flow. Loading capacities were derived from this approach for the entire listed segment at each flow regime. Table 8 shows the loading capacity load (i.e., TMDL load) for the listed segment of the Cottonwood Creek.

COMMENTS: None.

4.1 Data Set Description

TMDL documents should include a thorough description and summary of all available water quality data that are relevant to the water quality assessment and TMDL analysis. An inventory of the data used for the TMDL analysis should be provided to document, for the record, the data used in decision making. This also provides the reader with the opportunity to independently review the data. The TMDL analysis should make use of all readily available data for the waterbody under analysis unless the TMDL writer determines that the data are not relevant or appropriate. For relevant data that were known but rejected, an explanation of why the data were not utilized should be provided (e.g., samples exceeded holding times, data collected prior to a specific date were not considered timely, etc...).

Minimum Submission Requirements:

- ☒ TMDL documents should include a thorough description and summary of all available water quality data that are relevant to the water quality assessment and TMDL analysis such that the water quality impairments are clearly defined and linked to the impaired beneficial uses and appropriate water quality criteria.
- ☒ The TMDL document submitted should be accompanied by the data set utilized during the TMDL analysis. If possible, it is preferred that the data set be provided in an electronic format and referenced in the document. If electronic submission of the data is not possible, the data set may be included as an appendix to the document.

Recommendation:

☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The Cottonwood Creek TMDL data description and summary are included in the Available Data section, in tables throughout the document and in the data table in Appendix A. Recent water quality monitoring was conducted over the period from 1995-2009 and included 197 fecal coliform samples at station 380276. The data set also includes approximately 15 years of flow record collected by the LaMoure County Soil Conservation District at same station as the water quality data. The flow data, along with the TMDL target, was used to develop the fecal coliform load duration curve for Cottonwood Creek.

COMMENTS: None.

4.2 Waste Load Allocations (WLA):

Waste Load Allocations represent point source pollutant loads to the waterbody. Point source loads are typically better understood and more easily monitored and quantified than nonpoint source loads. Whenever practical, each point source should be given a separate waste load allocation. All NPDES permitted dischargers that discharge the pollutant under analysis directly to the waterbody should be identified and given separate waste load allocations. The finalized WLAs are required to be incorporated into future NPDES permit renewals.

Minimum Submission Requirements:

- ☒ EPA regulations require that a TMDL include WLAs for all significant and/or NPDES permitted point sources of the pollutant. TMDLs must identify the portion of the loading capacity allocated to individual existing and/or future point source(s) (40 C.F.R. §130.2(h), 40 C.F.R. §130.2(i)). In some cases, WLAs may cover more than one discharger, e.g., if the source is contained within a general permit. If no allocations are to be made to point sources, then the TMDL should include a value of zero for the WLA.
- ☒ All NPDES permitted dischargers given WLA as part of the TMDL should be identified in the TMDL, including the specific NPDES permit numbers, their geographical locations, and their associated waste load allocations.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: Within the Cottonwood Creek watershed there are no point sources permitted through the North Dakota Pollutant Discharge Elimination System (NDPDES) Program. There are 10 (seven medium and three large) permitted Concentrated Animal Feeding Operations/Animal Feeding Operations (CAFOs/AFOs) in the watershed. However, they are zero discharge facilities and are not deemed a significant point source of fecal coliform bacteria loadings to Cottonwood Creek. Therefore, the WLA for this fecal coliform TMDL is zero.

COMMENTS: None.

4.3 Load Allocations (LA):

Load allocations include the nonpoint source, natural, and background loads. These types of loads are typically more difficult to quantify than point source loads, and may include a significant degree of uncertainty. Often it is necessary to group these loads into larger categories and estimate the loading rates based on limited monitoring data and/or modeling results. The background load represents a composite of all upstream pollutant loads into the waterbody. In addition to the upstream nonpoint and upstream natural load, the background load often includes upstream point source loads that are not given specific waste load allocations in this particular TMDL analysis. In instances where nonpoint source loading rates are particularly difficult to quantify, a performance-based allocation approach, in which a detailed monitoring plan and adaptive management strategy are employed for the application of BMPs, may be appropriate.

Minimum Submission Requirements:

- ☒ EPA regulations require that TMDL expressions include LAs which identify the portion of the loading capacity attributed to nonpoint sources and to natural background. Load allocations may range from reasonably accurate estimates to gross allotments (40 C.F.R. §130.2(g)). Load allocations may be included for both existing and future nonpoint source loads. Where possible, load allocations should be described separately for natural background and nonpoint sources.
- ☒ Load allocations assigned to natural background loads should not be assumed to be the difference between the sum of known and quantified anthropogenic sources and the existing *in situ* loads (e.g., measured in stream) unless it can be demonstrated that all significant anthropogenic sources of the pollutant of concern have been identified and given proper load or waste load allocations.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The TMDL document includes the cropland landuse breakdown for the North Dakota portion of the watershed based on the 2007 National Agricultural Statistics Service data. Other landuses are not provided. There are no significant point sources of fecal coliform loading located in the watershed (i.e., the WLA = 0).

The load reductions needed for the Cottonwood Creek fecal coliform bacteria TMDL can be generally allotted to nonpoint sources. Based on the data available, the general focus of BMPs and load reductions for the listed segments should be on unpermitted animal feeding areas and critical pasture areas adjacent to or in close proximity to Cottonwood Creek. Significant sources of fecal coliform bacteria loading were defined as nonpoint source pollution originating from livestock.

By relating runoff characteristics to each flow regime one can infer which sources are most likely to contribute to fecal coliform bacteria loading. Animals grazing in the riparian area contribute fecal coliform bacteria by depositing manure where it has an immediate impact on water quality. Due to the close proximity of manure to the stream or by direct deposition in the stream, riparian grazing impacts water quality at high, moist and dry condition, and low flows. In contrast, intensive grazing of livestock in the upland and not in the riparian area has a high potential to impact water quality at high flows and medium impact at moist condition flows. Exclusion of livestock from the riparian area eliminates the potential of direct manure deposit and, therefore, is considered to be of high importance at all flows. However, intensive grazing in the upland creates the potential for manure accumulation and availability for runoff at high flows and a high potential for fecal coliform bacteria contamination.

Source specific data are limited so an aggregate LA is assigned to nonpoint sources with a ranking of important contributors under various flow regimes provided as seen in the following excerpted table.

Table 6. Nonpoint Sources of Pollution and Their Potential to Pollute at a Given Flow Regime.

Non point Sources	Flow Regime		
	High Flow	Moist Conditions	Dry Conditions
Riparian Area Grazing (Livestock)	H	H	H
Animal Feeding Operations	H	M	L
Manure Application to Crop and Range Land	H	M	L
Intensive Upland Grazing (Livestock)	H	M	L

Note: Potential importance of non point source area to contribute fecal coliform bacteria loads under a given flow regime.
(H: High; M: Medium; L: Low)

COMMENTS: None.

4.4 Margin of Safety (MOS):

Natural systems are inherently complex. Any mathematical relationship used to quantify the stressor → response relationship between pollutant loading rates and the resultant water quality impacts, no matter how rigorous, will include some level of uncertainty and error. To compensate for this uncertainty and ensure water quality standards will be attained, a margin of safety is required as a component of each TMDL. The MOS may take the form of a explicit load allocation (e.g., 10 lbs/day), or may be implicitly built into the TMDL analysis through the use of conservative assumptions and values for the various factors that determine the TMDL pollutant load → water quality effect relationship. Whether explicit or implicit, the MOS should be supported by an appropriate

level of discussion that addresses the level of uncertainty in the various components of the TMDL technical analysis, the assumptions used in that analysis, and the relative effect of those assumptions on the final TMDL. The discussion should demonstrate that the MOS used is sufficient to ensure that the water quality standards would be attained if the TMDL pollutant loading rates are met. In cases where there is substantial uncertainty regarding the linkage between the proposed allocations and achievement of water quality standards, it may be necessary to employ a phased or adaptive management approach (e.g., establish a monitoring plan to determine if the proposed allocations are, in fact, leading to the desired water quality improvements).

Minimum Submission Requirements:

- ☒ TMDLs must include a margin of safety (MOS) to account for any lack of knowledge concerning the relationship between load and wasteload allocations and water quality (CWA §303(d)(1)(C), 40 C.F.R. §130.7(c)(1)). EPA's 1991 TMDL Guidance explains that the MOS may be implicit (i.e., incorporated into the TMDL through conservative assumptions in the analysis) or explicit (i.e., expressed in the TMDL as loadings set aside for the MOS).
 - ☐ If the MOS is implicit, the conservative assumptions in the analysis that account for the MOS should be identified and described. The document should discuss why the assumptions are considered conservative and the effect of the assumption on the final TMDL value determined.
 - ☒ If the MOS is explicit, the loading set aside for the MOS should be identified. The document should discuss how the explicit MOS chosen is related to the uncertainty and/or potential error in the linkage analysis between the WQS, the TMDL target, and the TMDL loading rate.
 - ☐ If, rather than an explicit or implicit MOS, the TMDL relies upon a phased approach to deal with large and/or unquantifiable uncertainties in the linkage analysis, the document should include a description of the planned phases for the TMDL as well as a monitoring plan and adaptive management strategy.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The Cottonwood Creek TMDL includes an explicit MOS for the listed segment derived by calculating 10 percent of the loading capacity. The explicit MOS for the Cottonwood Creek segment is included in Table 8.

COMMENTS: None.

4.5 Seasonality and variations in assimilative capacity:

The TMDL relationship is a factor of both the loading rate of the pollutant to the waterbody and the amount of pollutant the waterbody can assimilate and still attain water quality standards. Water quality standards often vary based on seasonal considerations. Therefore, it is appropriate that the TMDL analysis consider seasonal variations, such as critical flow periods (high flow, low flow), when establishing TMDLs, targets, and allocations.

Minimum Submission Requirements:

- ☒ The statute and regulations require that a TMDL be established with consideration of seasonal variations. The TMDL must describe the method chosen for including seasonal variability as a factor. (CWA §303(d)(1)(C), 40 C.F.R. §130.7(c)(1)).

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: By using the load duration curve approach to develop the TMDL allocations, seasonal variability in fecal coliform loads are taken into account. Highest stream flows typically occur during late spring, and the lowest stream flows occur during the winter months. Also, the TMDL is seasonal since the fecal coliform criteria are in effect from May 1 to September 30, therefore the TMDL is only applicable during that period.

COMMENTS: None.

5. Public Participation

EPA regulations require that the establishment of TMDLs be conducted in a process open to the public, and that the public be afforded an opportunity to participate. To meaningfully participate in the TMDL process it is necessary that stakeholders, including members of the general public, be able to understand the problem and the proposed solution. TMDL documents should include language that explains the issues to the general public in understandable terms, as well as provides additional detailed technical information for the scientific community. Notifications or solicitations for comments regarding the TMDL should be made available to the general public, widely circulated, and clearly identify the product as a TMDL and the fact that it will be submitted to EPA for review. When the final TMDL is submitted to EPA for approval, a copy of the comments received by the state and the state responses to those comments should be included with the document.

Minimum Submission Requirements:

- ☒ The TMDL must include a description of the public participation process used during the development of the TMDL (40 C.F.R. §130.7(c)(1)(ii)).
- ☐ TMDLs submitted to EPA for review and approval should include a summary of significant comments and the State's/Tribe's responses to those comments.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The TMDL document includes a summary of the public participation process that has occurred. It describes the opportunities the public had to be involved in the TMDL development process. Copies of the draft TMDL document were mailed to stakeholders in the watershed during public comment. Also, the draft TMDL document was posted on NDoDH's Water Quality Division website, and a public notice for comment was published in local newspapers.

COMMENTS: None.

6. Monitoring Strategy

TMDLs may have significant uncertainty associated with the selection of appropriate numeric targets and estimates of source loadings and assimilative capacity. In these cases, a phased TMDL approach may be necessary. For Phased TMDLs, it is EPA's expectation that a monitoring plan will be included as a component of the TMDL document to articulate the means by which the TMDL will be evaluated in the field, and to provide for future supplemental data that will address any uncertainties that may exist when the document is prepared.

Minimum Submission Requirements:

- ☒ When a TMDL involves both NPDES permitted point source(s) and nonpoint source(s) allocations, and attainment of the TMDL target depends on reductions in the nonpoint source loads, the TMDL document should include a monitoring plan that describes the additional data to be collected to determine if the load reductions provided for in the TMDL are occurring.
- ☒ Under certain circumstances, a phased TMDL approach may be utilized when limited existing data are relied upon to develop a TMDL, and the State believes that the use of additional data or data based on better analytical techniques would likely increase the accuracy of the TMDL load calculation and merit development of a second phase TMDL. EPA recommends that a phased TMDL document or its implementation plan include a monitoring plan and a scheduled timeframe for revision of the TMDL. These elements would not be an intrinsic part of the TMDL and would not be approved by EPA, but may be necessary to support a rationale for approving the TMDL.
http://www.epa.gov/owow/tmdl/tmdl_clarification_letter.pdf

Recommendation:

☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: To insure that the best management practices (BMPs) and technical assistance that were implemented as part of the Section 319 Cottonwood Creek Watershed Restoration Project are successful in reducing fecal coliform bacteria, as well as E. coli loadings, to levels necessary to meet water quality standards prescribed in this TMDL, water quality monitoring is being conducted in accordance with an approved Quality Assurance Project Plan. Specifically, monitoring has been conducted for all variables that are currently causing impairments to the beneficial uses of the waterbody. These include, but are not limited to fecal coliform and E. coli bacteria.

COMMENTS: None.

7. Restoration Strategy

The overall purpose of the TMDL analysis is to determine what actions are necessary to ensure that the pollutant load in a waterbody does not result in water quality impairment. Adding additional detail regarding the proposed approach for the restoration of water quality is not currently a regulatory requirement, but is considered a value added component of a TMDL document. During the TMDL analytical process, information is often gained that may serve to point restoration efforts in the right direction and help ensure that resources are spent in the most efficient manner possible. For example, watershed models used to analyze the linkage between the pollutant loading rates and resultant water quality impacts might also be used to conduct “what if” scenarios to help direct BMP installations to locations that provide the greatest pollutant reductions. Once a TMDL has been written and approved, it is often the responsibility of other water quality programs to see that it is implemented. The level of quality and detail provided in the restoration strategy will greatly influence the future success in achieving the needed pollutant load reductions.

Minimum Submission Requirements:

- ☒ EPA is not required to and does not approve TMDL implementation plans. However, in cases where a WLA is dependent upon the achievement of a LA, “reasonable assurance” is required to demonstrate the necessary LA called for in the document is practicable). A discussion of the BMPs (or other load reduction measures) that are to be relied upon to achieve the LA(s), and programs and funding sources that will be relied upon to implement the load reductions called for in the document, may be included in the implementation/restoration section of the TMDL document to support a demonstration of “reasonable assurance”.

Recommendation:

☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The Allocation section (Section 8.0) of the TMDL document includes a list of BMPs that are recommended to meet the TMDL loads. Local sponsors in the watershed have successfully applied for and received Section 319 funding for the Cottonwood Creek Watershed Restoration Project. Beginning in 1997, local sponsors provided technical assistance and implemented BMPs designed to reduce fecal coliform bacteria loadings and to help restore the recreation beneficial uses of Cottonwood Creek. Water quality data continues to be collected to monitor and track the effects of BMP implementation as well as to judge overall success of the project in reducing fecal coliform bacteria loadings. A QAPP was developed as part of this watershed restoration project that detailed the how, when and where monitoring will be conducted to gather the data needed to document success in meeting the TMDL implementation goal(s). As the data are gathered and analyzed, watershed restoration tasks were adapted, if necessary, to place BMPs where they will have the greatest benefit to water quality and in meeting the TMDL goal(s).

Also, as part of the implementation plan for this TMDL, it is recommended that the permitted point sources (i.e., seven medium and 3 large AFOs) in the watershed be inspected to ensure that they are being operated in compliance with their permit conditions, and to verify that they aren’t significant fecal coliform bacteria sources. Currently, all permitted CAFOs (greater than or equal to 1000 animal units) are inspected annually by the

NDDoH. Permitted small and medium AFOs (<1000 animal units) in the Cottonwood Creek watershed are inspected on an as needed basis.

There are no significant permitted point sources in the watershed contributing to the bacteria load, so it's not necessary to fully document reasonable assurance demonstrating that the nonpoint source loadings are practicable.

COMMENTS: None.

8. Daily Loading Expression

The goal of a TMDL analysis is to determine what actions are necessary to attain and maintain WQS. The appropriate averaging period that corresponds to this goal will vary depending on the pollutant and the nature of the waterbody under analysis. When selecting an appropriate averaging period for a TMDL analysis, primary concern should be given to the nature of the pollutant in question and the achievement of the underlying WQS. However, recent federal appeals court decisions have pointed out that the title TMDL implies a “daily” loading rate. While the most appropriate averaging period to be used for developing a TMDL analysis may vary according to the pollutant, a daily loading rate can provide a more practical indication of whether or not the overall needed load reductions are being achieved. When limited monitoring resources are available, a daily loading target that takes into account the natural variability of the system can serve as a useful indicator for whether or not the overall load reductions are likely to be met. Therefore, a daily expression of the required pollutant loading rate is a required element in all TMDLs, in addition to any other load averaging periods that may have been used to conduct the TMDL analysis. The level of effort spent to develop the daily load indicator should be based on the overall utility it can provide as an indicator for the total load reductions needed.

Minimum Submission Requirements:

- ☒ The document should include an expression of the TMDL in terms of a daily load. However, the TMDL may also be expressed in temporal terms other than daily (e.g., an annual or monthly load). If the document expresses the TMDL in additional “non-daily” terms the document should explain why it is appropriate or advantageous to express the TMDL in the additional unit of measurement chosen.

Recommendation:

- ☒ Approve ☐ Partial Approval ☐ Disapprove ☐ Insufficient Information

SUMMARY: The Cottonwood Creek fecal coliform TMDL document includes daily loads expressed as colonies per day for the listed segment of the river. The daily TMDL loads are included in TMDL section (Section 7.0) of the document.

COMMENTS: None.

Appendix F
NDDoH's Response to Comments Received from US EPA Region 8

EPA Region VIII Comments: The landuse information in Section 1.3 includes a comparison of dominant crop types in 1997 and 2007. However, there is no information provided on the other landuses in the watershed. Typically, the most recent NASS data is used to describe the current landuse for all categories in the watershed. The comparison between 1997 and 2007 is interesting, but the most recent landuse is the most relevant. We recommend deleting the comparison and including the full landuse breakdown for 2007.

Also, Section 4.0 mentions that municipalities in the watershed utilize septic systems for domestic wastewater treatment, but no mention is made of septic systems being a potential source of fecal contamination. We recommend adding a paragraph on septic systems in the Significant Sources section.

NDDoH Response to Comments: The landuse description in Section 1.3 and in the accompanying Table 3 has been revised to include all current (i.e., 2007) landuse in Cottonwood Creek watershed.

Also, an additional paragraph has been added to Section 4.2 which describe the potential for failing septic systems to be a possible bacteria source in the watershed.